




Price List | 2024



TEJAS BORJA
Since 1899



Index

2 / Summary prices by formats

8 / SOLAR roof tiles

9 / FLAT-5XL

10 / FLAT-10

11 / TECHNICA-10

11 / ALICANTINA-12

16 / TB-10 Tech

17 / TB-12

18 / TB-4

19 / TBS+

24 / C-50.21 Celler

25 / STEP CELLER 50/45 - C-45.20

26 / C-40.19 - C-40.15

30 / C-25.12 - ESCAMA

31 / Decorative Pieces

31 / Bretagna Ridge

32 / BorjaDECOR


36 / BorjaSAT

37 / BorjaTHERM

38 / Roof components

42 / Sales conditions

Note: The colour reproduction is approximate, subject to change due to the natural colours of the clays.
Check finishing colours for different accessories by telephone at: **+34 96 279 80 16**
or by e-mail: **info@tejasborja.com**.



**Contact our
technical department**

Our technical department can help you to define
the best solution for any cladding project.
departamentotecnico@tejasborja.com


SUMMARY

prices by formats

FLAT-5XL®



PLAIN COLOUR



Leon Matte



7,66 €/Unit



reddot award 2019
winner

BorjaJET - Inkjet Technology

Ceramic SLATE



Nepal Orange



PVP: 10,65 €/Unit
(58,36 €/sq. m.)



Paris Ocre



PVP: 10,65 €/Unit
(58,36 €/sq. m.)



Irish Green



PVP: 10,65 €/Unit
(58,36 €/sq. m.)

Ceramic COTTO



Ibiza Pink



PVP: 10,65 €/Unit
(58,36 €/sq. m.)

Ceramic CEMENT



Sidney Graphite



PVP: 10,65 €/Unit
(58,36 €/sq. m.)

Ceramic STONE



Austin Grey



PVP: 10,65 €/Unit
(58,36 €/sq. m.)



Denver Gold



PVP: 10,65 €/Unit
(58,36 €/sq. m.)



Denver Iris



PVP: 10,65 €/Unit
(58,36 €/sq. m.)

Ceramic OXIDE



Tokyo Copper



PVP: 12,77 €/Unit
(69,98 €/sq. m.)

Ceramic MARBLE



Roma Dark



PVP: 10,65 €/Unit
(58,36 €/sq. m.)

FLAT-10



PLAIN COLOUR



Graphite



3,61 €/Unit



Chocolate




3,61 €/Unit



Natural Black



3,69 €/Unit



Mid Grey



3,74 €/Unit



Artica



3.90 €/Unit




Leon Matte



4,41 €/Unit

NATURE



Red

3,39 €/Unit



Moss Red

3,61 €/Unit

BorjaJET - Inkjet Technology

Ceramic SLATE



Nepal Orange



PVP: 4,50 €/Unit
(45,90 €/sq. m.)



Paris Ocre



PVP: 4,50 €/Unit
(45,90 €/sq. m.)

Ceramic CEMENT



Sidney Graphite



PVP: 4,50 €/Unit
(45,90 €/sq. m.)

Ceramic WOOD



Toronto Oak



PVP: 4,50 €/Unit
(45,90 €/sq. m.)




Weathered Cedar



PVP: 4,50 €/Unit
(45,90 €/sq. m.)

Ceramic COTTO



Ibiza Pink



PVP: 4,50 €/Unit
(45,90 €/sq. m.)

Ceramic OXIDE



Tokyo Copper



PVP: 5,40 €/Unit
(55,08 €/sq. m.)

TECHNICA-10

NATURE




Red

3,39 €/Unit

Moss Red*

3,43 €/Unit

PLAIN COLOUR



Graphite

3,43 €/Unit



Chocolate*

3,43 €/Unit



Mid Grey*

3,70 €/Unit



* Check availability.

ALICANTINA-12

NATURE



Red

2,36 €/Unit

Fosca

2,50 €/Unit

Nortegna

2,95 €/Unit

Litoral

2,95 €/Unit



TB-10 Tech

NATURE



Red

2,49 €/Unit


Moss Red

2,84 €/Unit

Fosca

2,84 €/Unit

PLAIN COLOUR




Chocolate

3,43 €/Unit



Graphite

3,43 €/Unit



Manoir

2,84 €/Unit

Edetania

3,08 €/Unit

Lamalou

2,93 €/Unit

CENTENARIA



Ground

3,08 €/Unit

BorjaJET - Inkjet Technology



Entrepins

2,92 €/Unit

Irati


2,92 €/Unit



TB-4



NATURE



Red

2,44 €/Unit

Vilattera

3,12 €/Unit

TBS+



NATURE



Red

2,23 €/Unit

Manoir

2,59 €/Unit

Fosca

2,52 €/Unit



Moss Red

2,52 €/Unit

Lamalou

2,59 €/Unit

Castilla

2,59 €/Unit

CENTENARIA



Ground

2,84 €/Unit

TB-12



NATURE



Red

2,03 €/Unit

Aged Red


2,29 €/Unit

Fosca

2,29 €/Unit

Manoir

2,35 €/Unit



Lamalou

2,35 €/Unit

Bidasoa


2,35 €/Unit

Castilla

2,35 €/Unit

Shaded White

2,35 €/Unit



Aged White

2,35 €/Unit

Vilavella*

2,51 €/Unit

R. Rosarena

2,51 €/Unit

Brown

2,51 €/Unit

CENTENARIA




Ground

2,58 €/Unit

Mediterrania

2,58 €/Unit

PLAIN COLOUR



Graphite (1 SIDE)

2,58 €/Unit

Graphite (2 SIDES)

3,50 €/Unit

* Vilavella is produced in red and white clay.

TX - roof tiles with texture **W** - white clay **M** - brown clay

C-50.21 Celler



NATURE



Red

1,28 €/Unit



Shaded White


1,57 €/Unit



Fosca



1,67 €/Unit



Manoir

1,67 €/Unit



Vilavella

1,73 €/Unit

CENTENARIA



Ground

1,82 €/Unit



Mediterrania

1,82 €/Unit



Edetania

1,73 €/Unit



Lamalou

1,73 €/Unit



Montseny

1,73 €/Unit



Brown

1,82 €/Unit



STEP CELLER 50/45



NATURE



Red

1,63 €/Unit



R. Shaded White

1,73 €/Unit




Manoir/Ground

1,88 €/Unit



Serrania

1,88 €/Unit



Fosca Brown

1,88 €/Unit

C-45.20



NATURE



Red

1,02 €/Unit



Moss Red

1,13 €/Unit

C-40.19



NATURE



Red

0,96 €/Unit



Aged Red

1,32 €/Unit



Shaded White

1,32 €/Unit



Aged White

1,32 €/Unit



Vilavella

1,32 €/Unit



CENTENARIA



Sand

1,45 €/Unit

C-40.15



NATURE



Red

0,91 €/Unit



Fosca

1,20 €/Unit



Brown

1,24 €/Unit



CENTENARIA



Ground

1,45 €/Unit

C-25.12



NATURE



Red

1,31 €/Unit

Escama



NATURE



Red

4,42 €/Unit

SOLAR FLAT-5XL

Ceramic Tile

SOLAR FLAT-5XL are the only large-format ceramic roof tiles with an **integrated solar energy system on a ceramic base**, ideal for providing a reliable supply of solar energy. It is compatible with the Leon Matte FLAT-5XL roof tile and other Flat-5XL textured models. It comes in two versions, to adapt to the power generation needs of each project. Perfect integration into the roof, without risk of degradation or oxidation.



* The SOLAR roof tiles must be installed always on ventilated roofs, being able to use double batten system or equivalent system.

** According to the batten distance.

⁽¹⁾ CIGS - acronym that defines the latest technology in high efficiency solar cells with high performance (copper, indium, gallium and selenium), free of Cadmium and Lead.

⁽²⁾ SOLAR FLAT-5XL: Ref. SMG-20W;
SOLAR FLAT-10: Ref. TUV CIGS-05xxT1

STC standard conditions: Irradiance 1,000 W / sq. m.,
Cell temperature: 25°C, AM = 1.5

	SOLAR FLAT-5XL Roof Tile CIGS ⁽¹⁾ Code 3/7120	SOLAR FLAT-5XL Roof Tile MONOCRYSTALLINE ^(v3.M1G) Code 3/7118
Dimensions	457 x 510 (mm)	457 x 510 (mm)
Weight	7,50 Kg.	7,50 Kg.
Colour	LEON MATTE / Crystal FULL-BLACK	LEON MATTE / Crystal FULL-BLACK
Cell type	CIGS (Cadmium and Lead free products) ⁽¹⁾	Monocrystalline
Base	Flat-5XL Ceramic Roof Tile	Flat-5XL Ceramic Roof Tile
Solar module size	410 x 360 mm (380 x 300 mm active zone)	410 x 360 x 4,5 mm (385 x 315 mm active zone)
Flat-5XL tiles equivalence	1 roof tile	1 roof tile
Installation	As per Flat-5XL *	As per Flat-5XL *
Connection	mixed connection (series and parallel)	mixed connection (series and parallel)
Nominal Power (Pmax)	17 Wp	23 Wp
Current at Nominal Power (Impp)	0,54 A	1,78 A
Voltage at Nominal Power (Vmpp)	31,7 V	13,2 V
Short Circuit Current (Isc)	0,61 A	1,92 A
Open Circuit Voltage (Voc)	40,2 V	15,5 V
Standard	IEC 61646 - IEC 61730 ⁽²⁾	IEC 61646 - IEC 61730
Front glass	3,2 mm. Tempered Glass	3,2 mm. Tempered Glass
Back layer / Back glass	1,8 mm. Tempered Glass	Polymers combination
Junction Box	IP 67	IP 67
Connection Plug	MC4 Compatible	MC4 Compatible
Cable DC	4,0 sq.mm., (12 AWG)	4,0 sq.mm., (12 AWG)
Cable DC Length	2 x 600 mm	2 x 470 mm
Recommended batten distance (max. efficiency)	355 mm	355 mm
Units /sq. m.	5,85- 5,50 Units	5,85- 5,50 Units
Maximum power / sq. m. **	102 Wp/sq. m.	134,55 Wp/sq. m.
sq.m. - 1 KWp	9,8 sq. m.	7,43 sq. m.
Units/kWp	58,82 Units	43,48 Units
Units/Pallet	36 roof tiles	36 roof tiles

51,00 €/Unit

61,20 €/Unit

SOLAR FLAT-10

Roof Tile

The **SOLAR FLAT-10** roof tile is manufactured on aluminum base and FULL-BLACK finish. It is equivalent to 5 units of FLAT-10 roof tiles. Thanks to its integration it confers all the benefits in terms of water tightness all through the roof. SOLAR FLAT-10 roof tile is designed to seamlessly integrate into your roof.



TEJA SOLAR FLAT-10 CIGS Code 7/0815

RoHS TUV NORD CE

	TEJA SOLAR FLAT-10 CIGS Code 7/0815	
Dimensions	457 x 1 268 x 39,4 mm	
Weight	8,7 Kg.	
Colour	Black / Crystal FULL-BLACK	
Cell type	CIGS (Cadmium and Lead free products) ⁽¹⁾	
Base	Aluminium base	
Solar module size	345 x 1215 mm (300 x 1200 mm active zone)	
FLAT-10 tiles equivalence	5 roof tiles	
Installation	According to FLAT-10 roof tile	
Connection	Mixed connection (series and parallel)	
Nominal Power (Pmax)	58 Wp	
Current at Nominal Power (Impp)	1,69 A	
Voltage at Nominal Power (Vmpp)	34,3 V	
Short Circuit Current (Isc)	1.87 A	
Open Circuit Voltage (Voc)	42,4 V	
Standard		IEC 61646 IEC 61730
Front glass		3.2 mm. Tempered Glass
Back glass		Weather-resistant film
Junction Box		IP 68
Connection Plug		MC4 Compatible
Cable DC		4.0 sq.mm., (12 AWG)
Cable DC Length		2 x 1200 mm
Recommended batten distance (max. efficiency)		370 mm
Units /sq. m.		2,02 - 2,23 Units
Maximum power / sq. m. **		129,34 Wp/sq. m.
sq.m. - 1 KWp		7,73 sq. m.
Units/kWp		17.24 Units
Units/Pallet		32 roof tiles

180,54 €/Unit

FLAT-5XL®



Trade model
> Klinker

Dimensions	457 mm x 510 mm
Minimum pitch recommended	30% - 17° (*)
Weight	6,55 Kg./Unit
Units / sq. m.	5,48 roof tiles
Units per LM eave line	2 roof tiles
Useful width	475 mm
Useful length (Batten distance) VARIABLE	340-385 mm
Pallet data	(G1) 152 Units / 1003 Kg.
Minimum order	2 roof tiles


Approximate values: If the roof tiles are installed on battens, the useful length must be calculated on site. A tolerance of ± 2% is allowed on the dimensions of the roof tiles according to EN 1024.

(*) In zone 1 (protected area), arranged in staggered formation with waterproof laminate and batten distance of 340 mm on a skirt of up to 6.5 m. Check pitch panel according to the roof length and the geographical area according to EN 136020. Installation must comply with Code of practice for the design and fixing of roofs with clay roofing tiles for the region and Tejas Borja specifications.



BorjaJET - Inkjet Technology

PLAIN COLOUR



Leon
Matte G TX
Code 3/6390

7,66 €/Unit

Ceramic SLATE



Nepal
Orange D G TX
Code 3/6642

10,65 €/Unit



Paris
Ocre D G TX
Code 3/6643

10,65 €/Unit



Irish Green D G TX
Code 3/7100

10,65 €/Unit

Ceramic COTTO



Ibiza
Pink D G TX
Code 3/6653

10,65 €/Unit

Ceramic CEMENT



Sidney
Graphite D G
Code 3/6650

10,65 €/Unit

Ceramic STONE




Austin
Grey D G TX
Code 3/6644

10,65 €/Unit



Denver
Gold D G TX
Code 3/6648

10,65 €/Unit



Denver
Iris D G TX
Code 3/6649

10,65 €/Unit

Ceramic OXIDE



Tokyo
Copper D G
Code 3/6652

12,77 €/Unit

Ceramic MARBLE



Roma
Dark D G
Code 3/6651

10,65 €/Unit



reddot award 2019
winner

NOTES:
FLAT-5XL BorjaJET available upon request.
Delivery time 4-6 weeks.
All Flat-5XL finishes are produced only on 1 side colour.

TX - roof tiles with texture D - digital G - gres clay

FLAT-10



> Klinker

Dimensions	475 mm x 285 mm
Minimum pitch recommended	30% - 17° (*)
Weight	3,5 Kg./Unit
Units / sq. m.	10,2 roof tiles
Units per LM eave line	4 roof tiles
Useful width	245 mm
Useful length (Batten distance) VARIABLE	365-400 mm
Pallet data	(T5) 252 Units / 880 Kg. (T6) 336 Units / 1199 Kg.
Minimum order	6 roof tiles

Approximate values: If the roof tiles are installed on battens, the useful length must be calculated on site. A tolerance of ± 2% is allowed on the dimensions of the roof tiles according to EN 1024.

The certified characteristics for the NF Terracotta tiles are compliant with the requirements of the NF EN 1304 standard: Structural faults, the geometric characteristics, resistance to flexural strength, impermeability (class 1), frost resistance according to the NF EN 539-2 standard for all products made with red mixture. AFNOR Certification: 11 rue Francis de Pressensé // 93571 LA PLAINE SAINT-DENIS CEDEX // www.marque-nf.com.

Installation must comply with Code of practice for the design and fixing of roofs with clay roofing tiles for the region and Tejas Borja specifications.

(*) In zone 1 (protected area), arranged in staggered formation with waterproof laminate and batten distance of 365 mm on a skirt of up to 6.5 m. Check pitch panel according to the roof length and the geographical area according to EN 136020.

The type of pallet will be confirmed upon orrigit.



BorjaJET - Inkjet Technology

PLAIN COLOUR



Graphite
Code 3/6386

3,61 €/Unit



Chocolate
Code 3/6387

3,61 €/Unit



Natural Black
Code 3/6951

3,69 €/Unit



Mid Grey
Code 3/6385

3,74 €/Unit



Artica
Code 3/7116

3,90 €/Unit



Leon Matte
Code 3/7061


4,41 €/Unit

NATURE



Red
Code 3/6381

3,39 €/Unit



Moss Red
Code 3/6382

3,61 €/Unit

Ceramic WOOD



Toronto Oak
Code 3/6602

4,50 €/Unit



Weathered Cedar
Code 3/7053

4,50 €/Unit

Ceramic OXIDE



Tokyo Copper
Code 3/6603

5,40 €/Unit

Ceramic SLATE



Nepal Orange
Code 3/6594


4,50 €/Unit



Paris Ocre
Code 3/6595

4,50 €/Unit

Ceramic COTTO



Ibiza Pink
Code 3/6604

4,50 €/Unit

Ceramic CEMENT



Sidney Graphite
Code 3/6601

4,50 €/Unit

NOTES:

All Flat-10 finishes are produced only on 1 side colour.

TECHNICA-10



> Klinker

Dimensions	475 mm x 262 mm
Minimum pitch recommended	30% - 17° (*)
Weight	3,05 Kg./Unit
Units / sq. m.	10,9 roof tiles
Units per LM eave line	4,5 roof tiles
Useful width	220 mm
Useful length (Batten distance) VARIABLE	370-415 mm
Pallet data	(TB) 320 Units / 1.070 Kg.
TC - Exclusive container	(TC) 240 Units / 805 Kg.
Minimum order	6 roof tiles



Approximate values: If the roof tiles are installed on battens, the useful length must be calculated on site. A tolerance of $\pm 2\%$ is allowed on the dimensions of the roof tiles according to EN 1024.

The certified characteristics for the **NF** Terracotta tiles are compliant with the requirements of the NF EN 1304 standard: Structural faults, the geometric characteristics, resistance to flexural strength, impermeability (class 1), frost resistance according to the NF EN 539-2 standard for all products made with red mixture. AFNOR Certification: 11 rue Francis de Pressensé // 93571 LA PLAINE SAINT-DENIS CEDEX // www.marque-nf.com.

Installation must comply with Code of practice for the design and fixing of roofs with clay roofing tiles for the region and Tejas Borja specifications.

(*) In zone 1 (protected area), arranged in staggered formation with waterproof laminate and batten distance of 365 mm on a skirt of up to 6.5 m. Check pitch panel according to the roof length and the geographical area according to EN 136020.

The type of pallet will be confirmed upon orrigh.

NATURE

PLAIN COLOUR



Red
Code 3/6440)

3,39 €/Unit



Moss Red
Code 3/6441

3,43 €/Unit



Graphite
Code 3/6445

3,43 €/Unit



M Chocolate
Code 3/6442

3,43 €/Unit



M Mid Grey
Code 3/6444

3,70 €/Unit

NOTE: Finishes for the Technica-10 roof tile are produced on one side. Limited manufacturing. Check availability.

M - brown clay

ALICANTINA-12



Dimensions	430 mm x 257 mm
Minimum pitch recommended	40% - 22° (*)
Weight	3 Kg./Unit
Units / sq. m.	12,3 roof tiles
Units per LM eave line	5 roof tiles
Useful width	215 mm
Useful length (Batten distance)	370 mm
Pallet data	(X5) 280 Units / 848 Kg.
X5 - Stardard	(X1) 240 Units / 729 Kg.
X1 - Exclusive truck	(X6) 210 Units / 636 Kg.
X6 / X7 - Exclusive container	(X7) 140 Units / 424 Kg.
Minimum order	7 roof tiles



Approximate values: If the roof tiles are installed on battens, the useful length must be calculated on site. A tolerance of $\pm 2\%$ is allowed on the dimensions of the roof tiles according to EN 1024.

Installation must comply with Code of practice for the design and fixing of roofs with clay roofing tiles for the region and Tejas Borja specifications.

(*) Check pitch panel according to the roof length and the geographical area.

The type of pallet will be confirmed upon orrigh.

NATURE



Red
Code 3/2117

2,36 €/Unit



Fosca
Code 3/2338

2,50 €/Unit



Nortegna
Code 3/5483

2,95 €/Unit



Litoral
Code 3/5472

2,95 €/Unit

NOTES: Finishes for the Alicantina-12 roof tile are produced on one side. Pallet type X1 - Only in Red finish - limited availability.

ACCESSORIES | FLAT-5XL | FLAT-10 | TECHNICA-10









MOLD	DESCRIPTION AND DIMENSIONS	Units/ Pallet	Minimum Order Units	P.V.P. €/Unit NATURE	P.V.P. €/Unit PLAIN COLOUR	P.V.P. €/Unit BorjaJET
08-155	Angular Ridge 42 x 30,5 x 9,7 / 2,5 Units/lm / 3,2 kg. Max. Slope. 62%-31.5°	72 / 120	6	12,82	13,96	-
35-156	Angular Hip Starter 42,2 x 30,5 x 10 / 2,83 kg.	72 / 75	1	47,22	51,55	-
30-158	Angular 3 Ways 45,2 x 29,3 x 10 / 4,37 kg.	36	1	69,71	74,95	-
31-261	Angular 4 Ways 46 x 41,5 x 16,5 / 6,50 Kg.	13	1	165,44	177,05	-
25-157	Straight End Cap 8,5 x 28,5 x 12,5 / 2,65 kg.	56	1	47,22	51,55	-
08-265	100° Ridge 47,5 x 25 x 10,5 / 2,22 Units/lm / 4,00 kg. Max. Slope. 100%-45°	64	4	12,82	13,96	17,38
35-273	100° Hip Starter 37 x 25 x 10,5 / 2,70 kg.	60	1	47,22	51,55	64,15
30-274	100° 3 Ways 40 x 45 x 22 / 5,15 kg.	16	1	69,71	74,95	74,95*
31-311	100° 4 Ways 46,5 x 46,5 x 16 / 7,50 Kg.	8	1	165,44	177,05	177,05*
25-308	100° End Cap 27,5 x 28 x 7 / 2,1 kg.	104	1	47,22	51,55	64,15
37-297 TX 37-303	Chimney Carrier FLAT-5XL d.140 45,7 x 27,2 x 16 / 17 Øext - 13 Øint / 3,5 kg.	48	1	-	93,94	118,88
37-284	Chimney Carrier FLAT-10 d.140 47,5 x 28,5 x 10,5 / 18 Øext - 13,5 Øint / 3,5 kg.	34	1	87,74	93,94	118,88
37-290	Chimney Carrier TECHNICA-10 d.130 47,3 x 26,2 x 10,5 / 17 Øext - 13 Øint / 3,7 kg.	36	1	87,74	93,94	-
33-166	Chimney d.130 20,4 Øext-18 Øint x 20 / 2,15 Kg.	24/48/64	1	169,21	177,05	-
33-040	Chimney d.140 22,5 Øext-20 Øint x 21 / 2,35 Kg.	24/64	1	169,21	177,05	-
10-041	Ventilation Cap 24,5 Øext - 22 Øint x 6 / 1,70 kg.	110/120	1	47,22	51,55	64,15
24-029	Universal Angular Edge 42,5 x 13 x 13 / 2,5 Units/lm / 2,85 kg. (On monopitch)	75	5	11,59	12,41	17,38
24-286	Interlocking Edge Left 45,5 x 8 x 15 / 2,20 kg. / 2,5-2,75 Units/lm	126	1	12,82	13,96	17,38
24-285	Interlocking EDge Right 47,2 x 11,2 x 15 / 3 kg. / 2,5-2,95 Units/lm	100	1	12,82	13,96	17,38
24-313	Interlocking Edges FLAT-5XL Left 45,5 x 8 x 15 / 2,20 kg. / 2,5-2,95 Units/lm	126	1	-	13,96	17,38












* Accessories available in neutral colour finishes, compatible with BorjaJET finishes.
Check finishing colours for different accessories.

The tone of the accessories in PLAIN COLOUR finishes may vary with respect to the tone of the roof tile since they are manufactured on different production lines.

ACCESSORIES | FLAT-5XL | FLAT-10 | TECHNICA-10

MOLD	DESCRIPTION AND DIMENSIONS	Units/ Pallet	Minimum Order Units	P.V.P. €/Unit NATURE	P.V.P. €/Unit PLAIN COLOUR	P.V.P. €/Unit BorjaJET
 36-295 TX 36-301	Half FLAT-5XL 45,7 x 27,2 x 2,4 / 3,5 kg.	320	1	-	10,51	13,08
 36-288	Half TECHNICA-10 47,5 x 15,5 x 2,6 / 2 kg.	148/216	1	9,58	10,51	-
 36-282 36-304 TX	Half FLAT-10 47,5 x 16,6 x 2,6 / 2 kg.	155/216	6	9,58	10,51	13,08
 39-296 TX 39-302	Ventilation FLAT-5XL 45,7 x 27,2 x 5 / 3,5 kg.	56/144	1	-	51,55	64,15
 39-283 39-305 TX	Ventilation FLAT-10 47,5 x 28,5 x 3,7 / 3,5 kg.	144	1	47,22	51,55	64,15
 39-289	Ventilation TECHNICA-10 47,5 x 26,2 x 10,5 / 3,4 kg.	144	1	47,22	51,55	-

ACCESSORIES | ALICANTINA-12

MOLD	DESCRIPTION AND DIMENSIONS	Units/Pallet	Minimum Order Units	PVP €/Unit
 08-155	Angular Ridge 42 x 30,5 x 9,7 / 2,50 Units/lm / 3,2 Kg. Max. Slope. 62%-31.5°	72/75	6	12,82
 35-156	Angular Hip Starter 42,2 x 30,5 x 10 / 2,83 Kg.	72	1	47,22
 30-158	Angular 3 Ways 45,1 x 47,5 x 13,8 / 4,37 Kg.	36	1	69,71
 31-261	Angular 4 Ways 46 x 41,5 x 16,5 / 6,50 Kg.	13	1	165,44
 25-157	Straight End Cap 8,5 x 28,5 x 12,5 / 2,65 Kg.	56	1	47,22
 24-029	Universal Angular Edge 42,5 x 13 x 13 / 2,50 Units/lm / 2,85 Kg.	75	5	11,59
 36-030 right 36-031 left	Half ALICANTINA-12 Izq-der 43 x 15 x 4,5 / 1,25 Units/lm / 1,80 Kg.	140	1	9,58
 39-032	Ventilation ALICANTINA-12 43 x 25,7 x 10 / 4 Kg.	60	1	47,22
 37-146	Chimney Carrier ALICANTINA-12 d.130 43 x 25,7 x 12 / 15,5 Øext-13,5 Øint / 4,00 Kg.	36	1	87,74
 33-166	Chimney d.130 20,4 Øext-18 Øint x 20 / 2,15 Kg.	24/48	1	169,21
 10-041	Ventilation Cap 24,5 Øext-22 Øint x 6 / 1,70 Kg.	120	1	47,22

	CIMENT	COTTO	WOOD		MARBRE	OXIDE	STONE			
FORMAT	SIDNEY GRAPHITE	IBIZA PINK	TORONTO OAK	WEATHERED CEDAR	ROMA DARK	TOKYO COPPER	AUSTIN GREY	DENVER GOLD	DENVER IRIS	IRISH GREEN
100° 3 Ways	3/6844 R	3/6835 R	3/6837 R	3/6838 R	3/6844 R	3/6844 R	3/6986 R	3/6844 R	3/6840 R	3/6841 R
100° 4 Ways	3/6910 R	3/6901 R	3/6903 R	3/6904 R	3/6910 R	3/6910 R	3/6990 R	3/6910 R	3/6906 R	3/6907 R
Alicantina Roof Tile										
Angular 3 Ways										
Angular 4 Ways										
Angular Edge	3/6935 R D	3/6936 R D	3/6938 R D	3/6939 R D		3/6945 R D	3/6991 R D	3/6940 R D	3/6941 R D	3/6942 R D
Angular Hip Starter										
Angular Ridge										
Chimney Carrier d.130 Alicantina										
Chimney Carrier d.130 Technica-10										
Chimney Carrier d.140 Flat-10	3/6637 R D	3/6640 R D		3/6639 R D		3/6630 R D	3/6631 R D			
Chimney Carrier d.140 Flat-5XL	3/6685 G D	3/6688 G D	3/6686 G D	3/6687 G D	3/7097 G TX D	3/6679 G TX D	3/6680 G TX D	3/6681 G TX D	3/6683 G TX D	3/6684 G TX D
Chimney d.130										
Chimney d.140										
Flat-10 Roof Tile	3/6601 R D	3/6604 R D		3/6603 R D		3/6594 M TX D	3/6595 M TX D			
Flat-5XL Roof Tile	3/6650 G D	3/6653 G D	3/6651 G D	3/6652 G D	3/7100 G TX D	3/6642 G TX D	3/6643 G TX D	3/6644 G TX D	3/6648 G TX D	3/6649 G TX D
Half Alicantina Roof Tile - Left										
Half Alicantina Roof Tile - Right										
Half Flat-10 Roof Tile	3/6613 R D	3/6616 R D		3/6615 R D		3/6606 R TX D	3/6607 R TX D			
Half Flat-5XL Roof Tile	3/6661 G D	3/6664 G D	3/6662 G D	3/6663 G D	3/7096 G TX D	3/6655 G TX D	3/6656 G TX D	3/6657 G TX D	3/6659 G TX D	3/6660 G TX D
Half Technica-10 Roof Tile										
Interlocking Edge - Left	3/6856 R D	3/6857 R D	3/6859 R D	3/6860 R D		3/6866 R D	3/6988 R D			
Interlocking Edge - Right	3/6845 R D	3/6846 R D	3/6848 R D	3/6849 R D	3/7094 R D	3/6855 R D	3/6987 R D	3/6850 R D	3/6851 R D	3/6852 R D
Interlocking Edge Flat-5XL - Left	3/6999 R D	3/7000 R D	3/7001 R D	3/7002 R D	3/7095 R D	3/7007 R D	3/7008 R D	3/7003 R D	3/7004 R D	3/7005 R D
Low 100° Ridge	3/6812 R D	3/6813 R D	3/6815 R D	3/6816 R D	3/7092 R D	3/6822 R D	3/6984 R D	3/6817 R D	3/6818 R D	3/6819 R D
Low 100° Ridge End Cap	3/6867 R D	3/6868 R D	3/6870 R D	3/6871 R D	3/7098 R D	3/6877 R D	3/6989 R D	3/6872 R D	3/6873 R D	3/6874 R D
Low 100° Ridge Starter	3/6823 R D	3/6824 R D	3/6826 R D	3/6827 R D	3/7093 R D	3/6833 R D	3/6985 R D	3/6828 R D	3/6829 R D	3/6830 R D
Straight End Cap										
Technica-10 Roof Tile										
Ventilation Alicantina										
Ventilation Cap	3/6713 R D	3/6714 R D	3/6716 R D	3/6717 R D	3/7099 R D	3/6723 R D	3/6978 R D	3/6718 R D	3/6719 R D	3/6720 R D
Ventilation Flat-10 Roof Tile	3/6625 R D	3/6628 R D		3/6627 R D		3/6618 R TX D	3/6619 R TX D			
Ventilation Flat-5XL Roof Tile	3/6673 G D	3/6676 G D	3/6674 G D	3/6675 G D	3/7101 G TX D	3/6667 G TX D	3/6668 G TX D	3/6669 G TX D	3/6671 G TX D	3/6672 G TX D
Ventilation Technica-10 Roof Tile										

BORJALINE

SLATE			PLAIN COLOUR					NATURE				
NEPAL ORANGE	PARIS OCRE	ARTICA	CHOCOLATE	GRAPHITE	LEON MATTE	MID GREY	NATURAL BLACK	FOSCA	LITORAL	NORTEGNA	RED	MOSS RED
3/6836 R	3/6844 R	3/7124 R	3/6976 R	3/6970 R	3/6959 R	3/6977 R	3/6959 R				3/6922 R	3/6964 R
3/6902 R	3/6910 R	3/7125 R	3/6974 R	3/6973 R	3/6963 R	3/6975 R	3/6963 R				3/6925 R	3/6965 R
								3/2338 R	3/5472 R	3/5483 R	3/2117 R	
		3/7102 R	3/6550 R	3/6552 R	3/7078 R	3/6549 R	3/7078 R	3/2629 R	3/5474 R	3/5485 R	3/2325 R	3/6551 R
		3/7103 R	3/6565 R	3/6567 R	3/7083 R	3/6564 R	3/7083 R	3/6210 R	3/6208 R	3/6209 R	3/6122 R	3/6566 R
3/6937 R D	3/7054 R D	3/7111 R	3/6694 R	3/5886 R	3/7079 R	3/6695 R	3/7079 R	3/2198 R	3/5468 R	3/5479 R	3/0341 R	3/5943 R
		3/7108 R	3/6540 R	3/6542 R	3/7076 R	3/6539 R	3/7076 R	3/5615 R	3/5477 R	3/5488 R	3/2323 R	3/6541 R
		3/7105 R	3/6535 R	3/6537 R	3/7075 R	3/6534 R	3/7075 R	3/2626 R	3/5476 R	3/5487 R	3/2322 R	3/6536 R
								3/3397 R	3/5471 R	3/5482 R	3/2719 R	
			3/6497 R	3/6496 R		3/6495 R					3/6493 R	3/6693 R
3/6638 R D	3/7066 R D	3/7126 R	3/6468 R	3/6467 R	3/7074 R	3/6466 R	3/7074 R				3/6463 R	3/6464 R
					3/6690 G TX							
			3/7119 R	3/5885 R				3/2930 R	3/5478 R	3/5489 R	3/2825 R	
		3/7106 R	3/6506 R	3/6508 R	3/7084 R	3/6505 R	3/7084 R	3/1815 R			3/1817 R	3/6507 R
3/6602 R D	3/7053 M TX D	3/7116 R	3/6387 M	3/6386 M	3/7061 M TX	3/6385 M	3/6951 M				3/6381 R	3/6382 R
					3/6390 G TX							
								3/2342 R	3/5470 R	3/5481 R	3/0270 R	
								3/2341 R	3/5469 R	3/5480 R	3/0269 R	
3/6614 R D	3/7064 R TX D	3/7112 R	3/6454 R	3/6453 R	3/7062 R TX	3/6452 R	3/6952 R				3/6449 R	3/6450 R
					3/6666 G TX							
			3/6487 R	3/6486 R		3/6485 R					3/6483 R	3/6691 R
3/6858 R D	3/7071 R D	3/7110 R	3/6482 R	3/6481 R	3/6955 R	3/6480 R	3/6955 R				3/6477 R	3/6478 R
3/6847 R D	3/7070 R D	3/7109 R	3/6475 R	3/6474 R	3/6954 R	3/6473 R	3/6954 R				3/6470 R	3/6471 R
					3/6998 R						3/7009 R	
3/6814 R D	3/7068 R D	3/7104 R	3/6585 M	3/6587 M	3/6956 M	3/6584 M	3/6956 M				3/6217 R	3/6586 R
3/6869 R D	3/7072 R D	3/7113 R	3/6932 R	3/6934 R	3/6958 M	3/6931 R	3/6958 M				3/6928 R	3/6933 R
3/6825 R D	3/7069 R D	3/7107 R	3/6590 R	3/6592 R	3/6957 M	3/6589 R	3/6957 M				3/6220 R	3/6591 R
		3/7114 R	3/6545 R	3/6547 R	3/7077 R	3/6544 R	3/7077 R	3/2628 R	3/5793 R	3/5794 R	3/2324 R	3/6546 R
			3/6442 R	3/6445 R		3/6444 R					3/6440 R	3/6441 R
								3/2339 R	3/5473 R	3/5484 R	3/1812 R	
3/6715 R D	3/7067 R TX D	3/7115 R	3/6511 R	3/6004 R	3/7082 R	3/6510 R	3/7082 R	3/0131 R	3/5475 R	3/5486 R	3/0327 R	3/6447 R
3/6626 R D	3/7065 R TX D	3/7117 R	3/6461 R	3/6460 R	3/7063 R TX	3/6459 R	3/6953 R				3/6456 R	3/6457 R
					3/6678 G TX							
			3/6492 R	3/6491 R		3/6490 R					3/6488 R	3/6692 R

TB-10 Tech



> Klinker

Dimensions	475 mm x 282 mm
Minimum pitch recommended	30% - 17° (*)
Weight	3,45 Kg./Unit
Units / sq. m.	10,3 roof tiles
Units per LM eave line	4,25-4,54 roof tiles
Useful width	232 mm
Useful length (Batten distance) VARIABLE	395-405 mm
Pallet data T7 - Standard	(T7) 210 Units / 747 Kg.
Minimum order	6 roof tiles

Approximate values: If the roof tiles are installed on battens, the useful length must be calculated on site. A tolerance of ± 2% is allowed on the dimensions of the roof tiles according to EN 1024.

The certified characteristics for the Terracotta tiles are compliant with the requirements of the NF EN 1304 standard: Structural faults, the geometric characteristics, resistance to flexural strength, impermeability (class 1), frost resistance according to the NF EN 539-2 standard for all products made with red mixture. AFNOR Certification: 11 rue Francis de Pressensé // 93571 LA PLAINE SAINT-DENIS CEDEX // www.marque-nf.com.

Type: Double lateral overlapping and double lengthwise overlapping. Installation must comply with Code of practice for the design and fixing of roofs with clay roofing tiles for the region and Tejas Borja specifications.

(*) Check pitch panel according to the roof length and the geographical area.



NATURE



Red
Code 3/6369

2,49 €/Unit

Moss Red
Code 3/6377

2,84 €/Unit

Fosca
Code 3/6371

2,84 €/Unit



Manoir
Code 3/6370

2,84 €/Unit

Edetania
Code 3/6376

3,08 €/Unit

Lamalou
Code 3/6375

2,93 €/Unit

PLAIN COLOUR



Chocolate
Code 3/6439

3,43 €/Unit

Graphite
Code 3/6378

3,43 €/Unit

CENTENARIA



Ground
Code 3/6374

3,08 €/Unit

BorjaJET - Inkjet Technology



Entrepins
Code 3/6701

2,92 €/Unit

Irati
Code 3/7018

2,92 €/Unit

NOTE: TB-10 Tech Centenaria finishes are untextured. Finishes on TB-10 tiles are applied to one side only

TB-12



Dimensions	439 mm x 260 mm
Minimum pitch recommended	30% - 17° (*)
Weight	3,05 Kg./Unit
Units / sq. m.	12,8 roof tiles
Units per LM eave line	5 roof tiles
Useful width	205 mm
Useful length (Batten distance)	370mm / 380mm (white clay)
Pallet data	(X3/X5) 280 Units / 865 Kg.
X3 / X5 - Stardard	(X1) 240 Units / 735 Kg.
X1 - Exclusive truck y white clay	(X6) 210 Units / 646 Kg.
X6 / X7 - Exclusive container	(X7) 140 Units / 430 Kg.
Minimum order	7 roof tiles / 6 roof tiles (white clay)

Approximate values: If the roof tiles are installed on battens, the useful length must be calculated on site. A tolerance of ± 2% is allowed on the dimensions of the roof tiles according to EN 1024.

Type: Double lateral overlapping and double Lengthinal overlapping. Installation must comply with Code of practice for the design and fixing of roofs with clay roofing tiles for the region and Tejas Borja specifications.

The certified characteristics for the Terracotta tiles are compliant with the requirements of the NF EN 1304 standard: Structural faults, the geometric characteristics, resistance to flexural strength, impermeability (class 1), frost resistance according to the NF EN 539-2 standard for all products made with red mixture. AFNOR Certification: 11 rue Francis de Pressensé // 93571 LA PLAINE SAINT-DENIS CEDEX //www.marque-nf.com.

(*) Check pitch panel according to the roof length and the geographical area.

The type of pallet will be confirmed upon orright.



NATURE



Red Code 3/0012	Aged Red Code 3/0022	Fosca Code 3/1942	Manoir Code 3/6112	Lamalou Code 3/3121	Bidasoa Code 3/3078
--------------------	-------------------------	----------------------	-----------------------	------------------------	------------------------

2,03 €/Unit	2,29 €/Unit	2,29 €/Unit	2,35 €/Unit	2,35 €/Unit	2,35 €/Unit
-------------	-------------	-------------	-------------	-------------	-------------



Castilla Code 3/6120	Shaded White Code 3/0025	Aged White Code 3/0028	Vilavella Code 3/0020 Code 3/0029	R. Rosarena Code 3/0018	Brown Code 3/0032
-------------------------	-----------------------------	---------------------------	---	----------------------------	----------------------

2,35 €/Unit	2,35 €/Unit	2,35 €/Unit	2,51 €/Unit	2,51 €/Unit	2,51 €/Unit
-------------	-------------	-------------	-------------	-------------	-------------

PLAIN COLOUR



Graphite (1 SIDE) Code 3/5879	Graphite (2 SIDES) Code 3/5949
----------------------------------	-----------------------------------

2,58 €/Unit	3,50 €/Unit
-------------	-------------

CENTENARIA



Ground Code 3/4815	Mediterrania Code 3/5527
-----------------------	-----------------------------

2,58 €/Unit	2,58 €/Unit
-------------	-------------

Warning: TB-12 Graphite roof tiles (not BorjaDECOR) present small unavoidable scratches. These appear due to the stacking of the roof tiles during the manufacturing process, handling and transportation to the jobsite. It does not affect the roof tile technically or structurally, they are only visible in the hand, therefore they comply with Tejas Borja quality standards.

NOTES:

Finishes for the TB-12 roof tile are produced on one side, except Graphite.

The Brown finish is the colour of the clay. Vilavella finish is available in BorjaBLANC (white clay) and also red clay.

Pallet type X1 - Only in Red finish - limited availability.

TB-4



Trade model

Dimensions	442 mm x 258 mm
Minimum pitch recommended	30% - 17° (*)
Weight	3,40 Kg./Unit
Units / sq. m.	12,8 roof tiles
Units per LM eave line	5 roof tiles
Useful width	205 mm
Useful length (Batten distance)	370 mm
Pallet data	(X1) 240 Units / 799 Kg.
X1 - Standard	(X4) 180 Units / 600 Kg.
X4 - Exclusive container	
Minimum order	6 roof tiles

Approximate values: If the roof tiles are installed on battens, the useful length must be calculated on site. A tolerance of $\pm 2\%$ is allowed on the dimensions of the roof tiles according to EN 1024.

Type: Double lateral overlapping and double longitudinal overlapping. Installation must comply with Code of practice for the design and fixing of roofs with clay roofing tiles for the region and Tejas Borja specifications.

(*) Check pitch panel according to the roof length and the geographical area.

The type of pallet will be confirmed upon order.



NATURE



Red
Code 3/0038)

2,44 €/Unit



Vilatterra
Code 3/0039

3,12 €/Unit



TBS+



Dimensions	475 mm x 260 mm
Minimum pitch recommended	30% - 17° (*)
Weight	3,50 Kg./Unit
Units / sq. m.	11 roof tiles
Units per LM eave line	4,52-4,74 roof tiles
Useful width	221 mm
Useful length (Batten distance)	395-410 mm
Pallet data	(X5) 280 Units / 1027 Kg.
Minimum order	7 roof tiles **

Approximate values: If the roof tiles are installed on battens, the useful length must be calculated on site. A tolerance of $\pm 2\%$ is allowed on the dimensions of the roof tiles according to EN 1024.

Type: Double lateral overlapping and double lengthwise overlapping. Installation must comply with Code of practice for the design and fixing of roofs with clay roofing tiles for the region and Tejas Borja specifications.

(*) Check pitch panel according to the roof length and the geographical area.



NATURE



Red
Code 3/7238

2,23 €/Unit



Manoir
Code 3/7240

2,59 €/Unit



Fosca
Code 3/7245

2,52 €/Unit



Moss Red
Code 3/7262

2,52 €/Unit



Lamalou
Code 3/7263

2,59 €/Unit



Castilla
Code 3/7285

2,59 €/Unit

CENTENARIA
























Ground
Code 3/7239

2,84 €/Unit

NOTE: Finishes for the TBS+ roof tile are produced on one side.
TBS+ Centenaria finishes are roof tiles without texture.
** The tiles are subject to minimum order and must be multiples thereof.



ACCESSORIES | S-INTERLOCKING ROOF TILES

MOLD	DESCRIPTION AND DIMENSIONS	Units/ Pallet	Minimum Order Units	PVP €/Unit NATURE	PVP €/Units CENTENARIA /PLAIN COLOUR	PVP €/Unit BORJAJET
	08-013 Circular Ridge 43 x 23 x 9 / 2,50 Units/lm / 2,9 Kg. Max. Slope. 47%-25.10°	75	4/5	11,59	12,41	-
	35-020 Circular Hip Starter 42,5 x 25 x 8,5 / 2,95 Kg.	75	1	47,22	51,55	-
	30-025 Circular 3 Ways 37,5 x 41 x 9,5 / 4,20 Kg.	38/57	1	69,71	74,95	-
	31-016 Circular 4 Ways 38,5 x 44,5 x 13,5 / 4,50 Kg.	26	1	165,44	177,05	-
	31-320 Circular 4 Ways 40 x 40 x 15 / 4,80 Kg.	24	1	165,44	177,05	-
	25-022 Circular Straight End Cap 6 x 24 x 26,5 / 2,40 Kg.	96	1	47,22	51,55	-
	25-213 Circular Curved End Cap 14 x 26 x 27 / 2,80 Kg.	52	1	47,22	-	-
	08-014 Cover+ Ridge 44 x 28 x 10 / 2,50 Units/lm / 3,4 Kg. Max. Slope. 47%-25.10°	72	6	11,59	12,41	17,38/ 12,41*
	35-021 Cover+ Hip Starter 43,5 x 23 x 8,5 / 3,20 Kg.	64	1	47,22	51,55	51,55*
	30-018 Cover+ 3 Ways 32,5 x 40,5 x 12,5 / 3,10 Kg.	52	1	69,71	74,95	74,95*
	31-017 Cover+ 4 Ways 42 x 42 x 14 / 4,00 Kg.	34	1	165,44	177,05	177,05*
	25-024 Cover+ Straight End Cap 6,5 x 27 x 31 / 2,00 Kg.	128	1	47,22	51,55	64,15/ 51,55*
	25-116 Cover+ Curved End Cap 15 x 25,5 x 28 / 2,25 Kg.	52	1	47,22	51,55	51,55*
	10-026 Under Ridge 24 x 12,2 x 5,6 5,00 Units/lm (on monopitch) / 0,80 Kg.	270/ 540/ 600	18/25	3,76	4,13	4,13*
	24-043 left 24-042 right Straight Edge (Left/Right) 47 x 9 x 17 / 2,50 Units/lm / 3,00 Kg.	100	4	11,59	12,41	17,38
	24-034 left 24-033 right Curved Edge (Left/Right) 47 x 24,5 x 16 / 2,50 Units/lm / 3,3 Kg.	75	5	11,59	12,41	12,41*
	24-053 left 24-052 right Curved Edge TB-4® (Left/Right) 43 x 13,5 x 14 / 2,50 Units/lm / 2,55 Kg.	120	6	11,59	-	-
	24-029 Universal Angular Edge (On monopitch) 42,5 x 13 x 13 / 2,50 Units/lm / 2,85 Kg.	75	5	11,59	12,41	17,38/ 12,41*
	36-044 nat. 36-185 cent. Half TB-12 43,9 x 15,5 x 5,5 / 2,50 Units/lm / 1,80 Kg.	155	1	6,64	8,51	-
	38-049 nat. Tile and a Half TB-12 43,9 x 36 x 7 / 2,50 Units/lm / 4,50 Kg.	64	4	14,66	15,72	-
	36-277 Half TB-10 Tech 47,5 x 17 x 5,5 / 2,1 Kg.	105	7	6,64	8,51	-

	MOLD	DESCRIPTION AND DIMENSIONS	Units/ Pallet	Minimum Order Units	PVP €/Unit NATURE	PVP €/Units CENTENARIA /PLAIN COLOUR	PVP €/Unit BORJAJET
	38-278	Tile and a Half TB-10 Tech 47,5 x 40 x 7,5 / 5,4 Kg.	40	4	14,66	15,72	15,72
	36-327	Half TBS+ 48 x 16,5 x 5,5 / 1,7 Kg.	140	1	6,64	8,51	-
	38-328	Tile and a Half TBS+ 47,5 x 38 x 8,5 / 5,7 Kg.	64	4	14,66	15,72	-
	36-055	Half TB-4 // Cover Decocurva TB-4 44 x 15,5 x 6 / 1,83 Kg. 2,5 Units/lm // 5 Units/lm	155	1/5	6,64	-	-
	39-329	Ventilation TBS+ 47,5 x 26,5 x 7,2 / 3,45 Kg.	80	1	47,22	51,55	-
	39-048	Ventilation TB-12 43,9 x 26 x 7 / 3,20 Kg.	80	1	47,22	51,55	-
	39-279	Ventilation TB-10 Tech 47,5 x 28,2 x 7,5 / 3,6 Kg.	60	1	47,22	51,55	51,55
	39-058	Ventilation TB-4 44,2 x 26 x 10 / 3,50 Kg.	66	1	47,22	-	-
	37-330	Chimney Carrier TBS+ d.130 47,5 x 26,5 / 4,4 Kg.	34	1	87,74	93,94	-
	37-050	Chimney Carrier TB-12 d.130 43,9 x 26 x 12 / 16 Øext-12 Øint / 4,15 Kg.	36	1	87,74	93,94	-
	37-280	Chimney Carrier TB-10 Tech d.140 47,5 x 28,2 x 13 / 19 Øext - 14 Øint / 4,6 Kg.	26	1	87,74	93,94	93,94*
	37-060	Chimney Carrier TB-4 d.130 44,2 x 26 x 18 / 16 Øext-13 Øint / 4 Kg.	32	1	87,74	-	-
	33-166	Chimney d.130 20,4 Øext-18 Øint x 20 / 2,15 Kg.	24/48	1	169,21	177,05	-
	33-040	Chimney d.140 22,5 Øext-20 Øint x 21 / 2,35 Kg.	24/64	1	169,21	177,05	-
	10-041	Ventilation Cap 24,5 Øext-22 Øint x 6 / 1,70 Kg.	120	1	47,22	51,55	64,15/51,55*
	** 34-046 nat.	Cover Decocurva TB-12 47 x 17 x 7 / 5,00 Units/lm / 2,00 Kg.	140	5	Check availability	-	-
	** 34-045 nat.	Pan Decocurva TB-12 47 x 16 x 7 / 5,00 Units/lm / 2,50 Kg.	120/ 136	5	Check availability	-	-
	34-056	Pan Decocurva TB-4 46 x 16 x 6 / 5,00 Units/lm / 2,60 Kg.	120	4	6,64	-	-

NOTE: Dimensions in centimeters.

Check finishing colours for TB-12® accessories.

* Accessories for ridge line and edges in Irati finish are available in compatible colours, not digital.

** Decocurva for TB-12 roof tile is available alny by request

Accessories for ridge line and edges in Entrepins finish are available in digital version as well as in compatible colours, not digital.

The tone of the accessories in PLAIN COLOUR finishes may vary with respect to the tone of the roof tile since they are manufactured on different production lines.

WARNING: TB-12® Graphite roof tiles (not BorjaDECOR) present small unavoidable scratches. These appear due to the stacking of the roof tiles during the manufacturing process, handling and transportation to the jobsite. It does not affect the roof tile technically or structurally, they are only visible in the hand, therefore they comply with Tejas Borja quality standards.

BORJAJET

FORMAT	COTTO		CENTENARIA		PLAIN COLOUR				
	ENTREPINS	IRATI	MEDITERRANIA	GROUND	CHOCOLATE	GRAPHITE	BIDASOA	AGED WHITE	SHADED WHITE
Angular Edge	3/9660 R 3/7199 R D	3/7024 R	3/3985 R		3/6694 R	3/5886 R	3/0345 R	3/0348 B	
Chimney Carrier d.130 TB-12			3/0322 R	3/5182 R		3/5946 R	3/0323 R		3/3090 R
Chimney Carrier d.130 TB-4									
Chimney Carrier d.140 TB-10 Tech	3/6703 R	3/7019 R	3/6412 R		3/6416 R	3/6415 R			
Chimney Carrier TBS+			3/7261 R						
Chimney d.130			3/2826 R	3/3915 R	3/7119 R	3/5885 R	3/4818 R		3/3091 R
Chimney d.140	3/6706 R	3/7022 R	3/1867 R		3/6506 R	3/6508 R			
Circular 3 Ways			3/0313 R	3/4949 R	3/6502 R	3/5887 R	3/0307 R	3/5962 R	
Circular 4 Ways				3/4907 R			3/5466 R	3/5963 R	
Circular 4 Ways - Interlocking			3/7176 R		3/7189 R	3/7187 R			
Circular Curved End Cap									
Circular Hip Starter			3/0229 R	3/4928 R	3/6500 R	3/5889 R	3/0228 R		
Circular Ridge			3/0199 R	3/5528 R	3/6498 R	3/5891 R	3/0190 R	3/0195 B	
Circular Straight End Cap			3/0217 R	3/5343 R	3/6501 R	3/5888 R	3/2247 R	3/6345 R	
Cover + 4 Ways			3/3996 R						3/3105 R
Cover+ 3 Ways	3/6962 R	3/7026 R	3/3995 R						3/3104 R
Cover+ Hip Starter	3/6961 R 3/7189 R D	3/7025 R	3/3997 R						3/3103 R
Cover+ Large End Cap	3/6700 R	3/7017 R							
Cover+ Ridge	3/6697 R 3/7197 R D	3/7014 R	3/3993 R						3/3101 R
Cover+ Straight End Cap	3/7196 R D		3/3983 R						3/3099 R
Half TB-10 Tech Roof Tile			3/6401 R		3/6405 R	3/6404 R			
Half TB-12 Roof Tile			3/0281 R TX	3/5537 R TX		3/5890 R	3/0292 R		
Half TB-4 Roof Tile/TB-4 Cover Decocurva Roof Tile									
Half TB-4 Roof Tile/TB-4 Cover Decocurva Roof Tile									
Half TBS+ Roof Tile			3/7257 R						
Straight Edge - Left	3/7194 R D		3/0400 R	3/5532 R	3/6514 R	3/5883 R	3/0395 R	3/0401 B	3/3094 R
Straight Edge - Right	3/7195 R D		3/0387 R	3/5531 R	3/6513 R	3/5882 R	3/0376 R	3/0383 B	3/3095 R
TB-10 Tech Roof Tile	3/6701 R D	3/7018 R D	3/6374 R		3/6439 M	3/6378 M			
TB-12 Roof Tile			3/4815 R TX	3/5527 R TX		3/5879 M	3/0022 R	3/0028 B	3/3078 R
TB-4 Curved Edge - Left									
TB-4 Curved Edge - Right									
TB-4 Pan Decocurva Roof Tile									
TB-4 Roof Tile									
TBS+ Roof Tile			3/7239 R						
Tile and a Half Roof Tile TB-12						3/5947 R	3/1795 R		3/3082 R
Tile and a Half TB-10 Tech	3/6704 R D	3/7020 R D	3/6423 R		3/6427 R	3/6426 R			
Tile and a Half TBS+			3/7249 R						
Under Ridge	3/3443 R	3/0204 R	3/0205 R	3/3990 R	3/6503 R	3/5881 R			3/3089 R
Universal Curved Edge - Left	3/6699 R	3/7016 R							
Universal Curved Edge Right	3/6698 R	3/7015 R							
Ventilation Cap	3/6711 R D	3/7023 R	3/0132 R	3/5072 R	3/6511 R	3/6004 R	3/0129 R		3/3160 R
Ventilation TB-10 Tech	3/6705 R D	3/7021 R D	3/6434 R		3/6438 R	3/6437 R			
Ventilation TB-12			3/1853 R	3/5189 R		3/5884 R	3/1837 R		3/3086 R
Ventilation TB-4									
Ventilation TBS+			3/7253 R						
Ventilation TBS+				3/7253 R					

NATURE											
CASTILLA	EDETANIA	FOSCA	LAMALOU	MANOIR	BROWN	RED	AGED RED	MOSS RED	ROSARENA	VILATERRA	VILAVELLA
3/0351 M		3/5696 R	3/2198 R	3/5468 R		3/0341 R	3/5943 R	3/5606 R	3/0343 R	3/3986 R 3/0350 B	3/0346 B
3/5686 R	3/6228 R		3/2100 R	3/3133 R	3/5185 R	3/0321 R		3/0326 R		3/5990 R	
						3/0333 R			3/0335 R		
		3/6406 R	3/6407 R	3/6408 R	3/6409 R	3/6410 R	3/6413 R				
	3/7288 R		3/7258 R	3/7267 R	3/7259 R	3/7260 R	3/7266 R				
3/5687 R	3/6229 R	3/5961 R	3/2930 R	3/3134 R	3/3015 R	3/2825 R		3/2982 R	3/3158 R	3/3021 R	
		3/5774 R	3/1815 R	3/5134 R	3/1813 R	3/1817 R	3/6507 R			3/1818 R	
3/5685 R	3/6235 R	3/5695 R	3/0309 R		3/0314 R	3/0303 R		3/0288 R	3/0273 R	3/0284 R	3/5830 R
3/5802 R					3/1832 R			3/1840 R		3/1839 R	3/5820 R
	3/7188 R	3/7186 R	3/7175 R			3/7157 R			3/7174 R		
						3/3570 R		3/3909 R	3/3571 R		
3/5530 R	3/6116 R	3/5694 R	3/0240 R		3/0230 R	3/0223 R		3/0231 R	3/0238 R	3/0235 R	
3/5526 R	3/6114 R	3/5693 R	3/0201 R		3/0191 R	3/0187 R		3/0192 R	3/0198 R	3/0203 R 3/0196 B	3/0193 B
3/5529 R	3/6115 R	3/5700 R	3/0216 R		3/0218 R	3/0212 R		3/0221 R	3/0219 R	3/0220 R	3/5829 R
	3/6232 R			3/3148 R	3/4899 R	3/0252 R	3/6077 R				
	3/6231 R			3/3147 R	3/4887 R	3/0251 R	3/6050 R	3/0244 R			
	3/6225 R			3/3166 R	3/4942 R	3/0248 R	3/5944 R	3/0242 R		3/0242 R	
				3/3141 R		3/3065 R					
	3/6224 R			3/3144 R	3/6234 R	3/0247 R	3/5945 R	3/0241 R			
	3/6237 R			3/3142 R	3/5371 R	3/0249 R	3/6047 R	3/0243 R			
		3/6395 R	3/6396 R	3/6397 R	3/6398 R	3/6399 R	3/6402 R				
3/5522 M	3/6117 R		3/2070 R		3/6113 R	3/0279 R		3/0299 R		3/0295 R	
						3/0274 R			3/0272 R		
						3/0274 R			3/0272 R		
	3/7287 R		3/7254 R	3/7265 R	3/7255 R	3/7256 R	3/7264 R				
3/5524 M	3/6119 R	3/6967 R	3/0402 R	3/3137 R	3/0399 R	3/0393 R	3/6049 R	3/0406 R	3/0398 R	3/0404 R 3/0405 B	3/0403 B
3/5523 M	3/6118 R	3/6966 R	3/0382 R	3/3138 R	3/0379 R	3/0374 R	3/6048 R	3/0380 R	3/0378 R	3/0384 R 3/0386 B	3/0381 B
		3/6376 R	3/6371 R	3/6375 R	3/6370 R	3/6369 R	3/6377 R				
3/0032 M	3/6120 R		3/1942 R	3/3121 R	3/6112 R	3/0012 R		3/0018 R		3/0020 R 3/0029 B	3/0025 B
						3/0391 R			3/0390 R		
						3/0372 R			3/0371 R		
						3/0171 R			3/0172 R		
						3/0038 R			3/0039 R		
	3/7285 R		3/7245 R	3/7263 R	3/7240 R	3/7238 R	3/7262 R				
	3/6230 R			3/3125 R	3/6233 R	3/1794 R		3/1797 R		3/1796 R	
		3/6417 R	3/6418 R	3/6419 R	3/6420 R	3/6421 R	3/6424 R				
	3/7286 R		3/7246 R	3/7269 R	3/7247 R	3/7248 R	3/7268 R				
3/5540 M	3/3089 R	3/3132 R	3/0204 R	3/3132 R	3/3089 R	3/0207 R		3/6243 R	3/0206 R	3/6243 R	3/2303 R
				3/7013 R		3/0361 R					
				3/7012 R		3/0352 R					
3/5806 R	3/6240 R	3/5992 R	3/0131 R	3/3161 R	3/1824 R	3/0327 R	3/6447 R	3/4389 R	3/3159 R	3/0134 R	3/5823 R
		3/6428 R	3/6429 R	3/6430 R	3/6431 R	3/6432 R	3/6435 R				
3/5525 R	3/6223 R		3/2099 R	3/3129 R	3/5192 R	3/1831 R		3/1854 R		3/1855 R	
						3/0267 R			3/0268 R		
	3/7289 R		3/7250 R	3/7271 R	3/7251 R	3/7252 R	3/7270 R				
3/7289 R		3/7250 R	3/7271 R	3/7251 R		3/7252 R		3/7270 R			

C-50.21 Celler



Dimensions	500 mm x 210 mm / 170 mm
Weight	2,40 Kg./Unit
Units por sq. m.	18 roof tiles
Units per LM eave line	8 roof tiles
Units per LM ridge / LM eave	2,5 roof tiles
Pallet data C1 - Nature C1* - Centenaria C9 - Shaded White	(C1) 250 Units / 606 Kg. (C1*) 225 Units / 575 Kg. (C9) 225 Units / 560 Kg.
Minimum order	10 roof tiles (Nature) 9 roof tiles (Centenaria y white clay)

Approximate values: Installation must comply with Code of practice for the design and fixing of roofs with clay roofing tiles for the region and Tejas Borja specifications.



NATURE



Red
Code 3/0102


1,28 €/Unit



Shaded White
Code 3/1941

1,57 €/Unit



 Fosca
Code 3/0103

1,67 €/Unit



Manoir
Code 3/0104

1,67 €/Unit



Vilavella
Code 3/0106

1,73 €/Unit



Edetania
Code 3/5692

1,73 €/Unit



Lamalou
Code 3/4823


1,73 €/Unit



Montseny
Code 3/6140

1,73 €/Unit



Brown 
Code 3/5580

1,82 €/Unit



CENTENARIA



Ground
Code 3/0078)

1,82 €/Unit



 Mediterrania 
Code 3/0081

1,82 €/Unit

STEP CELLER 50/45



Dimensions	500 mm x 205 mm / 165 mm
Minimum pitch recommended	30% - 17°
Weight	2,50 Kg./Unit
Units / sq. m.	10 roof tiles
Units per LM eave line	4 roof tiles
Units per LM ridge / LM eave	2,5 roof tiles C-50.21 Celler
Useful length (Batten distance)	350 - 400 mm
Pallet data	(C1) 160 Units / 462 Kg.
Minimum order	8 roof tiles

Approximate values: Installation must comply with Code of practice for the design and fixing of roofs with clay roofing tiles for the region and Tejas Borja specifications. A tolerance of $\pm 2\%$ is allowed on the dimensions of the roof tiles according to EN 1024. The STEP 50/45 roof tile is AENOR certified as an accessory in the C-50.21 Celler curved roof tile certificate.



NATURE



Red
Code 3/0135

1,63 €/Unit



R. Shaded White
Code 3/6341

1,73 €/Unit




Manoir/Ground *
Code 3/2145

1,88 €/Unit



Serranía **
Code 3/6249

1,88 €/Unit



Fosca/Brown ***
Code 3/6343

1,88 €/Unit

* Compatible with Centenaria Ground & Manoir.

** Compatible with Centenaria Mediterranea, Vilavella, Edetania, Lamalou & Montseny.

*** Compatible with Fosca & Brown.

C-45.20



Dimensions	450 mm x 200 mm / 160 mm
Weight	1,95 Kg./Unit
Units por sq. m.	25 roof tiles
Units per LM eave line	10 roof tiles
Units per LM ridge / LM eave	3 roof tiles
Pallet data	(C3) 275 Units / 523 Kg. (C5) 550 Units / 1047 Kg.
Minimum order	11 roof tiles

Approximate values: Installation must comply with Code of practice for the design and fixing of roofs with clay roofing tiles for the region and Tejas Borja specifications. A tolerance of $\pm 2\%$ is allowed on the dimensions of the roof tiles according to EN 1024.

The type of pallet will be confirmed upon orright.



NATURE



Red
Code 3/1994)

1,02 €/Unit



Moss Red
Code 3/6081

1,13 €/Unit

C-40.19 / C-40.15



	C-40.19	C-40.15
Dimensions	408 mm x 180 mm / 140 mm	408 mm x 150 mm / 116 mm
Weight	1,60 Kg./Unit	1,35 Kg./Unit
Units por sq. m.	30 roof tiles	33 roof tiles
Units per LM eave line	12 roof tiles	12 roof tiles
Units per LM ridge / LM eave	3 roof tiles	3 roof tiles
Pallet data	(C8) 720 Units / 1124 Kg. (C4) 360 Units / 562 Kg. (C9) 624 Units / 945 Kg. (C2) 312 Units / 473 Kg.	(C8) 728 Units / 990 Kg. (brown clay - 1016 Kg.) (C2) 364 Units / 495 Kg.
Minimum order	12 / 13 roof tiles (white clay)	13 roof tiles

Approximate values: Installation must comply with Code of practice for the design and fixing of roofs with clay roofing tiles for the region and Tejas Borja specifications.

A tolerance of ± 2% is allowed on the dimensions of the roof tiles according to EN 1024.

The type of pallet will be confirmed upon orright



NATURE C-40.19



Red
Code 3/0053

0,96 €/Unit



Aged Red
Code 3/0055

1,32 €/Unit



Shaded White
Code 3/0058

1,32 €/Unit

CENTENARIA C-40.19



Sand
Code 3/0074

1,45 €/Unit



Aged White
Code 3/0064

1,32 €/Unit



Vilavella
Code 3/0067

1,32 €/Unit

NATURE C-40.15



Red
Code 3/0045

0,91 €/Unit



Fosca
Code 3/0048

1,20 €/Unit



Brown
Code 3/5579

1,24 €/Unit

CENTENARIA C-40.15



Ground
Code 3/0071

1,45 €/Unit

NOTE: C-40.19 and C-40.15 finishes are roof tiles without texture.

- white clay - brown clay

ACCESSORIES | ROOF TILES CURVAS

MOLD	DESCRIPTION AND DIMENSIONS	Units/ Pallet	Minimum ORDER UNITS	P.V.P. €/ Piece NATURE	P.V.P. €/Piece CENTENARIA®
 35-160 nat. 35-200 cent.	C-50.21 Hip Starter 50 x 17,5 x 7,5 / 2,80 Kg.	148	1	47,22	51,55
 30-217	C-50.21 3 Ways 32,5 x 30,5 x 15 / 2,70 Kg.	42	1	169,21	177,05
 31-259	C-50.21 4 Ways 40,5 x 37,5 x 15,5 / 5,50 Kg.	12	1	169,21	177,05
 10-026	Under Ridge 24 x 12,2 x 5,6 5 Units/lm (on monopitch) / 0,80 Kg.	270/ 540/ 600	18/25	3,76	4,13
 37-131	Chimney Carrier C-50.21 d.130 50 x 21,5-17,5 x 18 / 16 Øext-12 Øint / 3,20 Kg.	35	1	87,74	93,94
 39-082	Ventilation C-50.21 50 x 21 x 13 / 2,60 Kg.	60	1	47,22	51,55
 33-166	Chimney d.130 20,4 Øext-18 Øint x 20 / 2,15 Kg.	24/48	1	169,21	177,05
 10-041	Ventilation Cap 24,5 Øext-22 Øint x 6 / 1,70 Kg.	120	1	47,22	51,55
 39-180	Ventilation C-45.20 49 x 20-15,5 x 17,4 / 2,10 Kg.	70	1	47,22	-
 39-080	Ventilation C-40.19 40 x 18-14 x 6,5 / 1,70 Kg.	200/300	1	47,22	51,55
 39-135	Ventilation C-40.15 40,8 x 15-11,6 x 6,3 / 1,70 Kg.	200	1	47,22	51,55
 04-195	Booster C-40.15 (Only in Red) 40,8 x 15-11,6 x 6,3 5,5-6 L Booster / 1,35 Kg.	350	10	0,95	-
 16-258	Under Ridge C-40.15 20,6 x 10,5 x 6,25 5,5 Units/lm (on monopitch) / 0,5 Kg.	400	400	3,76	-
 24-298	Edge for curved roof tiles - Left (Only in Red) 47,5 x 19,5 x 8,5 / 2,5 Units/lm 2,85 Kg.	77/80	77/80	11,59	-
 24-299	Edge for curved roof tiles - Right (Only in Red) 47,5 x 19,5 x 8,5 / 2,5 Units/lm / 2,85 Kg.	77/80	77/80	11,59	-



FORMAT	CENTENARIA						
	GROUND	MEDITERRANIA	SAND	AGED WHITE	SHADED WHITE	EDETANIA	FOSCA
3 Ways C-50.21	3/3582 R	3/3584 R				3/5818 R	3/6052 R
4 Ways C-50.21	3/6092 R	3/6082 R				3/6087 R	3/6086 R
Booster Tile C-40.15							
C-40.15 Roof Tile	3/0071 R					3/5579 M	
C-40.19 Roof Tile			3/0074 R	3/0064 B	3/0055 R		
C-45.20 Roof Tile							
C-50.21 Roof Tile	3/0078 R TX	3/0081 R TX				3/5580 M	3/5692 R
Chimney Carrier d.130 C-50.21	3/2888 R	3/3914 R				3/6060 R	3/6059 R
Chimney d.130	3/2826 R	3/3915 R			3/4818 R	3/5687 R	3/5961 R
Edge For Curved Roof Tiles - Left							
Edge For Curved Roof Tiles - Right							
Hip Starter C-50.21	3/2875 R	3/2878 R				3/6057 R	3/6056 R
Step 50/45 Roof Tile	3/2145 R	3/6249 R				3/6343 R	3/6249 R
Under Ridge	3/0205 R	3/3990 R				3/5540 M	3/3132 R
Under Ridge C-40.15	3/6066 R					3/6248 M	
Ventilation Cap	3/0132 R	3/5072 R			3/0129 R	3/5806 R	3/5992 R
Ventilation Roof Tile C-40.15	3/4813 R					3/5601 R	
Ventilation Roof Tile C-40.19			3/2968 R				
Ventilation Roof Tile C-45.20							
Ventilation Roof Tile C-50.21	3/0262 R	3/2068 R				3/2065 R	3/5771 R

BORJALINE

NATURE								
LAMALOU	MANOIR	BROWN	MONTSENY	RED	AGED RED	MOSS RED	SERRANIA	VILAVELLA
3/6053 R	3/6054 R	3/5059 R		3/3579 R			3/5062 R	3/5828 R
3/6084 R	3/6085 R	3/6089 R		3/6093 R			3/6088 R	3/6083 R
				3/5935 R				
3/0048 R				3/0045 R				
				3/0053 R			3/0067 B	3/0058 B
				3/1994 R	3/6081 R			
3/0103 R	3/4823 R	3/0104 R	3/6140 R	3/0102 R			3/0106 R	3/1941 B
3/2931 R	3/5259 R	3/3014 R		3/2720 R			3/3020 R	3/6058 R
3/2930 R	3/3134 R	3/3015 R		3/2825 R			3/3021 R	
				3/6972 R				
				3/6971 R				
3/2874 R	3/5041 R	3/5034 R		3/2872 R			3/5036 R	
3/6343 R	3/6249 R	3/2145 R	3/6249 R	3/0135 R		3/6249 R	3/6249 R	3/6341 R
3/0204 R	3/3132 R	3/3089 R		3/0207 R			3/6243 R	3/2303 R
3/6248 M				3/6066 R				
3/0131 R	3/3161 R	3/1824 R		3/0327 R	3/6447 R		3/0134 R	3/5823 R
3/5299 R				3/3567 R				
				3/0264 R				
				3/3022 R	3/5784 R			
3/0258 R	3/5600 R	3/0259 R	3/6141 R	3/0257 R			3/0261 R	3/6064 R

C-25.12



Dimensions	250 mm x 120 mm / 95 mm
Weight	0,65 Kg./Unit
Units / sq. m.	70 roof tiles
Units per LM eave line	14 roof tiles
Units per LM ridge / LM eave	5 roof tiles
Pallet data	Red: 495 Units / 335 Kg. (bulk cage)
Minimum order*	32 roof tiles (1 box - Red)



Approximate values: Total waterproof of the entire roof surface is required for any pitch.
Note: C-25.12 roof tile is considered decorative accessory used to complement the roof. Therefore is included in AENOR certificates of the main roof tile (see accessories).

NATURE



Red
Code 3/0043

1,31 €/Unit

Escama



Dimensions	195 mm x 150 mm
Weight	0,40 Kg./Unit
Units / sq. m.	78 roof tiles
Units per LM eave line	9 roof tiles
Pallet data	735 Units / 530 Kg.
Minimum order	1 teja



Approximate values: Total waterproof of the entire roof surface is required for any pitch.

NATURE











Red
Code 3/0409

4,42 €/Unit

Dimensions in centimeters.
Check finishing colours for different accessories.



DECORATIVE PIECES

MOLD	DESCRIPTION AND DIMENSIONS	Units/ Pallet	Minimum ORDER UNITS	PVP €/Unit NATURE	PVP €/Unit PLAIN COLOUR/ CENTENARIA
 17-085	Decorative Piece C Pine Cone 21,5 x 43 / 3,8 Kg.	24	1	165,44	202,37
MOLD	DESCRIPTION AND DIMENSIONS	Units/ Pallet	Minimum ORDER UNITS	PVP €/Unit OUTLET* BorjaLINE:	PVP €/Unit OUTLET* BorjaDECOR:
 17-083	Decorative Piece A Ball 21 x 31,5 / 4,30 Kg.	24	1	40	80
 17-084	Decorative Piece B Acorn 20,5 x 34 / 3,15 Kg.	24	1		
 17-086	Decorative Piece D Lollipop 16 x 48 / 4,00 Kg.	24	1		
 17-141	Decorative Piece E Galician Lollipop 16 x 37 / 1,54 Kg.	24	1		
 17-142	Decorative Piece F Tulip 16 x 31 / 1,90 Kg.	24	1		
 17-143	Decorative Piece G Tower 16 x 43 / 1,60 Kg.	24	1		
 17-144	Decorative Piece H Pigeon 26 x 29 / base of support: 8.5 / 1,25 Kg.	24	1		

BRETAGNA RIDGE

MOLD	DESCRIPTION AND DIMENSIONS	Units/Pallet	Minimum ORDER UNITS	PVP €/Unit
 08-181	Brown Bretagna 1 Ridge 44,5 x 27 x 12 / 2,3 Units/lm / 3,50 Kg. Max. Slope. 87%-40.5°	48	4	OUTLET* 1,99
 08-182	Red Bretagna 2 Ridge 36,5 x 25 x 12,5 / 3 Units/lm / 2,80 Kg. Max. Slope. 87%-40.5°	64	4	12,82
 08-182	Brown Bretagna 2 Ridge 36,5 x 25 x 12,5 / 3 Units/lm / 2,80 Kg. Max. Slope. 87%-40.5°	64	4	13,96
 08-182	Natural Black / Leon Matte Bretagna 2 Ridge 36,5 x 25 x 12,5 / 3 Units/lm / 2,80 Kg. Max. Slope. 87%-40.5°	64	4	13,96
 35-257	Natural Black / Leon Matte Bretagna 2 Hip Starter 42,8 x 25 x 12,5 / 3,45 Kg.	36	1	51,55
 25-256	Natural Black / Leon Matte Bretagna 2 Straight End Cap 6 x 25 x 27 / 2,40 Kg.	112	1	51,55

CRACKLE (surface cracking), The superficial cracking can appear in some tiles with glazed application, concerning only the aesthetics and not the structure of the tiles, by what in the Standard regulation EN 1304 it is not considered to be a defect.

C-45.20 Roof Tile is not available in BorjaDECOR®.

TB-10 Tech | TB-12 | TB-4 | ALICANTINA-12 | CURVED ROOF TILES | Escama



Glazed Green

Glazed Cobalt Blue

Glazed Mocca

TB-4



Irisado Mocca

Irisado Green

Irisado Blue

The Irisados finishes are only produced in the TB-4 roof tile.

TB-12 | TB-4 | ALICANTINA-12 | CURVED ROOF TILES | Escama

MINIMUM ORDER:

Curved Roof Tiles (C-50.21 Celler, C-40.19 y C-40.15): 4.000 Units

Other formats and accessories: 2.000 Units



Matt Green

Matt Blue

Glazed Carmin

Glazed White* 

Metallic Copper*

Metallic Lead*

Crystal Red

CURVED ROOF TILES | Escama

MINIMUM ORDER:


Curved Roof Tiles: 4.000 Units - Escama Roof Tile: 2.000 Units



Matt Slate

Matt Grey

Matt Brown

 - white clay

The Glazed White finish is available only in curved tiles (C-50.21 Celler and C-40.19) BorjaBLANC (white clay) with limited sale according to geographical area.

* Finishes Glazed White, Metallic Copper and Metallic Lead are produced on one side.


BorjaDECOR - Prices breakdown by roof tiles



BorjaDECOR COLOURS	ALICANTINA-12 PVP €/Unit	TB-10 Tech PVP €/Unit	TB-12 PVP €/Unit	TB-4 PVP €/Unit	C-40.19 PVP €/Unit	C-40.15 PVP €/Unit	C-50.21 Celler PVP €/Unit
Glazeds 1 SIDE	6,38	4,40	5,96	6,38	4,58	4,58	5,24
Glazeds 2 SIDES	7,62	-	7,15	7,62	5,50	5,50	6,36
Crystal 1 SIDE	5,40	-	5,09	5,40	3,88	3,88	4,27
Crystal 2 SIDES	6,47	-	6,08	6,47	4,66	4,66	5,15
Matts 1 SIDE	5,40	-	5,09	5,40	3,88	3,88	4,27
Matts 2 SIDES	6,47	-	6,08	6,47	4,66	4,66	5,15
Metallics 1 SIDE	6,74	-	6,74	6,74	6,00	6,00	6,82
Irisados 1 SIDE	-	-	-	6,74	-	-	-
Irisados 2 SIDES	-	-	-	8,25	-	-	-
Units Pallet / Weight	240-180-120 Units 785-590-395 kg.	210 Units / 725 kg.	240-180-120 Units 785-590-395 kg.	224-168-112 Units 781-585-390 kg.	224 Units / 371 kg.	252 Units / 355 kg.	145 Units / 374 kg.

VERY IMPORTANT

Two sides curved roof tiles will be glazed half of them two sides cover and the other half two side pan.




BorjaDECOR® Glazed 2 sides COVER:

- The top side of the tile, the wide end, and about 15 cm. of the wide end on the bottom side of the tile are glazed.
- The narrow end is NOT glazed, and a part of the bottom side of the tile remains unglazed.


























BorjaDECOR® Glazed 2 sides PAN:

- The bottom side of the tile, the narrow end, and about 15 cm. of the narrow end on the top side of the tile are glazed.
- The wide end is NOT glazed, and a part of the bottom side of the tile remains unglazed.



























BorjaDECOR COLOURS	C-25.12 PVP €/Unit	ESCAMA PVP €/Unit
Glazeds 1 SIDE	3,85	8,43
Glazeds 2 SIDES	5,40	-
Crystal 1 SIDE	3,09	6,67
Crystal 2 SIDES	4,86	-
Matts 1 SIDE	3,09	6,67
Matts 2 SIDES	4,86	-
Metallics 1 SIDE	6,00	10,09
Units Pallet / Weight Units/Box	1200 Units/ 789 kg. 50 Units/Box	1680 Units / 720 kg. 70 Units/Box

BorjaDECOR - ACCESSORIES TB-4 | TB-12 | ALICANTINA-12 | CURVED ROOF TILES | ESCAMA


MOLD	DESCRIPTION AND DIMENSIONS	Units/Pallet	Minimum ORDER UNITS	P.V.P. €/Piece ONE SIDE	P.V.P. €/Piece TWO SIDES
	08-155 Angular Ridge 42 x 30,5 x 9,7 / 2,5 Units/lm / 3,2 kg. Max. Slope. 62%-31.5°	72	6	25,84	-
	35-156 Angular Hip Starter 42,2 x 30,5 x 10 / 2,83 kg.	72/75	1	56,61	-
	30-158 Angular 3 Ways 45,2 x 29,3 x 10 / 4,37 kg.	48	1	76,30	-
	31-261 Angular 4 Ways 46 x 41,5 x 16,5 / 6,50 Kg.	13	1	235,96	-
	25-157 Straight End Cap 8,5 x 28,5 x 12,5 / 2,65 kg.	56	1	56,61	-
	08-013 Circular Ridge 43 x 23 x 9 / 2,5 Units/lm / 2,90 kg. Max. Slope. 47%-25.10°	75	4/5	25,84	-
	35-020 Circular Hip Starter 42,5 x 25 x 8,5 / 3 kg.	75	1	56,61	-
	30-025 Circular 3 Ways 37,5 x 41 x 9,5 / 4,20 kg.	38	1	76,30	-
	31-320 Circular 4 Ways 40 x 40 x 15 / 4,80 Kg.	24	1	235,96	-
	25-022 Circular Straight End Cap 6 x 24 x 26,5 / 2,40 kg.	96	1	56,61	-
	25-213 Circular Curved End Cap 14 x 26 x 27 / 2,80 kg.	56	1	56,61	-
	08-014 Cover+ Ridge 44 x 28 x 10 / 2,5 Units/lm / 3,4 kg. Max. Slope. 47%-25.10°	72	1	25,84	-
	35-021 Cover+ Hip Starter 43,5 x 23 x 8,5 / 3,20 kg.	64	1	56,61	-
	30-018 Cover+ 3 Ways 32,5 x 40,5 x 12,5 / 3,10 kg.	52	1	76,30	-
	31-017 Cover+ 4 Ways 42 x 42 x 14 / 4 kg.	34	1	235,96	-
	25-024 Circular Straight End Cap 6,5 x 27 x 31 / 2 kg.	128	1	56,61	-
	25-116 Circular Curved End Cap 15 x 25,5 x 28 / 2,50 kg.	52	1	56,61	-
	35-160 C-50.21 Hip Starter 50 x 17,5 x 7,5 / 2,80 kg.	148	1	56,61	-
	30-217 C-50.21 3 Ways 32,5 x 30,5 x 15 / 2,70 kg.	42	1	235,96	-
	31-259 C-50.21 4 Ways 40,5 x 37,5 x 15,5 / 5,50 kg.	24	1	235,96	-
	10-026 Under Ridge 24 x 12,2 x 5,6 / 5 Units/lm (a 1 agua) / 0,8 kg.	600	4	7,27	-
	16-258 Under Ridge C-40.15 20,6 x 10,5 x 6,25 / 5,5 Units/lm (a 1 agua) / 0,5 kg.	400	4	7,27	-
	24-029 Universal Angular Edge 42,5 x 13 x 13 / 2,5 Units/lm / 2,85 kg.	75	5	25,84	30,99
	24-043 Left 24-042 Right Straight Edge (Left/Right) 47 x 9 x 17 / 2,5 Units/lm / 3 kg.	100	4	25,84	30,99
	24-034 Left 24-033 (Right) Curved Edge (Left/Right) 47 x 24,5 x 16 / 2,5 Units/lm / 3,3 kg.	100	5	25,84	30,99
	24-053 Left 24-052 (Right) Curved Edge TB-4® (Left/Right) 43 x 13,5 x 14 / 2,5 Units/lm / 2,55 kg.	120	1	25,84	30,99

BorjaDECOR - ACCESSORIES TB-4 | TB-12 | ALICANTINA-12 | CURVED ROOF TILES | ESCAMA

	MOLD	DESCRIPTION AND DIMENSIONS	Units/Pallet	Minimum ORDER UNITS	P.V.P. €/Piece ONE SIDE	P.V.P. €/Piece TWO SIDES
	36-031 Left 36-030 Right	Half ALICANTINA-12 (Left/Right) 43 x 15 x 4,5 / 1,25 Units/lm / 1,80 kg.	160	1	19,39	23,25
	36-044	Half TB-12 43,9 x 15,5 x 5,5 / 2,5 Units/lm / 1,80 kg.	155	1	19,39	23,25
	36-277	Half TB-10 Tech 47,5 x 18 x 7,5 / 2,1 Kg.	105	1	19,39	-
	38-049	Tile and a Half TB-12 43,9 x 36 x 7 / 2,5 Units/lm / 4,50 kg.	56	1	38,53	46,23
	38-278	Tile and a Half TB-10 Tech 47,5 x 40 x 7,5 / 5,5 Kg.	40	1	38,53	-
	36-055	Half TB-4 // Cover Decocurva TB-4 44 x 15,5 x 6 / 1,83 kg. 2,5 Units/lm // 5 Units/lm	140	1	19,39	23,25
	39-032	Ventilation ALICANTINA-12 43 x 25,5 x 12 / 4 kg.	60	1	56,61	-
	39-048	Ventilation TB-12 43,9 x 26 x 7 / 3,20 kg.	80	1	56,61	-
	39-279	Ventilation TB-10 Tech 47,5 x 28,2 x 7,5 / 3,6 Kg.	60	1	56,61	-
	39-058	Ventilation TB-4 44,2 x 26 x 10 / 3,50 kg.	80	1	56,61	-
	39-082	Ventilation C-50.21 50 x 21 x 13 / 2,60 kg.	100	1	56,61	-
	39-080	Ventilation C-40.19 40 x 18-14 x 6,5 / 1,70 kg.	280	1	56,61	-
	39-135	Ventilation C-40.15 40,8 x 15-11,6 x 6,3 / 1,70 kg.	200	1	56,61	-
	37-146	Chimney Carrier ALICANTINA-12 d.130 43 x 25,7 x 12/15,5 Øext-13,5 Øint / 4 kg.	48	1	104,63	-
	37-280	Chimney Carrier TB-10 Tech d.140 47,5 x 28,2 x 18/20 Øext - 14 Øint / 4,6 Kg.	26	1	104,63	-
	37-050	Chimney Carrier TB-12 d.130 43,9 x 26 x 12/16 Øext-12 Øint / 4,15 kg.	48	1	104,63	-
	37-060	Chimney Carrier TB-4 d.130 44,2 x 25,8 x 18/16 Øext-13 Øint / 4 kg.	48	1	104,63	-
	37-131	Chimney Carrier C-50.21 Celler d.130 50 x 21,5-17,5 x 18/16 Øext-12 Øint / 3,20 kg.	48	1	104,63	-
	10-041	Ventilation Cap 24,5 Øext - 22 Øint x 6 / 1,70 kg.	48	1	56,61	-
	33-166	Chimney d.130 20,4 Øext-18 Øint x 20 / 2,15 kg.	24	1	235,96	-
	** 34-046	Cover Decocurva TB-12 47 x 17 x 7 / 5 Units/lm / 2 kg.	140	1	-	check availability
	** 34-045	Pan Decocurva TB-12 47 x 16 x 7 / 5 Units/lm / 2,50 kg.	106	1	-	check availability
	34-056	Pan Decocurva TB-4 46 x 16 x 6 / 5 Units/lm / 2,60 kg.	104	1	-	23,25
	17-085	Decorative Piece C Pine Cone 21,5 x 43 / 5,20 kg.	24	1	236,51	

** Decocurva TB-12 available on request.

JUST ONE PANEL FOR ALL TILE MODELS



100% Neopor

$\lambda = 0,031 \text{ W/mk}$

BORJASAT Versatile panel - steps 370 and 395

CÓDIGO	PANELS STEP 370 and 395 Dimensions 1.205 X 760 mm * 0,91 m ² / panel (0,88 m ² útiles)	PVP / Unit	PVP
7/0905	PANEL BORJASAT 60 mm Steps 370 and 395	18,34 €/Panel	20,15 €/sq. m.
7/0906	PANEL BORJASAT 100 mm Steps 370 and 395	26,60 €/Panel	29,23 €/sq. m.
7/0907	PANEL BORJASAT 140 mm Steps 370 and 395	36,06 €/Panel	39,62 €/sq. m.

* Check availability and delivery time according to thicknesses and steps.

Compatible with models:

FLAT-5XL, FLAT-10, TECHNICA-10, ALICANTINA-12, TB-10 Tech, TB-12, TB-4, TBS+ and STEP CELLER 50/45.

BORJASAT ROOF COMPONENTS



Metallic Batten U 40x15
BORJASAT

Code	Mesures	Minimum order	PVP €/lm
7/0898	2 ml	20 Unit (40 ml)	1,44

CE 2,5 - 2,7 ml/sq. m. panel




Install horizontally for a batten spacing of 370 mm.



Install vertically for a batten spacing of 395 mm.

SYSTEM BORJATHERM | Roof components



BORJATHERM PANELS

CÓDIGO	PANELS STEP 370 Dimensions 3.940 mm * 1,46 m ² / panel	PVP / Unit	PVP
7/0617	PANEL 60 - STEP 370 mm.	77,13 €/Panel	52,83 €/sq. m.
7/0618	PANEL 80 - STEP 370 mm.	90,64 €/Panel	62,08 €/sq. m.
7/0619	PANEL 100 - STEP 370 mm.	103,93 €/Panel	71,18 €/sq. m.
7/0715	PANEL 120 - STEP 370 mm.	116,10 €/Panel	79,52 €/sq. m.
7/0717	PANEL 140 - STEP 370 mm.	131,73 €/Panel	90,23 €/sq. m.
7/0718	PANEL 160 - STEP 370 mm.	146,03 €/Panel	100,02 €/sq. m.

CÓDIGO	PANELS STEP 395 Dimensions 3.940 mm * 1,56 m ² / panel	PVP / Unit	PVP
7/0620	PANEL 60 - STEP 395 mm.	82,41 €/Panel	52,83 €/sq. m.
7/0621	PANEL 80 - STEP 395 mm.	96,83 €/Panel	62,08 €/sq. m.
7/0622	PANEL 100 - STEP 395 mm.	111,06 €/Panel	71,18 €/sq. m.
7/0719	PANEL 120 - STEP 395 mm.	124,06 €/Panel	79,52 €/sq. m.
7/0720	PANEL 140 - STEP 395 mm.	140,76 €/Panel	90,23 €/sq. m.
7/0684	PANEL 160 - STEP 395 mm.	156,04 €/Panel	100,02 €/sq. m.

Compatible with models:
TB-12, TB-4, FLAT-10, FLAT-5XL, ALICANTINA-12, STEP CELLER 50/45.

Compatible with models:
TB-10 Tech, FLAT-10, TECHNICA-10, TBS+.

* Check availability and delivery time according to thicknesses and steps.

BORJATHERM ROOF COMPONENTS

BORJATHERM Extra Batten			
Code	Mesures	Minimum order	PVP €/lm
7/0624	3,94 m	1 Unit (3,5 Kg./Unit)	5,73



Butyl Adhesive Band BORJATHERM 100 mm.			
Code	Mesures	Minimum order	PVP €/lm
7/0641	0,1 x 10 m	60 ml (4 Kg./Box)	1,34



Treated Wooden Batten BORJATHERM 60x50 mm.			
Code	Mesures	Minimum order	PVP €/lm
7/0626	2,5 m	22,5 ml (20,7 Kg./Box)	3,14



Treated Wooden Batten BORJATHERM 80x50 mm.			
Code	Mesures	Minimum order	PVP €/lm
7/0627	2,5 m	15 ml (16,8 Kg./Box)	4,35



ROOF COMPONENTS

FLASHING

Multi-Use Premium 300 (waterproofing flashing)



Code	Mesures	Minimum order	PVP €/lm
Red 7/0520 Brown 7/0521 Black 7/0522 Grey 7/0749	0,30 x 5 m	5 ml/Box (5,50 Kg./Box) (120 Rolls/Pallet)	13,28



Multi-Use Premium 450 (waterproofing flashing)



Code	Mesures	Minimum order	PVP €/lm
Red 7/0585 Brown 7/0593 Black 7/0748	0,45 x 5 m	5 ml/Box (6,75 Kg./Box) (72 Rolls/Pallet)	19,35



Multi-Use ALU 300 (waterproofing flashing)



Code	Mesures	Minimum order	PVP €/lm
Red 7/0523 Brown 7/0524 Black 7/0525	0,30 x 5 m	5 ml/Box (3 Kg./Box) (112 Rolls/Pallet)	6,49



Counter Flashing Profile



Code	Mesures	Minimum order	PVP €/lm
Red 7/0536 Brown 7/0537 Black 7/0538	0,07 x 2 m	40 ml/Box (5 Kg./Box)	4,29



Valley Adjustable ALU Flashing



Code	Mesures	Minimum order	PVP €/lm
Red 7/0517 Brown 7/0596 Black 7/0722	0,50 x 2 m	20 ml/Box (16 Kg./Box)	13,12



BATTENS

Metallic Batten 30x30



Code	Length	Minimum order	PVP €/lm
7/0550	2,5 m	25 ml/Paq. (15 Kg./Paq) 625 ml/Pallet	2,06



Ventilated Batten 30x20



Code	Length	Minimum order	PVP €/lm
7/0562	2,5 m	67,5 ml/Paq. (34,20 Kg./Paq.)	2,37



Treated Wooden Batten 40x30



Code	Length	Minimum order	PVP €/lm
7/0625	2,5 m	40 ml/Paq. (20 Kg./Paq.)	1,06



Metallic Batten 20x20



Code	Length	Minimum order	PVP €/lm
7/0840	2,5 m	25 ml/Paq. (11 Kg./Paq) 500 ml/Pallet	1,33



Metallic Batten U 40x40⁽¹⁾



Code	Length	Minimum order	PVP €/lm
7/0924	2,5 m	10 ml/Paq. (6 Kg./Paq)	2,11



ROOF COMPONENTS

WATERPROOF AND BREATHING


Waterproof and Breathing Membrane 180 PREMIUM



Code	Mesures	Minimum order	PVP €/sq. m.
7/0573	1,5 x 50 m	75 sq. m./Roll (14,25 Kg./Roll) (30 Rolls/Pallet)	1,80



Waterproof and Breathing Membrane TB 130



Code	Mesures	Minimum order	PVP €/sq. m.
7/0534	1,5 x 50 m	75 sq. m./Roll (10,43 Kg./Roll) (39 Rolls/Pallet)	1,06



Nail Sealing Tape



Code	Mesures	Minimum order	PVP €/lm
7/0549	0,04 x 30 m	120 ml/Box (0,60 Kg./Box)	0,29



Roofing Adhesive Tape 50 mm



Code	Mesures	Minimum order	PVP €/lm
7/0527	0,05 x 25 m	300 ml/Box (2,50 Kg./Box)	0,43



Waterproof and Breathing Membrane TB 160



Code	Mesures	Minimum order	PVP €/sq. m.
7/0526	1,5 x 50 m	75 sq. m./Roll (11,63 Kg./Roll) (30 Rolls/Pallet)	1,41



Waterproof and Breathing Membrane ECO -135



Code	Mesures	Minimum order	PVP €/sq. m.
7/0561	1,5 x 50 m	75 sq. m./Roll (10,43 Kg./Roll) (39 Rolls/Pallet)	0,88



Vapour Barrier 98 gr/sq. m. (installation under insulation)



Code	Mesures	Minimum order	PVP €/sq. m.
7/0595	1,5 x 50 m	75 sq. m./Roll (10,43 Kg./Roll)	1,05



ROOF SHEETS

Fiber Ciment Sheet 234 Aged Reinforced (For curved roof tiles 45 and 50 cm)



Code	Mesures	Minimum order	PVP €/placa
7/0930	0,98 x 1,65 m	60 Units/Pallet (1440 Kg./Pallet)	19,95



Corrugated Bitumen Sheet for Tiles with Battens (INTERLOCKING Roof Tiles)



Code	Mesures	Minimum order	PVP €/placa
7/0567	0,96 x 2 m	150 Units/Pallet (1440 Kg./Pallet)	13,84



Corrugated Bitumen Sheet 235 (For curved roof tiles 45 and 50)



Code	Mesures	Minimum order	PVP €/placa
7/0566	1,05 x 2 m	150 Units/Pallet (750 Kg./Pallet)	14,23



Auto-adhesive Butyl Band



Code	Mesures	Minimum order	PVP €/lm
Red 7/0594	0,30 x 10 m	20 ml/Box (16 Kg./Box)	4,13



ROOF COMPONENTS

FIXATION



PU Foam for Roof Tiles
(applied with gun)

Code	Pot	Minimum order	PVP €/Pot
Red 7/0879	750 ml	12 Pots/Box (624 Units/Pallet)	5,85



PU Adhesives Sealant 300
(applied with gun)

Code	Pot	Minimum order	PVP €/Unit
Brown 7/0598	300 ml	12 Pots/Box (792 Units/Pallet)	5,07



Ridge Batten Adjustable Support 40 mm

Code	Minimum order	PVP €/Unit
7/0552	50 Units/Box (9 Kg./Box) (40 Boxes/Pallet)	1,45




Ridge Batten Support 40 mm

Code	Minimum order	PVP €/Unit
7/0515	50 Units/Box (6,4 Kg./Box) (60 Boxes/Pallet)	0,90



Fixtin Clip for Interlocking Tile

Code	Minimum order	PVP €/Unit
7/0559	250 Units/Box (5 Kg./Box)	0,253



Curved Tile Fixing Clip
72 mm - C-40.15 / C-40.19
120 mm - C-45.20 / C-50.21
130 mm - C-45.20 / C-50.21 (BT370)

Code	Length	Minimum order	PVP €/Unit
7/0514	72 mm	1000 Units/Box (6,40 Kg./Box)	0,071
7/0496	120 mm		0,102
7/0763	130 mm*	500 Units/Box (3,2 kg/Box)	0,132



* Suitable for BORJATHERM 370



Fixtin Clip for Flat Tiles (wooden batten)

Code	Minimum order	PVP €/Unit
7/0704 FLAT-10	250 Units/Box (5 Kg./Box)	0,24



Straight Snow Stopper

Code	Minimum order	PVP €/Unit
Red 7/0646 Black 7/0711	100 Units/Box (15 Kg./Box)	1,012



Universal Ridge Clip
(For curved roof tiles)

Code	Minimum order	PVP €/Unit
Red 7/0513	100 Units/Box (1 Kg./Box)	0,258



Ridge Clips

Code	Minimum order	PVP €/Unit
Circular Red 7/0583 Circular Black 7/0760 Angular Red 7/0584 Angular Black 7/0586 Cubre + Red 7/0582	100 Units/Box (1 Kg./Box)	0,40
Angular 100° Black 7/0782	50 Units/Box (0,5 kg/Box)	



Foam Applicator

Code	Minimum order	PVP €/Unit
7/0599	1 unidad	24,95



CODE	SCREW LIST **	Box	PVP (€/100 Units)
7/0676	Tile fixing screw for wood batten 4 x 50 mm	500 Units	4,75 €/100 Units
7/0677	Fixing screw for wood battens 6 x 70 mm	200 Units	14,38 €/100 Units
7/0693	Fixing screw for wood battens 6 x 110 mm (BT 60)	100 Units	15,90 €/100 Units
7/0761	Fixing screw for wood battens 6 x 140 mm (BT 100)	25 Units	32,54 €/100 Units
7/0678	Self drilling screw tile-metal 4,2 x 45 mm	500 Units	3,38 €/100 Units
7/0679	Self drilling screw metal batten 5,5 x 22 mm	500 Units	7,45 €/100 Units
7/0680	Self drilling screw tile-metal 6 x 115 mm (BT 60)	250 Units	34,74 €/100 Units
7/0683	Metal washer for screws 7-19	1000 Units	2,77 €/100 Units
7/0696	Hammer fix screw 6 x 37 mm	300 Units	6,14 €/100 Units
7/0682	Fixing screw for concrete 6 x 60 mm	200 Units	11,45 €/100 Units
7/0700	Fixing screw for concrete 8 x 80 mm	100 Units	18,92 €/100 Units
7/0699	Fixing screw for concrete 8 x 100 mm (BT 60)	100 Units	21,58 €/100 Units
7/0681	Fixing screw for concrete 8 x 120 mm (BT 80 - BS 60)	50 Units	34,20 €/100 Units
7/0871	Fixing screw for concrete 10 x 160 mm (BT 120 - BS 100)	50 Units	45,25 €/100 Units
7/0781	Fixing screw for concrete 10 x 200 mm (BT 160 - BS 140)	50 Units	88,58 €/100 Units
7/0937	Tornillo taco para hormigon 10 x 200 mm (BT 160 - BS 140)	50 Units	121,70 €/100 Units
7/0869	Self drilling screw for panel 6 x 130 mm	50 Units	45,35 €/100 Units

ROOF COMPONENTS

EAVE LINES VENTILATION

Ventilation Comb 100 mm
(TB-10 TECH / C-45.20 / C-50.21)



Code	Length	Minimum order	PVP €/lm
Red 7/0497 Black 7/0499	1 m	50 ml/Box (4,50 Kg./Box) (50 Boxes/Pallet)	0,81



Ventilation Comb 60 mm
(TB-12 / TB-4 / C-40.15 / C-40.19)



Code	Length	Minimum order	PVP €/lm
Red 7/0500 Black 7/0502	1 m	200 ml/Box (18 Kg./Box) (15 Boxes/Pallet)	0,53



Bird Stop Grate 80 mm



Code	Length	Minimum order	PVP €/lm
Black 7/0558	5 m	100 ml/Box (5 Kg./Box)	0,61



Batten + Ventilation Comb (Batten 30 mm; comb 60 mm)
(BORJATHERM / TB-12 / TB-4 / C-40.15 / C-40.19)



Code	Length	Minimum order	PVP €/lm
Red 7/0553 Black 7/0555	1 m	50 ml/Box (4,50 Kg./Box) (24 Boxes/Pallet)	1,03



RIDGE LINE VENTILATION

Under Ridge Mixed Roll Tape 390 mm



Code	Mesures	Minimum order	PVP €/lm
Red 7/0508 Black 7/0510 Beige 7/0575	0,39 x 5 m	20 ml/Box (5,20 Kg./Box) (180 Rolls/Pallet)	3,98




Under Ridge ALU Roll Tape 400 mm



Code	Mesures	Minimum order	PVP €/lm
Red 7/0505 Brown 7/0506 Black 7/0507	0,40 x 5 m	20 ml/Box (5,60 Kg./Box) (180 Rolls/Pallet)	4,05



TB-Roll Ridge Tape 390 mm
(under ridge waterproof)



Code	Mesures	Minimum order	PVP €/lm
Red 7/0587 Brown 7/0911 Black 7/0589 Beige 7/0912	0,39 x 5 m	20 ml/Box (5,20 Kg./Box) (120 Rolls/Pallet)	3,98




LIGHTING

Glass TB-12
Roof Tile



Code	Compatible	Minimum order	PVP €/ud
7/0532	TB-12	6 Units/Box (20,40 Kg./Box)	19,75

Glass ALICANTINA-12
Roof Tile



Code	Compatible	Minimum order	PVP €/ud
7/0535	Alicantina-12	6 Units/Box (18,60 Kg./Box)	16,95

PAINT



CODE	DESCRIPTION	COMPATIBILITY	Pot	Minimum order	PVP (€/Unit)
7/0753	ENGOBE GRAPHITE	Graphite, Paris Ocre	750 ml	1 Pot	38,89 €
7/0754	ENGOBE CHOCOLATE	Chocolate	750 ml	1 Pot	38,89 €
7/0755	ENGOBE NATURAL BLACK	Leon Matte, Natural Black	750 ml	1 Pot	38,89 €
7/0756	ENGOBE MID GREY	Mid Grey	750 ml	1 Pot	38,89 €
7/0757	ENGOBE TOKYO COPPER	Tokyo Copper	750 ml	1 Pot	74,79 €
7/0784	ENGOBE CREAM	Toronto, Lamalou, White Jaspeado	750 ml	1 Pot	38,89 €
7/0785	ENGOBE GREY M1	Sidney Graphite, Austin Grey	750 ml	1 Pot	38,89 €
7/0888	ENGOBE GREEN	Glazed Green	750 ml	1 Pot	38,89 €
7/0889	ENGOBE COBALT BLUE	Glazed Cobalt Blue	750 ml	1 Pot	38,89 €

The product should be diluted to 50% by weight with water

TEJAS BORJA ("Seller") is a company specialised in the marketing of construction materials intended in particular for construction traders and professionals. These general terms & conditions of sale ("GTCS") set down the terms and conditions under which the Seller offers its products ("Product(s)") to business customers ("Buyer(s)") for sale. Since the GTCS are systematically provided or sent to each Buyer, the fact of placing an order implies full acceptance by the Buyer of these terms & conditions. The Buyer declares it has read and accepted these terms and that it has been free to negotiate them.

No special conditions on the part of the Buyer, in particular purchase conditions, may prevail over these conditions without the prior written consent of the Seller.

I) - ORDERS

Orders issued by the Buyer are only accepted after written confirmation is obtained from the Seller with the Seller indicating the nature and quantity of the Products, as well as an estimated availability date. The sale shall be deemed complete and shall take effect upon receipt of such confirmation.

Orders must be placed by email (orders@tejasborja.com). In order to avoid errors, telephone orders shall be confirmed in writing by the Seller and must be specifically validated by the Buyer.

For all intents and purposes, it is specified that in the absence of a written order confirmation, the shipment of the Products and/or the sending of an invoice by the Seller shall be deemed to be confirmation of the said order, provided that this order was sent by the Buyer to the Seller in written form.

Due to the natural colours of the clays, slightly different shades may appear in the tile colouring. Also, the Seller recommends when installing the Products, to combine tiles from different pallets, according to the standard UNE-136020 relating to the installation of terracotta roofing tiles.

The rendering of colours on photographs/drawings/pictograms in no way constitutes an obligation of result and cannot be completely faithful to reality. Consequently, no action may be taken by the Buyer against the Seller on the basis of non-compliance in this respect.

II) - PRICES

The price list applies ex-works, unless otherwise stated in the price list. Newly published prices cancel and replace the earlier prices as of the date they take effect.

Prices are valid for the period of validity mentioned.

However, the published prices (catalogues, prospectus or other) may be revised by the Seller without notice, in the event of changes in economic circumstances, in particular in the event of changes to manufacturing costs.

Prices are exclusive of VAT.

III) - DELIVERY

The Products are delivered packaged according to the methods in force at the time of their manufacture. Tejas Borja S.A.U. reserves the right to modify the dimensional characteristics, the weight and units per pallet without notice.

The dimensions, thicknesses and weights of the materials are approximate.

Deliveries are only made subject to the availability of the Products and shipping, and in any case, in the order of incoming orders.

Unless otherwise agreed between the parties, the Products are delivered EXW/ex works of the Seller (ExWorks INCOTERMS ICC, 2020) The cost of shipping shall be borne by the Buyer, except for deliveries within France. The shipment reference is the order number. A confirmation of the delivery date will be notified to the Buyer, it

being understood that the delivery dates are for information purposes only. Failure to comply with these dates may not give rise to any action for compensation by the Buyer. In the event of a product being unavailable, a new order confirmation indicating the new indicative date of availability of the Product will be sent to the Buyer.

Carriers are responsible for damage and losses incurred during transport. Thus it is incumbent on the Buyers and/or recipients of the Products to have the necessary inspections carried out immediately, and at the latest within 48 hours of receipt, and to exercise their own remedies against the carriers.

Deliveries are only made to construction sites and premises of companies that are easily accessible. The financial consequences of difficult access as well as any damage caused as a result to or by a vehicle of the Seller shall be at the expense of the Buyer. The Seller will be free to refuse to make the delivery to places that may involve risks in terms of safety or deterioration of the vehicles.

The Products must be inspected at the time of unloading. In the event of an apparent non-conformities or apparent defects in the Products delivered with respect to the Products ordered or the delivery note, the Buyer must notify the Seller in writing within 48 hours of delivery of the Products and provide photographs attesting to said non-conformities. After this period, no claim in this respect may be made. In the event of a non-visible defect or hidden defect, the notification period is extended to seven (7) calendar days from the use of the Products. This period cannot in any case exceed the duration provided for by the statutory guarantee.

Where the cause of the claim relates to a Product non-conformity, the Seller is obliged to replace the said Product, only to the extent that it is considered to be a non-conformity within the meaning of standard EN 1304.

The installation of the Products (method, means, etc.) is the responsibility of the service provider designated by the Buyer, and this by virtue of the regulations in force, and in particular the standard UNE-136020 relating to the installation of terracotta roofing tiles and the specifications of Tejas Borja S.A.U.

IV) - GUARANTEES

The statutory guarantee applies in the event of a defect or non-conformity in the Products delivered.

The guarantee only applies when the Products are used for purposes consistent with their intended purpose. The Seller does not guarantee the watertightness of the roof when terracotta accessories are used that are not among its range of Products. In addition, no guarantee shall apply in the event of damage or accidents resulting in particular from negligence, lack of maintenance, natural wear or abnormal use of the Product.

Furthermore, in order to benefit from the guarantee, the Products must be installed in line with good practices as regards traditional products and with the rules of use as set down in technical notices, professional rules or certifications that apply to the products.

In the event of a non-conformity or proven defect, the Seller shall only be required to replace or refund the Products acknowledged as being defective by the Seller. The cost of labour incurred by this replacement shall be at the expense of the Buyer. For all intents and purposes, it is specified that the replacement of a Product under guarantee does not have the effect of creating new guarantee conditions or extending the initial guarantee conditions.

Furthermore, in the event that the Seller has stopped marketing a Product covered by the guarantee, the Seller reserves the right to replace said Product with a Product of similar quality. The Seller reserves the right to supply another type of product in the event that the Seller has stopped marketing the Products that are the subject of the claim at the time the guarantee is invoked.

V) - INVOICING AND PAYMENT

The Products are sold at the price in effect at the time of delivery or pick-up by the Buyer.

With regard to Products requiring individual transport supports, an additional price of 25% will be applied to the departure price, with the exception of BorjaDECOR and BorjaJET parts and products.

For Products manufactured to order, a deposit must be paid by the Buyer under the following conditions:

- For BorjaDECOR Products and SOLAR tiles, a deposit of 50% of the order amount must be paid on the day of the order confirmation;
- A deposit of 25% of the order amount must be paid on the day the order is confirmed for FLAT-5XL BorjaJET Tile Products;
- A deposit of 50% of the order amount must be paid on the day of the order confirmation for non-standard products (PPM'S). The balance will be due at the latest on the day the Products are loaded and/or picked up.

It is specified that the applicable payment terms will be those agreed between the Buyer and the Seller which may not however exceed the statutory payment deadlines. Payment within the meaning of these general terms and conditions of sale corresponds to the actual receipt of the sums due.

In the event of failure to pay by the due date, without the specific prior agreement of the Seller, all sums due by the Buyer shall become immediately due and payable.

In addition, any unpaid amount when due shall bear interest at a rate equal to the interest rate applied by the ECB to its most recent refinancing operation on the due date of the applicable payment period, plus ten (10) percentage points.

Interest will start to accrue from the day following the due date shown on the invoice and will continue to accrue until the payment of all sums due by the Buyer to the Seller.

In the event of late payment, a flat-rate fee for collection costs of €40 will be added to the late penalties due to the Seller. These penalties and collection fees are due ipso jure.

In the event of a change in the legal or financial situation of the Buyer which may affect its ability to honour its financial commitments, the Seller reserves the right, even after partial execution of an order, to require guarantees or to cancel orders in progress.

VI) - RETURNS/CANCELLATIONS

The return of non-defective Products by the Buyer must be the subject of a prior written authorisation from the Seller. In the event of specific acceptance by the Seller, returns must be accompanied by the references of the delivery note and the invoices concerned, and this within six (6) months following delivery. Any cost generated by a return shall be borne by the Buyer.

A reduction for depreciation of between 0% and 50% of the invoiced price, depending on the return time of the Product in question, will be applied, at the discretion of the Seller. However, it is specified that returns of accessories will be subject to a reduction for depreciation of at least 20% of the invoiced price, with the exception of orders for BorjaDECOR Products, FLAT-5XL roof tile BorjaJET and PMM, which cannot be returned.

All orders requiring material preparation cannot be modified or cancelled. Where appropriate, a handling fee of 15 Euros per pallet/package will be automatically applied.

VII) - PERSONAL DATA

The Seller processes its customers' contact data (including those of the Buyer) for the purposes of managing the business relationship and, unless objected to, commercial canvassing. This processing is based on legitimate interest (performance of the contractual relationship and business activities). The data is stored for the duration of the contractual relationship and for three (3) additional years thereafter for canvassing operations, then archived as means of proof. The data is intended for the Seller's authorised staff and any sub-contractors. Data subjects have the right to access, rectify, delete, object to, restrict and give post-mortem instructions with respect to their personal data and these rights can be exercised in writing at the following address: Km. 3, CV-376, 46160 Liria, Valencia, Spain. They may lodge a complaint with the AEPD (the Spanish Data Protection Agency).

VIII) - RETENTION OF TITLE CLAUSE

The Products sold shall remain the Seller's property until full payment of the price in principal and incidental costs. The Buyer shall ensure that the identification of the Products is always possible.

The above provisions do not preclude the transfer upon delivery of the Products to the Buyer of the risks of loss or deterioration to the Products as well as the risk of damage that they may cause, subject to retention of title.

In the event of garnishment or any other intervention by a third party on the Products, the Buyer must without delay inform the Seller in order to enable it to oppose it and preserve its rights.

The Buyer shall also refrain from pledging or assigning title to the Products as security.

IX) - LAW IN FORCE - RESOLUTION OF DISPUTES

The GTCS are governed by Spanish law to the exclusion of its conflict of laws provisions. The parties specifically exclude the application of the United Nations Convention on Contracts for the International Sale of Goods. Any dispute arising concerning the sale of Products by the Seller shall be referred to the exclusive jurisdiction of the relevant Commercial Courts located in the jurisdiction of the place of the Seller's registered office.

X) - COMPLIANCE

In accordance with its ethical obligations, the customer formally undertakes not to resell or re-export the supplier's products to any person or entity subject to sanctions by the European Union or the United States. The customer also undertakes not to maintain any business relationship whatsoever with entities located in the following countries: Iran, Syria, Cuba, North Korea, Crimea, Russia. The supplier may not be held liable to third parties for any breach of these prohibitions by the customer or for any consequences of any kind that may result therefrom.

This Price list cancels the previous ones from the date of its entry into force. Prices are valid for the duration of the tariff, unless there is a typographical or transcription error.

Date of entry into force of the Price list: 15 January 2024.

Tejas Borja reserves the right to modify and/or remove certain models presented in this catalogue without notice. The colours of the parts may differ slightly from the originals. The parts presented in this catalogue are decorative suggestions of an advertising nature. The installation instructions published by Tejas Borja must be used for the actual installation.

Solutions for all roofing projects



tejasborja.com

TEJAS BORJA, S.A.U. | Ctra. Llíria a Pedralba Km. 3, 46160 Llíria, Valencia, SPAIN
T. +34 96 279 80 14 | info@tejasborja.com