


— ROOF ACCESSORIES FOR —  
VENTILATED ROOFS




2026

*pricelist*  
**λPROOF**  
Roofing Components

## WATHERPROOF AND BREATHING

Thermal insulation plays an important role in the hydrothermal behavior of the cover. Through these breathable membrane, water vapour is diffused to the outside while preventing the penetration of water inside, in the event of any failure in the protection coverage.




## FIXATION

In ventilated roofs, the tiles are installed on a network of wood or metallic battens. The fixation of the tiles and the accessoires, is carried out using hooks or clips.




## EAVE LINES VENTILATION

Eaves line must allow air to enter and, in turn, be protected against the entry of birds, insects, rodents or similar. To do this, it is necessary to place gratings and combs that, allow the passage of air, allowing microventilation.




## RIDGE LINES VENTILATION

Dry fixing the ridge line allows microventilation at high level to work in tandem with eaves level ventilation to create a natural passage of air to remove condensation build up behind the tiles. Metal fixing clips create a firm hold on the ridge tiles for extreme weather.



## BUILDING SYSTEMS

Panel systems to meet the requirements of ventilation, thermal insulation, watertightness and durability of tile roofs.



## FLASHINGS


In the case of chimneys, ventilation ducts or skylights, vertical encounters must be impervious and prevent water filtration. For this, connection systems and metallic counterflashing are used which, thanks to their adaptability to the curvature of the tiles, ensure the tightness of the unique encounters.



# Roof accessories for ventilated roofs


## BUILDING SYSTEMS

Description	Ref.	Covering m <sup>2</sup> /panel	Minimum order	EX-works price €/u.	EX-works price €/m <sup>2</sup>
<b>λSAT</b>					
<b>PANEL - PITCH 370 AND 395 MM* / 14.57" AND 15.55"</b>					
Thickness 60 mm		0,91 m <sup>2</sup> (útil 0,88 m <sup>2</sup> )	13 ud	22.26	<b>24.47</b>
Thickness 100 mm		0,91 m <sup>2</sup> (útil 0,88 m <sup>2</sup> )	9 ud	30.07	<b>33.04</b>
Thickness 140 mm		0,91 m <sup>2</sup> (útil 0,88 m <sup>2</sup> )	7 ud	39.90	<b>43.82</b>



Check compatibility with the roof tile models.  
Check availability and delivery time according to thickness and strip pitches.  
140 mm thickness λSAT panels are manufactured on request, with a minimum quantity of 28 units.

Description	Material	Dimensions	Minimum order	EX-works price €/lm
<b>COMPLEMENTS</b>				
U Metal batten 40 x 15 / 1.57 x 0.59"	Galvaniz.	2 m 2,5 - 2,7 ml/m <sup>2</sup> panel	20 ml (10 uds/paq)	<b>1.63</b>



## FIXATION λTHERM - λSAT


Description	Min. order* pcs./box	EX-works price
<b>TORNILLOS</b>		
Wood fixation screw 6 x 110mm (0.24" x 4.46" / THERM 60MM)	100 units	<b>17.93 €/100 u</b>
Wood fixation screw 6 x 140mm (0.24" x 5.51" / THERM 100MM - SAT 60MM)	50 units	<b>36.69 €/100 u</b>
Wood fixation screw 6 x 160mm (0.24" x 6.30" / THERM 120MM - SAT 100MM)	50 units	<b>41.15 €/100 u</b>
Wood fixation screw 6 x 200mm (0.24" x 7.87" / THERM 160MM - SAT 140MM)	50 units	<b>49.34 €/100 u</b>
Metal self-supporting screw 6 x 115mm (0.24" x 4.53" / SAT 60MM)	250 units	<b>39.17 €/100 u</b>
Panel self-supporting screw 5.5/6.3 x 130 mm V-16 (0.22"/0.25" x 5.12" / THERM 80MM - SAT 60MM)	50 units	<b>51.13 €/100 u</b>
Panel self-supporting screw 5.5/6.3 x 150 mm V-16 (0.22"/0.25" x 5.90" / THERM 80MM - SAT 60MM)	50 units	<b>55.55 €/100 u</b>
Screw with plug SDF 8 x 100mm (0.32" x 3.94" / THERM 60MM)	100 units	<b>55.45 €/100 u</b>
Screw with plug SDF 8 x 120mm (0.32" x 4.73" / THERM 80MM - SAT 60MM)	100 units	<b>59.80 €/100 u</b>
Screw with plug SDF 8 x 140mm (0.32" x 5.51" / THERM 100MM - SAT 60MM)	100 units	<b>64.23 €/100 ud</b>
Screw with plug SDF 8 x 160mm (0.32" x 6.30" / THERM 120MM - SAT 100MM)	100 units	<b>81.44 €/100 u</b>
Screw with plug SDF 8 x 180mm (0.32" x 7.09" / THERM 140MM - SAT 100MM)	100 units	<b>91.01 €/100 u</b>
Screw with plug SDF 8 x 200mm (0.32" x 7.87" / THERM 160MM - SAT 140MM)	100 units	<b>105.96 €/100 u</b>



Description	Ref.	Covering m <sup>2</sup> /panel	EX-works price €/u.	EX-works price €/m <sup>2</sup>
<b>λTHERM</b>				
<b>PANEL - PITCH 370 MM* / 14.57"</b>				
Thinckness 60 mm		1.46	88.55	<b>60.65</b>
Thinckness 80 mm		1.46	104.06	<b>71.27</b>
Thinckness 100 mm		1.46	119.31	<b>81.72</b>
Thinckness 120 mm		1.46	133.28	<b>91.29</b>
Thinckness 140 mm		1.46	151.22	<b>103.59</b>
Thinckness 160 mm		1.46	167.64	<b>114.82</b>



<b>PANEL - PITCH 395 MM* / 15.55"</b>				
Thinckness 60 mm		1.56	94.61	<b>60.65</b>
Thinckness 80 mm		1.56	111.16	<b>71.27</b>
Thinckness 100 mm		1.56	127.50	<b>81.72</b>
Thinckness 120 mm		1.56	142.42	<b>91.29</b>
Thinckness 140 mm		1.56	161.59	<b>103.59</b>
Thinckness 160 mm		1.56	179.13	<b>114.82</b>










Check compatibility with the roof tile models.  
Check availability and delivery time depending on thickness and strip pitches.  
100 mm and over thickness λTHERM panels are manufactured on request, with a minimum quantity of 30 units.

Description	Dimensions	Min. order* pcs./box	EX-works price
<b>COMPLEMENTS</b>			
Metal steel batten auxiliar metálico	3.94 m	1 u. (3.5 Kg/u.)	<b>6.57 €/lm</b>
Treated wood batten 60 x 50 mm / 2.36 x 1.97"	2.5 m	22,5 lm (20.7 Kg/box)	<b>3.96 €/lm</b>
Treated wood batten 80 x 50 mm / 3.15 x 1.97"	2.5 m	15 lm (16.8 Kg/box)	<b>5.28 €/lm</b>
Butyl tape 100 mm / 3.94"	0.1 x 10 m	60 lm (4 Kg/box)	<b>1.51 €/lm</b>
Adhesive Sealant - Brown (300 lm - gun application)	300 lm	12 uds (792 u./pallet)	<b>5.20€/u.</b>
Glue and filler foam (750 lm - gun application)	750 lm	12 uds (792 u./pallet)	<b>13.70 €/u.</b>




# Roof accessories for ventilated roofs










## FLASHING

	Description	Colour	Dimensions	Min. order* pcs./box	EX-works price
<b>NEW</b> 	<b>Multi-Use Premium 300 mm</b> (waterproofing flashing)	Red Black Brown	0.3 x 5 m 11.8" x 197"	5 lm (1 roll) (5,50 Kg/box)	<b>15.00 €/lm</b>
<b>NEW</b> 	<b>Multi-Use Premium 450 mm</b> (waterproofing flashing)	Red Black Brown	0.45 x 5 m 17.7" x 197"	5 ml (1 roll) (6,75 Kg/box)	<b>21.86 €/lm</b>
	<b>Multi-Use Aluminium 300mm</b> (waterproofing flashing)	Red Black Brown	0.3 x 5 m 11.8" x 197"	5 lm (1 roll) (5.50 Kg/box)	<b>9.28 €/lm</b>
	<b>Multi-Use Aluminium 450 mm</b> (waterproofing flashing)	Red Black Brown	0.45 x 5 m 17.7" x 197"	5 lm (1 roll) (8.35 Kg/box)	<b>12.20 €/lm</b>
	<b>Counter Flashing Profile</b>	Red/Black Brown	0.07 x 1.5 m 2.8" x 59"	15 lm (10 units) (5 Kg/box)	<b>4.95 €/lm</b>
	<b>Roll Aluminium Valley Tape</b>	Red/ Brown	0.6 x 10 m 23.6" x 394"	20 lm (2 rolls) (6.75 Kg/box)	<b>12.30 €/lm</b>
<b>NEW</b> 	<b>Plate Aluminium Valley Tape</b>	Black	0.5 x 2 m 19.7" x 78.7"	10 u./box	<b>12.25 €/lm</b>





## BATTENS

	<b>Treated Wooden Batten 40 x 30</b>		0.4 x 0.3 x 2.5 m 15.7" x 11.8" x 98.4"	30 ml (12 u./pack)	<b>1.42 €/lm</b>
	<b>Treated Wooden Batten 50 x 50</b>		0.5 x 0.5 x 2.5 m 19.7" x 19.7" x 98.4"	22,5 ml (9 u./pack)	<b>2.40 €/lm</b>
	<b>Metallic Batten 20 x 20</b>		0.2 x 0.2 x 2.5 m 7.9" x 7.9" x 98.4"	25 lm (10 u./pack)	<b>1.50 €/lm</b>
	<b>Metallic Batten 30 x 30</b>		0.3 x 0.3 x 2.5 m 11.8" x 11.8" x 98.4"	15 lm (6 u./pack)	<b>2.32 €/lm</b>
	<b>Metallic Batten 50 x 30</b>		0.5 x 0.3 x 2.5 m 19.7" x 11.8" x 98.4"	25 lm (10 u./pack)	<b>3.25 €/lm</b>
	<b>Ventilated Batten 30 x 20</b>		0.3 x 0.2 x 2.5 m 11.8" x 7.9" x 98.4"	25 lm (10 u./pack)	<b>2.67 €/lm</b>
	<b>Metallic Batten U 40 x 40</b>		0.4 x 0.4 x 2.5 m 15.7" x 15.7" x 98.4"	25 lm (10 u./pack)	<b>2.50 €/lm</b>

## WATERPROOF AND BREATHING

<b>NEW</b>	Description	Dimensions	Min. order* pcs./box	EX-works price
	 <b>Waterproof and Breathing Membrane with Adhesive Tape 190 Premium</b>	1.5 x 50 m 59" x 54.68 yd	75 m <sup>2</sup> /roll (14.25 Kg/roll) (27 rolls/pallet)	<b>2.07 €/m<sup>2</sup></b>
	 <b>Waterproof and Breathing Membrane 130 Premium</b>	1.5 x 50 m 59" x 54.68 yd	75 m <sup>2</sup> /roll (9.75 Kg/roll) (39 rolls/pallet)	<b>1.18 €/m<sup>2</sup></b>
	 <b>Waterproof and Breathing Membrane 150 Premium</b>	1.5 x 50 m 59" x 54.68 yd	75 m <sup>2</sup> /roll (11.25 Kg/roll) (30/39 rolls/pallet)	<b>1.31 €/m<sup>2</sup></b>
	 <b>Waterproof and Breathing Membrane 190 Premium</b>	1.5 x 50 m 59" x 54.68 yd	75 m <sup>2</sup> /roll (14.25 Kg/roll) (27 rolls/pallet)	<b>1.74 €/m<sup>2</sup></b>
	<b>Waterproof and Breathing Membrane 135 ECO</b>	1.5 x 50 m 59" x 54.68 yd	75 m <sup>2</sup> /roll (11.25 Kg/roll) (36 / 42 rolls/pallet)	<b>0.90 €/m<sup>2</sup></b>
	<b>Waterproof and Breathing Membrane 150 ECO</b>	1.5 x 50 m 59" x 54.68 yd	75 m <sup>2</sup> /roll (14.25 Kg/roll) (36 rolls/pallet)	<b>1.01 €/m<sup>2</sup></b>
	<b>Roofing Adhesive Tape 1 side 50 mm</b>	0.05 x 30 m 1.97" x 32.80 yd	300 lm (2.50 Kg/box) (12 rolls/box)	<b>0.68 €/lm</b>
	<b>Roofing Adhesive Tape 2 sides 50 mm</b>	0.05 x 30 m 1.97" x 32.80 yd	900 lm (3.5 Kg/box) (18 rolls/box)	<b>0.75 €/lm</b>
	<b>Nail Sealing Tape</b>	0.05 x 30 m 1.97" x 32.80 yd	360 lm (2.60 Kg/box) (12 rolls/box)	<b>0.51 €/lm</b>

## ROOF SHEETS

	<b>Fiber Cement Sheet 234 Aged Reinforced</b> (curved 50x21 and 45x20 or with battens)	0.98 x 30 m 38.6" x 65"	60 u./pallet (1400 Kg/pallet)	<b>22.00 €/plate</b>
	<b>Corrugated Bitumen Sheet 235</b> (curved 50x21 and 45x20)	1.05 x 2 m 41.3" x 78.7"	150 u./pallet (750 Kg/pallet)	<b>17.22 €/plate</b>
	<b>Corrugated Bitumen Sheet for Tiles with Battens</b> (mixed and flats)	0.96 x 2 m 37.8" x 78.7"	150 u./pallet (730 Kg/pallet)	<b>16.70 €/plate</b>
	<b>Auto-adhesive Butyl Band 300</b> (sheets sealing)	0.30 x 10 m 11.8" x 393.7"	20 lm/box (16 Kg/box)	<b>4.65 €/lm</b>

## VENTILATION CONNECTION



**VMC MANGOUSTE  
connection KIT 125 mm**

















Ø 125 m





1 u.  
(1 Kg/box)


**48.62 €/u.**

# Roof accessories for ventilated roofs

## FIXATION

	Description	Colour	Dimensions	Min. order* pcs./box	EX-works price		
	<b>PU Foam for roof tiles</b> (applied with gun)		pot 750 ml	12 pots/box	<b>6.00 €/u.</b>		
	<b>Foam Applicator</b>			1u.	<b>25.57 €/u.</b>		
	<b>Ridge Batten Adjustable Support 50 mm</b>	Galvanized Steel	Width 50 mm	100 u. (8 Kg/box)	<b>2.84 €/u.</b>		
	<b>Ridge Batten Fixed Support 50 mm</b>	Galvanized Steel	Width 50 mm	50 u. (6.4 Kg/box)	<b>2.02 €/u.</b>		
	<b>Ridge Tile Hook</b>	Red Black Brown	-	50 u. (1 Kg/box)	<b>0.65 €/u.</b>		
	<b>Round Ridge Tile Hook</b>	Red Black Brown	-	50 u. (1 Kg/box)	<b>0.70 €/u.</b>		
	<b>Pyramid Ridge Tile Hook</b>	Red Black	-	50 u. (1 Kg/box)	<b>0.65 €/u.</b>		
	<b>Ridge clip</b>	Red Black	-	100 u. (1 Kg/box) 50 u. (0,5 Kg/box)	<b>0,51 €/ud.</b>		
	<b>Universal Ridge Clip</b>	Red Black	-	50 u. (1 Kg/box)	<b>0.65 €/u.</b>		
	<b>Metal hook/clip - TN, TV, TI</b> (Batten 38x27mm / 30x40mm)	Inox.	-	250 u. (1 Kg/box)	<b>0.47 €/u.</b>		
	<b>Eave hook/clip for roof tiles with lace</b>	Inox.	-	100 u. (1 Kg/box)	<b>0.57 €/u.</b>		
	<b>Metal clip clipped with a bumper</b> (25x38 / 25x50mm // 0.98"x1.5" / 0.98"x1.97" battens)	Inox.	65 x 48 mm	500 u. (1 Kg/box)	<b>0.41 €/u.</b>		
		Inox.	45 x 52 mm	250 u. (0.6 Kg/box)			
	<b>Metal clip for Curved roof tile</b>						
			40 x 18 - 40 x 15	Inox.	72 mm	1.000 u. (6.40 Kg/box)	<b>0.09 €/u.</b>
			50 x 21 - 45 x 20	Inox.	120 mm	1.000 u. (6.40 Kg/box)	<b>0.12 €/u.</b>
			50 x 21 - 45 x 20 - THERM 370MM	Inox.	130 mm	500 u. (3.2 Kg/box)	<b>0.15 €/u.</b>
			50 x 21	Inox.	170 mm	400 u. (3.00 Kg/box)	<b>0.10 €/u.</b>
	<b>Eave metal clip for curved roof tile</b>	Inox.	285 mm	200 u. (1 Kg/box)	<b>0.72 €/u.</b>		
	<b>Fixtin Clip for Interlocking tile</b>	Galvaniz.	-	250 u. (5 Kg/box)	<b>0.30 €/u.</b>		
	<b>Straight Snow Stopper</b>	Red Black	380 mm	100 u. (15 Kg/box)	<b>3.30 €/u.</b>		

	Description	Dimensions	Min. order* pcs./box	EX-works price
	Fixing screw TILE - WOOD	4 x 50 mm	500 unites	<b>5.39 €/100 u.</b>
	Fixing screw for WOOD	6 x 70 mm	200 unites	<b>16.17 €/100 u.</b>
	Self drilling screw TILE - METAL	4.2 x 45 mm	500 unites	<b>4.95 €/100 u.</b>
	Self drilling screw with washer	5.5 x 22 mm	500 unites	<b>8.80 €/100 u.</b>
	Metal washe for screws 7 - 19		1000 unites	<b>3.85 €/100 u.</b>
	Hammer-fix screw for CONCRETE	6 x 37 mm	300 unites	<b>10.45 €/100 u.</b>
	Fixing screw for CONCRETE	6 x 60 mm	200 unites	<b>12.87 €/100 u.</b>
	Fixing screw for CONCRETE	6 x 80 mm	100 unites	<b>21.34 €/100 u.</b>



Waterproof and Breathing Membrane190 Premium







Eave hook/clip for roof tiles with lace

Eave hook/clip for roof tiles with lace

\*Package: units-pieces / box estimated

# Roof accessories for ventilated roofs

## EAVE LINES VENTILATION

	Description	Colour	Dimensions	Min. order* pcs./box	EX-works price
	<b>Ventilation Comb 60 mm</b> (Mixed roof tile)	Red Black	0.06 x 1 m 2.36" x 39.4"	100 lm (100 u.) (18 Kg/box)	<b>1.06 €/u.</b>
	<b>Ventilation Comb 100 mm</b> (Mixed roof tile)	Red Black Brown	0.1 x 1 m 3.94" x 39.4"	50 lm (50 u.) (4.5 Kg/box)	<b>1.31 €/u.</b>
	<b>Batten + Ventilation Comb</b> (batten 30mm, comb 60mm)	Red Black	0.05 x 1 m 1.97" x 39.4"	50 lm (50 u.) (4.5 Kg/box)	<b>2.18 €/u.</b>
	<b>PVC Bird Stop Grate 80 mm</b>	Red Black	0.08 x 5 m 3.15" x 196.9"	100 lm (20 u.) (5 Kg/box)	<b>1.85 €/lm</b>
	<b>Aluminium Bird Stop Grate 100 mm</b>	Red / Black	0.1 x 5 m 3.94" x 196.9"	100 lm (20 u.) (5 Kg/box)	<b>3.52 €/lm</b>
	<b>Metalic eave membrane</b>	Red Black	0.1 x 5 m 3.94" x 98.4"	50 lm (20 u.) (3 Kg/box)	<b>13.09 €/u.</b>

## RIDGE LINES VENTILATION

	<b>Aluminium Ridge Tape 300mm</b>	<b>CAMM01R</b> <b>CAMM01N</b> <b>CAMM01M</b>	Red Black Brown	0.3 x 5 m 11.8" x 196.9"	20 lm (4 rolls) (5 Kg/box)	<b>5.30 €/lm</b>
	<b>Aluminium Ridge Tape 400mm</b>	<b>CAMMF1R</b> <b>CAMMF1N</b> <b>CAMMF1M</b>	Red Black Brown	0.4 x 5 m 15.7" x 196.9"	20 lm (4 rolls) (5.60 Kg/box)	<b>6.92 €/lm</b>
	<b>Under Ridge Mixed Roll Tape 300mm</b>	<b>CAMM09R</b> <b>CAMM09N</b> <b>CAMM09M</b>	Red Black Brown	0.3 x 5 m 11.8" x 196.9"	20 lm (4 rolls) (8 Kg/box)	<b>4.86 €/lm</b>
	<b>Under Ridge Mixed Roll Tape 350mm</b>	<b>CAMMF9R</b> <b>CAMMF9N</b> <b>CAMMF9M</b>	Red Black Brown	0.3 x 5 m 13.8" x 196.9"	20 lm (4 rolls) (5.20Kg/box)	<b>6.47 €/lm</b>
	<b>Under Ridge Tape 380mm</b>	<b>CAM151R</b> <b>CAM151N</b>	Red Black	0.3 x 5 m 15" x 393.7"	40 lm (4 rolls) (4 Kg/box)	<b>7.20 €/lm</b>
<b>NEW</b> 	<b>Under Ridge Waterproof Tape 390mm</b>		Beige Red Black Brown	0,39 x 5 m 15.4" x 196.9"	25 lm (5 rolls) (5 Kg/box)	<b>7,20 €/lm</b>



Red Batten + Ventilation Comb  
SAT panel



PVC Red Bird Stop Grate 80 mm



Red Under Ridge Mixed Roll Tape 350mm

# DO YOU HAVE A PROJECT? WE HAVE THE SOLUTION.

We provides a free integral service of the necessary calculations for your project.  
Contact us and we will manage the full budget for your roof.



## APROOF

Roofing Components

[proyectos@edilians.com](mailto:proyectos@edilians.com)

This catalogue, printed in June 2026, replaces the existing ones. The information contained herein is not binding and is subject to change at any time.

The company reserves the right to make changes to its products without previous notice. For more information, please contact your Sales Representative or our Customer Service.