



Price List 2018

FLATEX



TEJAS BORJA

Unique since 1899

INDEX

Price List

- 1 / Areas of innovation
- 2 / Summary prices by formats
- 6 / BorjaTHERM
- 8 / Roof components
- 11 / FLAT-5XL®
- 12 / FLAT-10 Tech
- 13 / TECHNICA-10
- 15 / ALICANTINA-12
- 16 / TB-10 Tech
- 18 / TB-12®
- 20 / TB-4®
- 24 / Step Celler® C-50.21
- 25 / STEP CELLER 50/45
- 26 / C-45.20
- 26 / C-40.15
- 27 / C-40.19
- 29 / C 25.12
- 29 / ESCAMA
- 30 / Decorative Pieces
- 30 / Decorated Eaves
- 31 / Bretagna Ridge
- 32 / BorjaDECOR®
- 33 / Prices breakdown by roof tiles BorjaDECOR®
- 37 / Sales conditions

Note: The colour reproduction is approximate, subject to change due to the natural colours of the clays.
Check finishing colours for different accessories by telephone at: **+34 96 279 80 14.**

Continual investment in sustainable manufacturing processes and technological innovation have resulted in improvements in our working methods in two main areas:

QUALITY STANDARDS



We classify our quality standards in 4 new categories according to the manufacturing process used to give our products their excellent definition and flatness. We denote these categories using icons depicting the exterior profiles which define them.

FINISHING TECHNIQUES



We classify our finishing techniques in 3 new categories according to the technique used. We denote these categories with icons using a colour-filled circle as we are talking about the exterior finish of our products.



Borja **EXTREM**

Exclusive to Tejas Borja, a roller kiln manufacturing process using ceramic clay with very low water absorption, less than 3%, to produce large tiles.



Borja **JET**

New Inkjet technology, the digital printing system allows us to create finishes never used before in the sector.



Borja **TECH**

Plaster moulds and H-cassette production. More compact clay. Very low absorption and extremely strong.



Borja **LINE**

Aged and monochrome, obtained through the application of engobes and ceramic deposits.



Borja **CLASS**

Manufacturing using high-quality, very fine, red sintered clay. Very low absorption and extremely strong.



Borja **DECOR**


Finishes obtained through double firing, glosses and glazes which prevent premature ageing.

SUMMARY

prices by formats



FLAT Roof Tiles



FLAT-5XL® PLAIN COLOUR



Leon

5,58 €/Piece

FLAT-5XL® FLAT-10 Tech TECHNICA-10 ALICANTINA-12

FLAT-10 Tech

PLAIN COLOUR

FLAT-10 Tech

NATURE



Leon

2,18 €/Piece



Light Grey

1,64 €/Piece



Mid Grey

1,64 €/Piece




Graphite

1,64 €/Piece



Chocolate

1,64 €/Piece



Red

1,64 €/Piece



Moss Red


1,64 €/Piece

TECHNICA-10

PLAIN COLOUR


TECHNICA-10

NATURE




Light Grey

1,64 €/Piece




Mid Grey

1,64 €/Piece




Graphite

1,64 €/Piece




Chocolate

1,64 €/Piece



Red

1,64 €/Piece



Moss Red

1,64 €/Piece

ALICANTINA-12

NATURE



Red

1,15 €/Piece



Fosca

1,17 €/Piece



Nortegna


1,42 €/Piece



Litoral

1,42 €/Piece

S-INTERLOCKING Roof Tiles



TB-10 Tech

NATURE

Red	Moss Red	Fosca	Manoir®	Vilavella®	Edetania®	Lamalou®
1,09 €/Piece	1,26 €/Piece	1,26 €/Piece	1,26 €/Piece	1,26 €/Piece	1,26 €/Piece	1,26 €/Piece

TB-10 Tech **PLAIN COLOUR**

TB-10 Tech **CENTENARIA®**

Graphite	Chocolate	Ground*	Sand*
1,44 €/Piece	1,34 €/Piece	1,30 €/Piece	1,30 €/Piece

* Finishes without texture

TB-12®

NATURE


Red	Aged Red	Fosca	Manoir®	Rosarena®	Lamalou®	Bidasoa®
1,03 €/Piece	1,15 €/Piece	1,17 €/Piece	1,17 €/Piece	1,28 €/Piece	1,17 €/Piece	1,17 €/Piece
Castilla	Brown	Vilavella®	Graphite (1 side)			
1,17 €/Piece	1,34 €/Piece	1,28 €/Piece	1,44 €/Piece			
			Graphite (2 sides)			
			1,72 €/Piece			

TB-12® **CENTENARIA®**

TB-4® **NATURE**

Ground	Mediterrania®	Red	Fosca	Vilaterra®
1,28 €/Piece	1,28 €/Piece	1,15 €/Piece	1,17 €/Piece	1,49 €/Piece

CURVED Roof Tiles



C-50.21 Celler® / STEP CELLER 50/45 / C-40.15 / C-45.20

C-50.21 Celler®

NATURE



Red

0,60 €/Piece

Fosca

0,77 €/Piece

Manoir®

0,77 €/Piece



Vilavella®

0,80 €/Piece

Edetania®

0,80 €/Piece

Lamalou®

0,80 €/Piece



Brown

0,87 €/Piece

Montseny

0,80 €/Piece

STEP CELLER 50/45

NATURE




Red

0,82 €/Piece

Manoir® *

0,94 €/Piece



Serrania **

0,94 €/Piece

Fosca Brown

0,94 €/Piece

C-50.21 Celler®

CENTENARIA®



Ground

0,91 €/Piece

Mediterrania®


0,91 €/Piece

Sand

0,91 €/Piece

C-40.15

NATURE



Ground


0,70 €/Piece

Red

0,45 €/Piece

Aged Red

0,56 €/Piece



Fosca

0,56 €/Piece

Brown

0,58 €/Piece

C-45.20

NATURE



Red


0,48 €/Piece

Red Musgo

0,54 €/Piece

CURVED Roof Tiles

C-40.19 / C-25.12



Escama




C-40.19

NATURE

		
Sand	Red	Aged Red
0,70 €/Piece	0,46 €/Piece	0,63 €/Piece


NATURE


Red
2,11 €/Piece


C-25.12

NATURE

	
Red	Vilavella®
0,64 €/Piece	0,96 €/Piece



Thermal insulated roofing SYSTEM



1 EMBOSSED ALUMINIUM Foil protecting the four faces of the panels. Its purpose is to protect the insulating material, form a vapour barrier and provide an additional layer of waterproofing in the roof.

2 THERMAL INSULATION made from rigid expanded polyurethane:

- Density: **39 kg/m³**
- Thermal Conductivity: **$\lambda=0,022 \text{ W/m}\cdot\text{K}$**
- Sound insulation: **22 dB**
- Fire reaction: **F**

Available Thicknesses
60 - 80
100 - 120
140 - 160

3 INTEGRATED ALUZINC BATTEN, 0.6 mm thick and 41 mm high. Designed to ensure the tiles are fixed correctly and to create a roof ventilation greater than 200 $\text{cs}^{\text{a}} \cdot \text{m}^2$ per meter thanks to the wide perforations in the profile.

CODE	PANELS (LENGTH 3.980 MM) *	PVP	PVP / Piece
7/0617	BORJATHERM PANEL 60 - Batten distance 370 mm.	57,14 €/sq. m.	83,42 €/Panel
7/0618	BORJATHERM PANEL 80 - Batten distance 370 mm.	67,14 €/sq. m.	98,02 €/Panel
7/0619	BORJATHERM PANEL 100 - Batten distance 370 mm.	77,00 €/sq. m.	112,42 €/Panel
7/0620	BORJATHERM PANEL 60 - Batten distance 395 mm.	57,14 €/sq. m.	89,14 €/Panel
7/0621	BORJATHERM PANEL 80 - Batten distance 395 mm.	67,14 €/sq. m.	104,74 €/Panel
7/0622	BORJATHERM PANEL 100 - Batten distance 395 mm.	77,00 €/sq. m.	120,12 €/Panel

* Available for TB-12®, TB-10 Tech, TB-4®, FLAT-10 Tech, FLAT-5XL®, ALICANTINA-12, TECHNICA-10, STEP CELLER 50/45.

BORJATHERM ROOF COMPONENTS

Ventilated BORJATHERM Extra Batten

References	Length	Minimum order	PVP €/LM
7/0624	3,94 m	19,7 ml (13 Kg/Box)	6,14

CE

Autoclaved Treated Wood Battens BORJATHERM 60x50 mm.

References	Length	Minimum order	PVP €/LM
7/0626	2,5 m	25 ml (23 Kg/Box)	3,25

CE

Butyl adhesive band BORJATHERM 100 mm.

References	Length	Minimum order	PVP €/LM
7/0641	0,1 x 10 m	60 ml (4 Kg/Box)	1,79

CE

Autoclaved Treated Wood Battens BORJATHERM 80x50 mm.

References	Length	Minimum order	PVP €/LM
7/0627	2,5 m	25 ml (28 Kg/Box)	3,85

CE

ROOF COMPONENTS

WATERPROOFING OF ENCOUNTERS



Multi-use Premium 300 (waterproofing flashing)

References	Length	Minimum order	PVP €/LM
Red 7/0520 Brown 7/0521 Black 7/0522	0,30 x 5 m	5 LM/Box (4,50 Kg/Box)	17,37



Multi-use Premium 450 (waterproofing flashing)

References	Length	Minimum order	PVP €/LM
Red 7/0585 Brown 7/0593	0,45 x 5 m	5 LM/Box (6,75 Kg/Box)	26,05



Multi-use Alu (waterproofing flashing)

References	Length	Minimum order	PVP €/LM
Red 7/0523 Brown 7/0524 Black 7/0525	0,30 x 5 m	5 LM/Box (3 Kg/Box)	8,48




Counter flashing profile

References	Length	Minimum order	PVP €/LM
Red 7/0536 Brown 7/0537 Black 7/0538	0,8 x 2 m	40 LM/Box (5 Kg/Box)	5,26



Multi-use Rigid Metallic Alu 250

References	Length	Minimum order	PVP €/LM
Red 7/0635 Beige 7/0636	0,25 x 2 m	12 LM/Box (5 Kg/Box)	16,66



Multi-use Rigid Metallic Alu 250 (rendering)

References	Length	Minimum order	PVP €/LM
Red 7/0638 Beige 7/0639	0,25 x 2 m	12 LM/Box (5 Kg/Box)	16,66



Roof valley adjustable alu flashing

References	Length	Minimum order	PVP €/LM
Red 7/0517 Brown 7/0596	0,50 x 2 m	20 LM/Box (16 Kg/Box)	10,92




Roof valley wedge

References	Length	Minimum order	PVP €/LM
Red 7/0518	0,06 x 1 m	100 LM/Box (2,40 Kg/Box)	0,50



BATTENS



Metallic batten 30x30

References	Length	Minimum order	PVP €/LM
7/0550	2,5 m	25 LM/Box (20 Kg/Box)	1,64



Ventilated batten 30x20

References	Length	Minimum order	PVP €/LM
7/0562	2,5 m	67,5 LM/Box (34,20 Kg/Box)	2,12



Autoclaved Treated Wood Battens 40x30

References	Length	Minimum order	PVP €/LM
7/0625	2,5 m	25 LM/Box (12,5 Kg/Box)	1,04




Pvc batten 40x20 (bitumen sheet)

References	Length	Minimum order	PVP €/LM
7/0572	2 m	20 LM/Box (4,50 Kg/Box)	1,06



ROOF COMPONENTS


WATERPROOF AND BREATHING



Waterproof and breathing membrane 180 Premium

References	Length	Minimum order	PVP €/LM
7/0573	1,5 x 50 m	75 sq. m./Roll (14,25 Kg/Roll) (39 Rolls/Pallet)	2,31


CE



Waterproof and breathing membrane TB 160

References	Length	Minimum order	PVP €/LM
7/0526	1,5 x 50 m	75 sq. m./Roll (11,63 Kg/Roll) (39 Rolls/Pallet)	1,80


CE



Waterproof and breathing membrane TB 130

References	Length	Minimum order	PVP €/LM
7/0534	1,5 x 50 m	75 sq. m./Roll (10,43 Kg/Roll) (39 Rolls/Pallet)	1,37


CE



Waterproof and breathing membrane Eco -135

References	Length	Minimum order	PVP €/LM
7/0561	1,5 x 50 m	75 sq. m./Roll (10,43 Kg/Roll) (39 Rolls/Pallet)	1,12


CE



Nail sealing tape

References	Length	Minimum order	PVP €/LM
7/0549	0,04 x 30 m	120 LM/Box (0,60 Kg/Box)	0,39


CE



Roofing adhesive tape 50 mm

References	Length	Minimum order	PVP €/LM
7/0527	0,05 x 25 m	300 LM/Box (2,50 Kg/Box)	0,58


CE



Vapour barrier 98 gr/sq. m.
(installation under insulation)

References	Length	Minimum order	PVP €/LM
7/0595	1,5 x 50 m	75 sq. m./Roll (10,43 Kg/Roll)	1,38

CE




Bitumen Waterproof Membrane

References	Length	Minimum order	PVP €/LM
7/0654	1 x 40 m	40 sq. m. (20 Kg/Roll)	10,43

CE


ROOF SHEETS



Fiber ciment sheet 234 reinforced
(For curved roof tiles 45 and 50 cm)

References	Length	Minimum order	PVP €/unit
7/0539	0,98 x 2,50 m	60 units/Pallet (1.920 Kg/Pallet)	30,89


CE



Corrugated bitumen sheet for tiles with battens

References	Length	Minimum order	PVP €/unit
7/0567	0,96 x 2 m	150 units/Pallet (720 Kg/Pallet)	13,70


CE



Corrugated bitumen sheet 235
(For curved roof tiles 45 and 50 cm)

References	Length	Minimum order	PVP €/unit
7/0566	1,05 x 2 m	150 units/Pallet (750 Kg/Pallet)	15,46

CE



Waterproofing flashing Bitumen sheet

References	Length	Minimum order	PVP €/LM
Red 7/0594	0,30 x 10 m	20 LM/Box (16 Kg/Box)	5,54

CE

ROOF COMPONENTS

FIXING



Polyurethane foam for roof tiles (applied with gun)

References	Bote	Minimum order	PVP €/unit
Red 7/0597	750 ml	12 Units/Box (624 units/Pallet)	7,09



MS Polymer adhesive sealant (applied with gun)

References	Salchicha	Minimum order	PVP €/unit
Red 7/0598	600 ml	12 units/Box (792 units/Pallet)	10,45



Ridge batten adjustable support 40 mm

References	Minimum order	PVP €/box
7/0552	50 units/Box (9 Kg/Box)	60,47



Ridge batten support 40 mm

References	Minimum order	PVP €/box
7/0515	50 units/Box (6,40 Kg/Box)	31,83



Fixing clip for S-interlocking and flat roof tile

References	Minimum order	PVP €/box
7/0559	250 units/Box (5 Kg/Box)	52,43



Curved roof tile fixing clip

References	Length	Minimum order	PVP €/box
7/0514	72 mm	1000 units/Box	74,26
7/0496	120 mm	(6,40 Kg/Box)	106,09



Ridge clamps

References	Minimum order	PVP €/box
Circular Red 7/0583 Angular Red 7/0584 Angular Black 7/0586 Cover + Red 7/0582	100 units/Box (1 Kg/Box)	39,25



Universal ridge clamp
(For curved roof tiles)

References	Minimum order	PVP €/box
Red 7/0513	100 units/Box (1 Kg/Box)	27,58



Roof valley clip

References	Length	Minimum order	PVP €/box
Red 7/0579	30 mm	50 units/Box (0,50 Kg/Box)	12,20



Polyurethane foam and gun cleaner

References	Unit	Minimum order	PVP €/unit
7/0601	500 ml	1 Unit	7,36



Application gun for Polyurethane foam

References	Minimum order	PVP €/unit
7/0599	1 unit	24,72



Application gun for MS Polymer sealant

References	Minimum order	PVP €/unit
7/0600	1 unit	39,63



BORJATHERM Fixing Screws

References	Note	PVP €/box
To check	Type and lenght depending on the project	To check



Roof Tiles Fixing Screws

References	Note	PVP €/box
To check	Type and lenght depending on the project	To check



ROOF COMPONENTS

EAVE LINES VENTILATION

Ventilation comb 100 mm



References	Length	Minimum order	PVP €/LM
Red 7/0497 Brown 7/0498 Black 7/0499	1 m	50 LM/Box (4,50 Kg/Box)	1,06



Ventilation comb 60 mm



References	Length	Minimum order	PVP €/LM
Red 7/0500 Brown 7/0501 Black 7/0502	1 m	200 LM/Box (18 Kg/Box)	0,70



Bird stop grate 80 mm



References	Length	Minimum order	PVP €/LM
Red 7/0556 Brown 7/0557 Black 7/0558	5 m	100 LM/Box (5 Kg/Box)	0,76



Batten + ventilation comb

(Batten 30 mm; comb 60 mm)



References	Length	Minimum order	PVP €/LM
Red 7/0553 Brown 7/0554 Black 7/0555	1 m	50 LM/Box (4,50 Kg/Box)	1,39



Ventilation comb 40 mm



References	Length	Minimum order	PVP €/LM
Black 7/0629	1 m	50 LM/Box (4,50 Kg/Box)	1,43



RIDGE LINE VENTILATION

Under ridge mixed roll tape



References	Length	Minimum order	PVP €/LM
Red 7/0508 Brown 7/0509 Black 7/0510 Beige 7/0575	0,39 x 5 m	20 LM/Box (5,20 Kg/Box)	5,36



Under ridgealu roll tape



References	Length	Minimum order	PVP €/LM
Red 7/0505 Brown 7/0506 Black 7/0507 Beige 7/0574	0,40 x 5 m	20 LM/Box (5,60 Kg/Box)	5,45




Under ridge TB-ROLL (waterproof)



References	Length	Minimum order	PVP €/LM
Red 7/0587 Black 7/0589	0,39 x 5 m	20 LM/Box (5,20 Kg/Box)	5,36



Under ridge rigid metallic Alu 140



References	Length	Minimum order	PVP €/LM
Red 7/0630 Black 7/0633 Beige 7/0632	2 m	12 LM/Box (10 Kg/Box)	18,60



LIGHTING

Glass TB-12® Roof Tile



References	Compatible	Minimum order	PVP €/ud
7/0532	TB-12®	6 units/Box (20,40 Kg/Box)	22,42

Glass ALICANTINA-12 Roof Tile



References	Compatible	Minimum order	PVP €/ud
7/0535	Alicantina-12	6 units/Box (18,60 Kg/Box)	19,24



Trade model

Dimensions	457 mm x 510 mm
Minimum pitch recommended	35% - 19° (*)
Weight	6,6 Kg./unit
Units / sq. m.	5,4 units
Units per LM eave line	2 units
Useful width	476 mm
Useful length (Batten distance) VARIABLE	340-390 mm
Pallet info	152 units / 1.023 Kg.
Minimum order	2 roof tiles



Approximate values: If the roof tiles are installed on battens, the useful length must be calculated on site. A tolerance of ± 2% is allowed on the dimensions of the roof tiles according to UNE-EN 1024.

(*) In zone 1 (protected area), arranged in staggered formation with waterproof laminate and batten distance of 340 mm on a skirt of up to 6.5 m. Check pitch panel according to the roof length and the geographical area according to UNE-EN 136020.

FLAT-5XL®  PLAIN COLOUR



Leon

5,58 €/Piece

(Code 3/6390)

Available in
EXCLUSIVE FINISHES



BorjaJET

CHECK PRICE LIST SEPARATE



FLAT-5XL®

THE LARGEST
CERAMIC TILE
IN THE WORLD



Dimensions	475 mm x 289 mm
Minimum pitch recommended	35% - 19° (*)
Weight	3,5 Kg./unit
Units / sq. m.	9,9 units
Units per LM eave line	4 units
Useful width	281 mm
Useful length (Batten distance) VARIABLE	360-400 mm
Pallet info	228 units / 837 Kg. 304 units / 1.116 Kg.
Minimum order	5 roof tiles



Approximate values: If the roof tiles are installed on battens, the useful length must be calculated on site. A tolerance of ± 2% is allowed on the dimensions of the roof tiles according to UNE-EN 1024.

(*) In zone 1 (protected area), arranged in staggered formation with waterproof laminate and batten distance of 360 mm on a skirt of up to 6.5 m. Check pitch panel according to the roof length and the geographical area according to UNE-EN 136020.

FLAT-10 Tech



Leon

2,18 €/Piece

(Code 3/6383)



Light Grey

1,64 €/Piece


(Code 3/6384)



Mid Grey

1,64 €/Piece

(Code 3/6385)



Graphite

1,64 €/Piece

(Code 3/6386)



Chocolate

1,64 €/Piece

(Code 3/6387)

FLAT-10 Tech



Red

1,64 €/Piece

(Code 3/6381)



Moss Red

1,64 €/Piece

(Code 3/6382)





Dimensions	473 mm x 262 mm
Minimum pitch recommended	35% - 19° (*)
Weight	3,4 Kg./unit
Units / sq. m.	10,7 units
Units per LM eave line	4,5 units
Useful width	258 mm
Useful length (Batten distance) VARIABLE	380-415 mm
Pallet info	280 units / 1.000 Kg.
Pallet info for container	210 units / 750 Kg.
Minimum order	5 roof tiles



Approximate values: If the roof tiles are installed on battens, the useful length must be calculated on site. A tolerance of ± 2% is allowed on the dimensions of the roof tiles according to UNE-EN 1024.

(*) In zone 1 (protected area), arranged in staggered formation with waterproof laminate and batten distance of 380 mm on a skirt of up to 6.5 m. Check pitch panel according to the roof length and the geographical area according to UNE-EN 136020.

TECHNICA-10


PLAIN COLOUR



Light Grey

1,64 €/Piece


(Code 3/6443)



Mid Grey

1,64 €/Piece


(Code 3/6444)



Graphite

1,64 €/Piece

(Code 3/6445)




Chocolate

1,64 €/Piece

(Code 3/6442)

TECHNICA-10

NATURE



Red

1,64 €/Piece

(Code 3/6440)



Moss Red

1,64 €/Piece

(Code 3/6441)



ACCESSORIES - FLAT-5XL® / FLAT-10 Tech / TECHNICA-10



MOLD	DESCRIPTION AND DIMENSIONS	Units/ PALLET	Minimum ORDER UNITS	P.V.P. €/Piece NATURE	P.V.P. €/Piece PLAIN COLOUR
08-155	Angular Ridge 42 x 31 x 9,7 / 2,5 U. lm. / 3,15 kg. Max. Slope 62%-31.5°	72	6	6,39	6,84
35-156	Angular Hip Starter 42,2 x 29,3 x 10 / 2,83 kg.	78	1	23,59	25,26
30-158	Angular 3 Ways 45,2 x 29,3 x 10 / 4,37 kg.	48	1	34,83	36,72
31-261	Angular 4 Ways 46,0 x 41,5 x 16,5 / 6,50 Kg	21/13	1	82,64	82,64
25-157	Universal Straight End Cap 8,5 x 28,5 x 12,5 / 2,65 kg.	100	1	23,59	25,26
08-182	Bretagna 2 Ridge 36,5 x 25 x 12,5 / 3 U. lm. / 2,80 kg. Max. Slope 87%-40.5°	64	4	6,71	8,72
35-257	Bretagna 2 Straight End Cap 42,8 x 25 x 12,5 / 3,45 kg.	36	1	-	26,02
25-256	Bretagna 2 Straight End Cap 6 x 25 x 27 / 2,40 kg.	96	1	-	26,02
08-262	Angular 100° Ridge 48 x 25,5 x 12,5 / 2,22 U. lm. / 4,15 kg. Max. Slope 100%-45°	64	4	6,39	6,84
35-264	Angular 100° Hip Starter 38 x 25,5 x 12 / 3,30 kg.	40	1	23,59	25,26
25-263	Angular 100° End Cap 28,5 x 27,5 x 6,5 / 1,75 kg.	96	1	23,59	25,26
37-297	FLAT-5XL® Chimney Carrier 45,7 x 27,2 x 16 / 3,5 kg.	56	1	-	46,80
37-284	FLAT-10 Tech Chimney Carrier 47,5 x 28,9 x 10,5 / 3,5 kg.	48	1	43,84	46,80
37-290	TECHNICA-10 Chimney Carrier 47,3 x 26,22 x 10,2 / 3,4 kg.	48	1	43,84	46,80
33-040	140 FLAT-5XL® / FLAT-10 Tech / TECHNICA-10 Chimney 22,5 Øext-20 Øint x 23,5 / 2,35 Kg.	24	1	84,53	86,16
10-041	Universal Ventilation Cap 24,5 Øext - 22 Øint x 6 / 1,70 kg.	140	1	23,59	25,26
24-254	Flat Straight Edges (Left/Right) 40,4 x 12,4 x 12,4 / 2,6-3 U. lm. / 2,50 kg.	85	1	6,39	6,84
24-029	Universal Angular Edge 43 x 14,5 x 14,5 / 2,5 U. lm. / 3 kg.	75	5	5,79	5,92
24-286 Left 24-285 Right	FLAT-5XL® / FLAT-10 Tech / TECHNICA-10 Straight Edges (Left/Right) 46,7 x 12,2 x 7,9 / 3 kg.	90	3	6,39	6,84
36-295	Half FLAT-5XL® Roof Tile 45,7 x 27,2 x 2,4 / 3,5 kg.	228/304	4	4,79	5,15
36-282	Half Media FLAT-10 Tech Roof Tile 47,5 x 16,6 x 2,6 / 2 kg.	230	4	4,79	5,15
36-288	Half TECHNICA-10 Roof Tile 47,3 x 15,31 x 2,6 / 2 kg.	155	4	4,79	5,15
39-296	FLAT-5XL® Ventilation 47,5 x 28,9 x 3,7 / 3,5 kg.	64	4	-	25,26
39-283	FLAT-10 Tech Ventilation 47,5 x 28,9 x 3,7 / 3,5 kg.	64	4	23,59	25,26
39-289	TECHNICA-10 Ventilation 45,7 x 27,2 x 10,5 / 3,5 kg.	56	4	23,59	25,26



Dimensions	430 mm x 257 mm
Minimum pitch recommended	40% - 22° (*)
Weight	3,15 Kg/unit
Units / sq. m.	12,3 units
Units per LM eave line	5,0 units
Useful width	215 mm
Useful length (Batten distance)	370 mm
Pallet info	240 units / 785 Kg.
Pallet info for container	140 units / 464 Kg. 210 units / 688 Kg. 280 units / 910 Kg.
Minimum order	6 roof tiles



Approximate values: If the roof tiles are installed on battens, the useful length must be calculated on site.





A tolerance of ± 2% is allowed on the dimensions of the roof tiles according to UNE - EN 1024.

Installation must comply with Code of practice for the design and fixing of roofs with clay roofing tiles for the region and Tejas Borja specifications.

(*) Check pitch panel according to the roof length and the geographical area.

ALICANTINA-12



			
Red	Fosca	Nortegna	Litoral
1,15 €/Piece	1,17 €/Piece	1,42 €/Piece	1,42 €/Piece
(Code 3/2117)	(Code 3/2338)	(Code 3/5483)	(Code 3/5472)

ACCESSORIES ALICANTINA-12

MOLD	DESCRIPTION AND DIMENSIONS	Units/ PALLET	Minimum ORDER UNITS	P.V.P. €/Piece
	08-155 Angular Ridge 42 x 31 x 9,7 / 2,50 U. lm. / 3,15 Kg. Max. Slope 62%-31,5°	72	6	6,39
	35-156 Angular Hip Starter 42,2 x 29,3 x 10 / 2,83 Kg.	78	1	23,59
	30-158 Angular 3 Ways 45,1 x 47,5 x 13,8 / 4,37 Kg.	48	1	34,83
	31-261 Angular 4 Ways 46,0 x 41,5 x 16,5 / 6,50 Kg	21/13	1	82,64
	25-157 Universal Straight End Cap 8,5 x 28,5 x 12,5 / 2,65 Kg.	100	1	23,59
	08-182 Universal Angular Edge 43 x 14,5 x 14,5 / 2,50 U. lm. / 3,00 Kg.	75	5	5,79
	35-257 Half ALICANTINA-12 Roof Tile (Left/Right) 43 x 15 x 4,5 / 1,25 U. lm. / 1,80 Kg.	140	1	4,79
	25-256 ALICANTINA-12 Ventilation 43 x 25,5 x 9 / 3,70 Kg.	80	1	23,59
	08-262 ALICANTINA-12 Chimney Carrier 43 x 25,5 x 12 / 15,5 Øext-13,5 Øint / 4,00 Kg.	48	1	43,84
	35-264 130 Universal Chimney 20,4 Øext-18 Øint x 23,5 / 2,15 Kg.	24	1	84,53
	25-263 Universal Ventilation Cap 24,5 Øext-22 Øint x 6 / 1,70 Kg.	140	1	23,59



Dimensions	474 mm x 282 mm
Minimum pitch recommended	30% - 17° (*)
Weight	3,6 Kg./unit
Units / sq. m.	10,4 units
Units per LM eave line	4,25-4,54 units
Useful width	235-220 mm
Useful length (Batten distance) VARIABLE	390-410 mm
Pallet info	210 units / 771 Kg.
Pallet info for container	140 units / 514 Kg.
Minimum order	5 roof tiles



Approximate values: If the roof tiles are installed on battens, the useful length must be calculated on site. A tolerance of ± 2% is allowed on the dimensions of the roof tiles according to UNE - EN 1024.

Type: Double lateral overlapping and double lengthwise overlapping. Installation must comply with Code of practice for the design and fixing of roofs with clay roofing tiles for the region and Tejas Borja specifications.

(*) Check pitch panel according to the roof length and the geographical area.



Red

1,09 €/Piece

(Code 3/6369)



Moss Red

1,26 €/Piece

(Code 3/6377)



Fosca

1,26 €/Piece

(Code 3/6371)



Manoir®

1,26 €/Piece

(Code 3/6370)



Vilavella®

1,26 €/Piece

(Code 3/6372)



Edetania®

1,26 €/Piece

(Code 3/6376)



Lamalou®

1,26 €/Piece

(Code 3/6375)



TB-10 Tech



Ground*

Sand*


1,30 €/Piece

1,30 €/Piece

(Code 3/6374)

(Code 3/6373)

TB-10 Tech



Graphite

Chocolate

1,44 €/Piece

1,34 €/Piece

(Code 3/6378)

(Code 3/6439)

* Finishes without texture





Dimensions	439 mm x 260 mm
Minimum pitch recommended	30% - 17° (*)
Weight	3,15 Kg/unit
Units / sq. m.	12,8 units
Units per LM eave line	5,0 units
Useful width	205 mm
Useful length (Batten distance)	370 / 380 mm
Pallet info truck	240 units / 755 Kg. 248 units / 780 to 800 Kg.
Pallet info for container 1	280 units / 875 Kg. 210 units / 645 Kg. 140 units / 430 Kg.
Pallet info for container 2	248 units / 780 to 800 Kg. 186 units / 600 Kg. 124 units / 400 Kg.
Minimum order	5/6/7/31 roof tiles



Approximate values: If the roof tiles are installed on battens, the useful length must be calculated on site.

A tolerance of $\pm 2\%$ is allowed on the dimensions of the roof tiles according to UNE - EN 1024.

Type: Double lateral overlapping and double Lengthinal overlapping. Installation must comply with Code of practice for the design and fixing of roofs with clay roofing tiles for the region and Tejas Borja specifications.


The certified characteristics for the NF Terracotta tiles are : Structural faults, the geometric characteristics , resistance to flexural strength , impermeability , frost resistance for all products made with red mixture. AFNOR Certification / 11 rue Francis de Pressensé / 93571 LA PLAINE / SAINT-DENIS CEDEX / www.marque-nf.com

(*) Check pitch panel according to the roof length and the geographical area.



				
Red	Aged Red	Fosca	Manoir®	Rosarena®
1,03 €/Piece	1,15 €/Piece	1,17 €/Piece	1,17 €/Piece	1,28 €/Piece
(Code 3/5546)	(Code 3/0022)	(Code 3/1942)	(Code 3/6112)	(Code 3/0018)

				
Lamalou®	Bidasoa®	Castilla	Brown	Vilavella®
1,17 €/Piece	1,17 €/Piece	1,17 €/Piece	1,34 €/Piece	1,28 €/Piece
(Code 3/0121)	(Code 3/3078)	(Code 3/6120)	(Code 3/0032)	(Code 3/0020)


Graphite (1 side)
1,44 €/Piece
(Code 3/5879)
Graphite (2 sides)
1,72 €/Piece
(Code 3/5949)

	
Ground	Mediterrania®
1,28 €/Piece	1,28 €/Piece
(Code 3/4815)	(Code 3/5527)

WARNING: the graphite TB-12® roof tiles (not including glazed) present small unavoidable scratches. These appear due to the stacking of the roof tiles during the manufacturing process, handling and transportation to the jobsite. It does not affect the roof tile technically or structurally, they are only visible in the hand, therefore they comply with Tejas Borja quality standards.



Trade model

Dimensions	442 mm x 258 mm
Minimum pitch recommended	30% - 17° (*)
Weight	3,40 Kg/unit
Units / sq. m.	12,8 units
Units per LM eave line	5,0 units
Useful width	205 mm
Useful length (Batten distance)	370 mm
Pallet info	240 units / 835 Kg
Pallet info for container	180 units / 630 Kg 240 units / 835 Kg
Minimum order	6 roof tiles



Approximate values: If the roof tiles are installed on battens, the useful length must be calculated on site. A tolerance of $\pm 2\%$ is allowed on the dimensions of the roof tiles according to UNE - EN 1024.

Type: Double lateral overlapping and double longitudinal overlapping. Installation must comply with Code of practice for the design and fixing of roofs with clay roofing tiles for the region and Tejas Borja specifications.

(*) Check pitch panel according to the roof length and the geographical area.





TB-4®



Red

1,15 €/Piece


(Code 3/0038)



Fosca

1,17 €/Piece

(Code 3/0040)
























Vilaterra®




















1,49 €/Piece

(Code 3/0039)

ACCESSORIES S-INTERLOCKING ROOF TILES

MOLD	DESCRIPTION AND DIMENSIONS	Units/ PALLET	Minimum ORDER UNITS	P.V.P. €/Piece NATURE	P.V.P. €/Piece CENTENARIA® /PLAIN COLOUR
 08-013	Circular Ridge 43 x 23 x 9 / 2,50 U. Im. / 2,50 Kg. Max. Slope 47%-25.10°	75	5	5,79	6,09
 35-020	Circular Hip Starter 43 x 20 x 8,5 / 2,95 Kg.	75	1	23,59	25,26
 30-025	Circular 3 Ways 37,5 x 23 x 9,5 / 4,20 Kg.	57 38	1	34,83	36,03
 31-016	Circular 4 Ways 38,5 x 44,5 x 13,5 / 4,50 Kg.	40	1	82,64	86,75
 25-022	Universal Circular Straight End Cap 7,5 x 24,5 x 27,9 / 2,40 Kg.	112 96	1	23,59	25,26
 25-213	Universal Circular Curved End Cap 17,5 x 26,7 x 27 / 2,80 Kg.	100 74	1	23,59	25,26
 08-014	Cover+ Ridge 44,5 x 28,5 x 10,5 / 2,50 U. Im. / 3,50 Kg. Max. Slope 47%-25.10°	72	6	5,79	6,09
 35-021	Cover+ Hip Starter 43,5 x 23 x 8,5 / 3,20 Kg.	100 64	1	23,59	25,26
 30-018	Cover+3 Ways 32,5 x 42,5 x 14,5 / 3,10 Kg.	60 52	1	34,83	36,03
 31-017	Cover+ 4 Ways 40,5 x 40,5 x 14 / 4,00 Kg.	60	1	82,64	86,75
 25-024	Universal Cover+ Straight End Cap 6,5 x 27 x 31 / 2,00 Kg.	122	1	23,59	25,26
 25-174	Universal Cover+ Curved End Cap 14,7 x 27,5 x 29,5 / 2,25 Kg.	90 74	1	23,59	25,26
 10-026	Universal Under Ridge 24 x 12,2 x 5,6 / 5,00 U. Im. (on monopitch) / 0,80 Kg.	432	24/16	1,88	2,03
 24-043 Left 24-042 Right	Universal Straight Edge (Left/Right) 47 x 9 x 17 / 2,50 U. Im. / 3,00 Kg.	100	4	5,79	6,09
 24-034 Left 24-033 Right	Universal Curved Edge (Left/Right) 47 x 18,7 x 16 / 2,50 U. Im. / 3,25 Kg.	75	5	5,79	6,09
 24-053 Left 24-052 Right	TB-4® Curved Edge (Left/Right) 43 x 13,5 x 14 / 2,50 U. Im. / 2,55 Kg.	120	6	5,79	6,09
 24-029	Universal Angular Edge (on monopitch) 43 x 14,5 x 14,5 / 2,50 U. Im. / 3,00 Kg.	75	5	5,79	6,09
 36-044	Half TB-12® Roof Tile 44 x 16 x 6,5 / 2,50 U. Im. / 1,80 Kg.	205 155	1	3,32	4,17
 38-049	TB-12® Tile and a Half 43,6 x 36 x 7 / 2,50 U. Im. / 4,50 Kg.	64	4	7,33	7,71
 41-133	2/3 TB-12®* 30,5 x 26,5 x 7 / 5,00 U. Im. / 2,20 Kg.	68	4	4,23	4,45
 41-172	2/3 Tile and a Half TB-12®* 30 x 36,2 x 7 / 3,24 Kg.	64	1	7,33	-

* While stocks last.

	MOLD	DESCRIPTION AND DIMENSIONS	Units/ PALLET	Minimum ORDER UNITS	P.V.P. €/Piece NATURE	P.V.P. €/Piece CENTENARIA® /PLAIN COLOUR
	36-277	Half TB-10 Tech Roof Tile 47,4 x 18 x 7,5 / 2,2 Kg.	105	7	3,32	4,17
	38-278	TB-10 Tech Tile and a Half 47,4 x 41 x 7,5 / 5,2 Kg.	40	4	7,33	8,80
	36-055	Half TB-4® / Pan DecoCurved® TB-4® 44 x 15,5 x 6 / 1,83 Kg. 2,5 U. Im. // 5 U. Im.	155	1	3,32	-
	44-059	One Half TB-4® 25 x 26 x 6 / 5 U. Im. / 2,30 Kg.	90	1	4,25	-
	39-048	TB-12® Ventilation 44 x 26 x 7 / 3,20 Kg.	80	1	23,59	25,26
	39-279	TB-10 Tech Ventilation 47,4 x 28,2 x 7,5 / 3,6 Kg.	56	4	23,59	25,26
	39-058	TB-4® Ventilation 43,5 x 26 x 10 / 3,50 Kg.	95 65	1	23,59	25,26
	37-050	TB-12® Chimney Carrier 43,5 x 25,5 x 11 / 16 Øext-13 Øint / 4,15 Kg.	40 36	1	43,84	46,03
	37-280	TB-10 Tech Chimney Carrier 47,4 x 28,2 x 1,8 / 1,6 Kg.	26	1	43,84	46,03
	37-060	TB-4® Chimney Carrier 43,5 x 26 x 18 / 16 Øext-13 Øint / 4 Kg.	40 32	1	43,84	46,03
	33-166	130 Universal Chimney 20,4 Øext-18 Øint x 23,5 / 2,15 Kg.	24	1	84,53	88,74
	33-040	140 TB-10 Chimney 22,5 Øext-20 Øint x 23,5 / 2,35 Kg.	24	1	84,53	88,74
	10-041	Universal Ventilation Cap 24,5 Øext-22 Øint x 6 / 1,70 Kg.	140	1	23,59	25,26
	32-232	Universal Eave Closure 13,8 x 7,1 x 6,8 / 5 U. Im. / 0,60 Kg.	1632	51	4,85	6,60
	To check	TB-10 Tech Eave Closure	-	1	4,85	6,60
	34-046 nature 34-187 centenaria	TB-12® Cover DecoCurved® 37 x 17 x 7 / 5,00 U. Im. / 2,00 Kg.	190	5	3,32	4,17
	34-045 nature 34-186 centenaria	TB-12® Pan DecoCurved® 47 x 16 x 7 / 5,00 U. Im. / 2,50 Kg.	120	5	3,32	4,17
	44-054	One Half TB-4® Cover DecoCurved® 25 x 16 x 5,5 / 5 U. Im. / 1 Kg.	430	1	3,14	-
	34-056	TB-4® Pan DecoCurved® 46 x 16 x 6 / 5,00 U. Im. / 2,60 Kg.	120	1	3,32	-

Note: Dimensions in centimeters.

Check finishing colours for TB-12® accessories. Warning: the "graphite" TB-12® roof tiles (not including glazed) present small unavoidable scratches. These appear due to the stacking of the roof tiles during the manufacturing process, handling and transportation to the jobsite. It does not affect the roof tile technically or structurally, they are only visible in the hand, therefore they comply with Tejas Borja quality standards.



Dimensions	500 mm x 210 mm / 170 mm
Weight	2,40 Kg/unit
Units / sq. m.	18 units
Units per LM eave line	8,0 units
Units per LM ridge / LM eave	2,5 units
Pallet info (quantity and weight) NATURE	225 units / 555 Kg 250 units / 555 Kg
Pallet info (quantity and weight) CENTENARIA®	225 units / 576 Kg
Minimum order	9 / 10 roof tiles



Approximate values: Installation must comply with Code of practice for the design and fixing of roofs with clay roofing tiles for the region and Tejas Borja specifications.



Red

0,60 €/Piece

(Code 3/0102)



Fosca

0,77 €/Piece

(Code 3/0103)



Manoir®

0,77 €/Piece

(Code 3/0104)



Vilavella®

0,80 €/Piece

(Code 3/0106)



Edetania®

0,80 €/Piece

(Code 3/5692)



Lamalou®

0,80 €/Piece

(Code 3/4823)



Brown

0,87 €/Piece

(Code 3/5580)



Montseny

0,80 €/Piece

(Code 3/6140)



Ground

0,91 €/Piece

(Code 3/0078)



Mediterrania®

0,91 €/Piece

(Code 3/0081)



Sand

0,91 €/Piece

(Code 3/0079)

STEP CELLER 50/45



Dimensions	500 mm x 205 mm / 165 mm
Minimum pitch recommended	30% - 17°
Weight	2,50 Kg/unit
Units / sq. m.	10 units
Units per LM eave line	4,0 units
Units per LM ridge / LM eave	2,5 units C-50.21 Celler®
Useful length (Batten distance)	330-380 mm
Pallet info	160 units / 420 Kg.
Minimum order	8 roof tiles

Approximate values: Installation must comply with Code of practice for the design and fixing of roofs with clay roofing tiles for the region and Tejas Borja specifications.



STEP CELLER 50/45



Red	Manoir® *	Serrania **	Fosca ***
0,82 €/Piece	0,94 €/Piece	0,94 €/Piece	0,94 €/Piece
(Code 3/0135)	(Code 3/2145)	(Code 3/6249)	(Code 3/6343)

* Step Celler 50/45 Manoir® roof tile: Matches with Centenaria® Ground and Manoir®.

** Step Celler 50/45 Serrania® roof tile: Matches with Centenaria® Mediterrània®, Centenaria® Sand, Vilavella®, Edetania®, Lamalou® and Montseny.

*** Step Celler 50/45 Fosca roof tile: Matches with Fosca and Brown.



C-45.20



Dimensions	450 mm x 200 mm / 160 mm
Weight	1,85 Kg/unit
Units / sq. m.	25 units
Units per LM eave line	10,0 units
Units per LM ridge / LM eave	3,0 units
Pallet info	275 units / 531 Kg. - 550 units / 1.063 Kg
Minimum order	11 roof tiles

Approximate values: Installation must comply with Code of practice for the design and fixing of roofs with clay roofing tiles for the region and Tejas Borja specifications. Check quality approvals for each roof tile format at www.tejasborja.com



C-45.20



Red

Red Musgo

0,48 €/Piece

0,54 €/Piece

(Code 3/1994)

(Code 3/5783)

C-40.15



Dimensions	408 mm x 150 mm / 116 mm
Weight	1,35 Kg/unit
Units / sq. m.	33 units
Units per LM eave line	12,0 units
Units per LM ridge / LM eave	3,0 units
Pallet info	364 units / 506 Kg. - 728 units / 950 Kg.
Minimum order	13 roof tiles

Approximate values: Installation must comply with Code of practice for the design and fixing of roofs with clay roofing tiles for the region and Tejas Borja specifications. Check quality approvals for each roof tile format at www.tejasborja.com



C-40.15



Ground

Red

Aged Red

Fosca

Brown

0,70 €/Piece

0,45 €/Piece

0,56 €/Piece

0,56 €/Piece

0,58 €/Piece

(Code 3/0071)

(Code 3/0045)

(Code 3/0047)

(Code 3/0048)

(Code 3/5579)

C-40.19



Dimensions	408 mm x 180 mm / 140 mm
Weight	1,60 Kg/unit
Units / sq. m.	30 units
Units per LM eave line	12,0 units
Units per LM ridge / LM eave	3,0 units
Pallet info	360 units / 587 Kg. 720 units / 1.164 Kg.
Minimum order	12/13 roof tiles



Approximate values: Installation must comply with Code of practice for the design and fixing of roofs with clay roofing tiles for the region and Tejas Borja specifications. Check quality approvals for each roof tile format at www.tejasborja.com















C-40.19



Sand	Red	Aged Red
0,70 €/Piece	0,46 €/Piece	0,63 €/Piece
(Code 3/0074)	(Code 3/0053)	(Code 3/0055)



ACCESSORIES CURVED ROOF TILES

MOLD	DESCRIPTION AND DIMENSIONS	Units/ PALLET	Minimum ORDER UNITS	P.V.P. €/Piece NATURE	P.V.P. €/Piece CENTENARIA®
	35-160 C-50.21 Celler® Hip Starter 50 x 17,5 x 7,5 / 2,80 Kg	230 148	1	23,59	25,26
	30-217 C-50.21 Celler® - 3 Ways 32,5 x 30,5 x 15 / 2,70 Kg.	60 42	1	82,64	86,75
	31-259 C-50.21 Celler® - 4 Ways 40,5 x 37,5 x 15,5 / 5,50 Kg	12	1	82,64	86,75
	10-026 Universal Under Ridge 24 x 12,2 x 5,6 / 5 U. lm. (on monopitch) / 0,80 Kg.	432	1	1,88	2,03
	37-131 C-50.21 Celler® Chimney Carrier 50 x 21,5-17,5 x 18 / 16 Øext-12 Øint / 3,20 Kg	50 39	1	43,84	46,03
	39-082 C-50.21 Celler® Ventilation 50 x 21 x 17,4 / 2,60 Kg	90 60	1	23,59	25,26
	33-166 130 Universal Chimney 20,4 Øext-18 Øint x 23,5 / 2,15 Kg.	24	1	84,53	88,74
	10-041 Universal Ventilation Cap 24,5 Øext-22 Øint x 6 / 1,70 Kg	140	1	23,59	25,26
	39-180 C-45.20 Ventilation 45,5 x 20-16 / 2,10 Kg	60	1	23,59	-
	39-080 C-40.19 Ventilation 40,5 x 18-14 / 1,70 Kg	300	1	23,59	25,26
	39-135 C-40.15 Ventilation 40,5 x 15 / 1,70 Kg	300	1	23,59	25,26
	04-195 Booster C-40.15 40,5 x 15 / 7 L Cutted lenght / 1,35 Kg	700 350	10	0,48	-
	16-258 C-40.15 Under Ridge 21,5 x 11,3 x 5,5 / 5,5 U. lm. (on monopitch) / 0,62 Kg.	400	1	1,88	2,03
	32-127 C-50.21 Celler® Eave Closure 27 x 9,7 to 11 / 4 U. lm. / 0,90 Kg	420	1	4,85	6,60



C-25.12



Dimensions	250 mm x 120 mm / 95 mm
Weight	0.65 Kg
Units / sq. m.	70 units
Units per LM eave line	14 units
Units per LM ridge / LM eave	5 units
Box info*	28 units / 18 Kg.
Pallet info	27/18 boxes / 756 units / 500 Kg.
Minimum order*	28/42 roof tiles (1 box)



* All finishes except Red, will be delivered in boxes of 42 units - 27 Kg./box until stock lasts.

Approximate values: Total waterproof of the entire roof surface is required for any pitch.

Note: C-25.12 roof tile is considered decorative accessory used to complement the roof. Therefore is included in AENOR certificates of the main roof tile (see accessories).

C-25.12



Red

Vilavella®

0,64 €/Piece

0,96 €/Piece

(Code 3/0043)

(Code 3/2043)

ESCAMA



Dimensions	195 mm x 150 mm
Weight	0.40 Kg/unit
Units / sq. m.	78 units
Units per LM eave line	9 units
Pallet info	735 units / 530 Kg.
Minimum order	1 roof tile



Red

2,11 €/Piece

(Code 3/0409)









Approximate values: Total waterproof of the entire roof surface is required for any pitch.

ACCESSORIES ESCAMA



MOLD	DESCRIPTION AND DIMENSIONS	Units/ PALLET	Minimum ORDER UNITS	P.V.P. €/Piece NATURE
08-119	"Gallon" Ridge 25 x 17,5 x 9,7 / 4,5 U. lm. / 0,75 Kg	100	1	39,37
08-015	"Gallon" Ridge with Ball 25 x 17,5 x 13 / 4,5 U. lm. / 0,85 Kg	104	1	39,37
35-117	Winged Dragon End Ridge 40 x 15 x 16 / 1,95 Kg	24	1	117,61
35-118	Achantus Leaf End Ridge 32 x 15 x 26,5 / 2,19 Kg	24	1	117,61

DECORATIVE PIECES

	MOLD	DESCRIPTION AND DIMENSIONS	Units/ PALLET	Minimum ORDER UNITS	P.V.P. €/Piece NATURE	P.V.P. €/Piece CENTENARIA®
	17-083	Decorative Piece A Ball 21 x 31,5 / 4,30 Kg.	24	1	82,64	99,15
	17-084	Decorative Piece B Acorn 20,5 x 34 / 3,15 Kg	24	1	82,64	99,15
	17-085	Decorative Piece C Pine Cone 21,5 x 43 / 5,20 Kg.	24	1	82,64	99,15
	17-086	Decorative Piece D Lollipop 16 x 48 / 4,00 Kg.	24	1	82,64	99,15
	17-141	Decorative Piece E Gallego Lollipop 16 x 37 / 1,54 Kg.	24	1	82,64	99,15
	17-142	Decorative Piece F Tulip 16 x 31 / 1,90 Kg.	24	1	82,64	99,15
	17-143	Decorative Piece G Tower 16 x 43 / 1,60 Kg.	24	1	82,64	99,15
	17-144	Decorative Piece H Pigeon 26 x 29 / base de apoyo: 8.5 / 1,25 Kg.	24	1	121,14	145,35

Dimensions in centimeters.
Check finishing colours availability for different accessories.

DECORATIVE EAVES

Usefull decorated length for available Curved roof tiles

C-50.21 Celler® 22 cm

C-40.19 20 cm

C-40.15 20 cm



Morella

15,18 €/Piece



Peñíscola

15,18 €/Piece



Almoradi

16,86 €/Piece



La Nucia

16,86 €/Piece



Altea

16,86 €/Piece



La Romana

16,86 €/Piece



Juggler

23,13 €/Piece



Wolf

23,13 €/Piece



Boat








23,13 €/Piece



Fish

23,13 €/Piece

BRETAGNA RIDES

MOLD	DESCRIPTION AND DIMENSIONS	Units/ PALLET	Minimum ORDER UNITS	P.V.P. €/Piece
 08-181	Red Bretagna 1 Ridge 44,5 x 27 x 12,5 / 2,3 U. Im. / 3,50 Kg. Max. Slope 87%-40.5°	48	4	6,71
 08-181	Brown Bretagna 1 Ridge 44,5 x 27 x 12,5 / 2,3 U. Im. / 3,50 Kg. Max. Slope 87%-40.5°	48	4	8,72
 08-182	Red Bretagna 2 Ridge 36,2 x 25,1 x 12,5 / 3 U. Im. / 3,15 Kg. Max. Slope 87%-40.5°	64	4	6,71
 08-182	Caballete Breña 2 Brown 36,2 x 25,1 x 12,5 / 3 U. Im. / 3,15 Kg. Max. Slope 87%-40.5°	64	4	8,72
 08-182	Bretagna 2 Hip Starter Lugo Slate 36,2 x 25,1 x 12,5 / 3 U. Im. / 3,15 Kg. Max. Slope 87%-40.5°	64	4	8,72
 35-257	Bretagna 2 Hip Starter Lugo Slate 42,8 x 25 x 12,5 / 3,45 Kg. Max. Slope 87%-40.5°	36	1	26,02
 25-256	Bretagna 2 Straight End Cap Lugo Slate 6 x 25 x 27 / 2,40 Kg. Max. Slope 87%-40.5°	96	1	26,02

Dimensions in centimeters.






* **The finishes:** White, Copper and Lead finishes are produced only on 1 side colour.
Elegant® finish, it is produced only in TB-4®.
C-45.20 Roof Tile is not available in BORJAdecor®.
White Glazed DF finish, is available only in Alicantina-12, Step Celler 50/45 and Escama.
CRAKLE (surface crackling), The superficial crackling can appear in some tiles with glazed application, concerning only the aesthetics and not the structure of the tiles, by what in the Standard regulation EN 1304 it is not considered to be a defect.

TB-12®/ TB-4® / ALICANTINA-12 / CURVED ROOF TILES / ESCAMA


TAMIZADOS DF



GLAZED DF



CRYSTAL DF




METALLIC DF



TB-4®


IRISADOS DF



INSPIRATION DF




BorjaDECOR® - PRICES BREAKDOWN BY ROOF TILES



BorjaDECOR® COLOURS	ALICANTINA-12 P.V.P. €/PIECE	TB-12® P.V.P. €/PIECE	TB-4® P.V.P. €/PIECE	C-40.19 P.V.P. €/PIECE	C-40.15 P.V.P. €/PIECE	C-50.21 Celler® P.V.P. €/PIECE
Glazed (1 side)	3,64	3,41	3,64	2,62	2,62	3,00
Glazed (2 sides)	4,36	4,09	4,36	3,14	3,14	3,63
Crystal (1 side)	3,09	2,91	3,09	2,22	2,22	2,44
Crystal (2 sides)	3,70	3,48	3,70	2,67	2,67	2,94
Tamizados (1 side)	3,09	2,91	3,09	2,22	2,22	2,44
Tamizados (2 sides)	3,70	3,48	3,70	2,67	2,67	2,94
Metallic (1 side)	3,86	3,86	3,86	3,42	3,42	3,90
Irisados (1 side)	-	-	3,86	-	-	-
Irisados (2 sides)	-	-	4,72	-	-	-
Inspiration (1 side)	-	-	7,79	-	-	-
Inspiration (2 sides)	-	-	8,71	-	-	-
Units Pallet / Weight	240-180-120 units / 785-590-395 kg.	240-180-120 units / 785-590-395 kg.	224-168-112 units / 781-585-390 kg.	224 units / 371 kg.	252 units / 355 kg.	145 units / 374 kg.

VERY IMPORTANT

Two sides curved roof tiles will be glazed half of them two sides cover and the other half two side pan.




Glazed 2 sides COVER:





















- The top side of the tile, the wide end, and about 15 cm. of the wide end on the bottom side of the tile are glazed.
- The narrow end is NOT glazed, and a part of the bottom side of the tile remains unglazed.























Glazed 2 sides PAN:

- The bottom side of the tile, the narrow end, and about 15 cm. of the narrow end on the top side of the tile are glazed.
- The wide end is NOT glazed, and a part of the bottom side of the tile remains unglazed.



BorjaDECOR® COLOURS	C-25.12 P.V.P. €/PIECE	ESCAMA P.V.P. €/PIECE
Glazed (1 side)	2,20	4,82
Glazed (2 sides)	3,09	-
Crystal (1 side)	1,77	3,81
Crystal (2 sides)	2,78	-
Tamizados (1 side)	1,77	3,81
Tamizados (2 sides)	2,78	-
Metallic (1 side)	3,42	5,77
Units Pallet / Weight	1200 units / 789 kg.	1680 units / 720 kg.
Units Box / Weight	900 units/ 590 kg.	

	MOLD	DESCRIPTION AND DIMENSIONS	Units/ PALLET	Minimum ORDER UNITS	P.V.P. €/Piece ONE SIDE	P.V.P. €/Piece BOTH SIDES
	08-155	Angular Ridge 42 x 31 x 9,7 / 2,5 U. Im. / 3,15 kg. Max. Slope 62%-31.5°	72	6	14,91	-
	35-156	Angular Hip Starter 42,2 x 29,3 x 10 / 2,83 kg.	75	1	32,68	-
	30-158	Angular 3 Ways 45,1 x 29,3 x 10 / 4,37 kg.	48	1	44,04	-
	31-261	Angular 4 Ways 46,0 x 41,5 x 16,5 / 6,50 Kg	21/13	1	136,21	-
	25-157	Universal Straight End Cap 8,5 x 28,5 x 12,5 / 2,65 kg.	100	1	32,68	-
	08-013	Circular Hip Starter 43 x 23 x 9 / 2,5 U. Im. / 2,90 kg. Max. Slope 47%-25.10°	75	5	14,91	-
	35-020	Circular Hip Starter 43 x 20 x 8,5 / 3 kg.	75	1	32,68	-
	30-025	Circular 3 Ways 37,5 x 23 x 9,5 / 4,20 kg.	48	1	44,04	-
	31-016	Circular 4 Ways 38,5 x 44,5 x 13,5 / 4,50 kg.	24	1	136,21	-
	25-022	Universal Circular Straight end Cap 7,5 x 24,5 x 27,9 / 2,40 kg.	96	1	32,68	-
	25-213	Universal Circular Curved end Cap 17,5 x 26,7 x 27 / 2,80 kg.	96	1	32,68	-
	08-014	Cover+ Ridge 44,5 x 28,5 x 10,5 / 2,5 U. Im. / 3,5 kg. Max. Slope 47%-25.10°	72	1	14,91	-
	35-021	Cover+ Hip Starter 43,5 x 23 x 8,5 / 3,20 kg.	72	1	32,68	-
	30-018	Cover+ 3 Ways 32,5 x 42,5 x 14,7 / 3,10 kg.	48	1	44,04	-
	30-217	C-50.21 Celler® 3 Ways 32,5 x 30,5 x 15 / 2,70 kg.	48	1	136,21	-
	25-024	Universal Cover+ Straight end Cap 6,5 x 27 x 31 / 2 kg.	192	1	32,68	-
	25-174	Universal Cover+ Curved end Cap 14,7 x 27,5 x 29,5 / 2,50 kg.	96	1	32,68	-
	35-160	C-50.21 Celler® Hip Starter 50 x 17,5 x 7,5 / 2,80 kg.	240	1	32,68	-
	31-017	Cover+ 4 Ways 40,5 x 40,5 x 14 / 4 kg.	24	1	136,21	-
	31-259	C-50.21 Celler® 4 Ways 40,5 x 37,5 x 15,5 / 5,50 kg.	24	1	136,21	-
	08-119	"Gallon" Ridge 25 x 17,5 x 9,7 / 4,5 U. Im. / 0,75 kg.	100	1	82,27	-
	08-015	"Gallon" Ridge with Ball 25 x 17,5 x 13 / 4,5 U. Im. / 0,85 kg.	35	1	82,27	-
	35-117	Winged Dragon End Ridge 40 x 15 x 16 / 1,95 kg.	24	1	179,57	-

	MOLD	DESCRIPTION AND DIMENSIONS	Units/ PALLET	Minimum ORDER UNITS	P.V.P. €/Piece ONE SIDE	P.V.P. €/Piece BOTH SIDES
	35-118	Achantus Leaf End Ridge 32 x 15 x 26,5 / 2,19 kg.	24	1	179,57	-
	10-026	Universal Under Ridge 24 x 12,2 x 5,6 / 5 U. lm. (on monopitch) / 0,8 kg.	600	4	4,20	-
	16-258	C-40.15 Under Ridge 21,5 x 11,3 / 5,5 U. lm. (on monopitch) / 0,61 kg.	400	1	4,20	-
	24-029	Universal Angular Edge 43 x 14,5 x 14,5 / 2,5 U. lm. / 3 kg.	75	5	14,91	17,89
	24-043 Left 24-042 Right	Universal Straight Edge (Left/Right) 47 x 9 x 17 / 2,5 U. lm. / 3 kg.	100	4	14,91	17,89
	24-034 Left 24-033 Right	Universal Curved Edge (Left/Right) 47 x 18,7 x 16 / 2,5 U. lm. / 3,25 kg.	100	5	14,91	17,89
	24-053 Left 24-052 Right	TB-4® Curved Edge (Left/Right) 43 x 13,5 x 14 / 2,5 U. lm. / 2,55 kg.	120	1	14,91	17,89
	36-031 Left 36-030 Right	Half ALICANTINA-12 Roof Tile (Left/Right) 43 x 15 x 4,5 / 1,25 U. lm. / 1,80 kg.	160	1	11,19	13,42
	36-044	Half TB-12® Roof Tile 44 x 16 x 6,5 / 2,5 U. lm. / 1,80 kg.	140	1	11,19	13,42
	38-049	Tile and a Half TB-12® 43,6 x 36 x 7 / 2,5 U. lm. / 4,50 kg.	56	4	22,24	26,69
	41-133	2/3 TB-12®* 30,5 x 26,5 x 7 / 5 U. lm. / 2,20 kg.	68	4	12,78	-
	41-172	2/3 Tile and a Half TB-12®* 30 x 36,2 x 7 / 3,24 kg.	64	1	22,22	-
	36-055	Half TB-4® / Pan Decocurva® TB-4® 44 x 15,5 x 6 / 1,83 kg. 2,5 U. lm. // 5 U. lm.	140	1	11,19	13,42
	44-059	One Half TB-4® 25 x 26 x 6 / 5 U. lm. / 2,30 kg.	90	1	12,78	-
	39-032	ALICANTINA-12 Ventilation 43 x 25,5 x 9 / 3,70 kg.	60	1	32,68	-
	39-048	TB-12® Ventilation 44 x 26 x 7 / 3,20 kg.	80	1	32,68	-
	39-058	TB-4® Ventilation 43,5 x 26 x 10 / 3,50 kg.	80	1	32,68	-
	39-082	C-50.21 Celler® Ventilation 50 x 21 x 17,4 / 2,60 kg.	100	1	32,68	-
	39-080	C-40.19 Ventilation 40,5 x 18 / 1,70 kg.	280	1	32,68	-
	39-135	C-40.15 Ventilation 40,5 x 15 / 1,70 kg.	252	1	32,68	-
	37-146	ALICANTINA-12 Chimney Carrier 43 x 25,5 x 12/15,5 Øext-13,5 Øint / 4 kg.	48	1	60,40	-
	37-050	TB-12® Chimney Carrier 43,5 x 25,5 x 11 / 16 Øext-13 Øint / 4,15 kg.	48	1	60,40	-

* While stocks last.

	MOLD	DESCRIPTION AND DIMENSIONS	Units/ PALLET	Minimum ORDER UNITS	P.V.P. €/Piece ONE SIDE	P.V.P. €/Piece BOTH SIDES
	37-060	TB-4® Chimney Carrier 43,5 x 26 x 18 / 16 Øext-13 Øint / 4 kg.	48	1	60,40	-
	37-131	C-50.21 Celler® Chimney Carrier 50 x 21,5 x 18 / 16 Øext-12 Øint / 3,20 kg.	48	1	60,40	-
	10-041	Universal Ventilation Cap 24,5 Øext - 22 Øint x 6 / 1,70 kg.	48	1	32,68	-
	33-166	130 Universal Chimney 20,4 Øext - 18 Øint x 23,5 / 2,15 kg.	24	1	136,20	-
	32-232	Universal Eave Closure 13,8 x 7,1 x 6,8 / 5 U. lm. / 0,60 Kg.	2880	1	13,18	-
	32-127	C-50.21 Celler® Eave Closure 27 x 9,7 x 11 / 4 U. lm. / 0,90 Kg.	2880	1	13,18	-
	34-046	TB-12® Cover Decocurva® 37 x 17 x 7 / 5 U. lm. / 2 kg.	140	5	-	13,42
	34-045	TB-12® Pan Decocurva® 47 x 16 x 7 / 5 U. lm. / 2,50 kg.	106	1	-	13,42
	44-054	One Half Cover Decocurva® TB-4® 25 x 16 x 5,5 / 5 U. lm. / 1 kg.	280	1	-	13,42
	34-056	Pan Decocurva® TB-4® 46 x 16 x 6 / 5 U. lm. / 2,60 kg.	104	1	-	13,42

BorjaDECOR® - DECORATIVE PIECES

	MOLD	DESCRIPTION AND DIMENSIONS	Units/ PALLET	Minimum ORDER UNITS	P.V.P. €/Piece
	17-083	Decorative Piece A Ball 21 x 31,5 / 4,30 kg.	24	1	136,24
	17-084	Decorative Piece B Acorn 20,5 x 34 / 3,15 kg.	24	1	136,24
	17-085	Decorative Piece C Pine Cone 21,5 x 43 / 5,20 kg.	24	1	136,24
	17-086	Decorative Piece D Lollipop 16 x 48 / 4 kg.	24	1	136,24
	17-141	Decorative Piece E Gallego Lollipop 16 x 37 / 1,54 kg.	24	1	136,24
	17-142	Decorative Piece F Tulip 16 x 31 / 1,90 kg.	24	1	136,24
	17-143	Decorative Piece G Tower 16 x 43 / 1,60 kg.	24	1	136,24
	17-144	Decorative Piece H Pigeon 26 x 29 / 1,25 kg.	24	1	176,54

SALES CONDITIONS

1. Prices are EXW EX WORK
2. Maximum discount for payment in advance will be 3%. Payment in advance will require a swift copy of the telegraphic transfer.
3. Invoices will include Tax (whenever Tax apply).
4. Dimensions, measures and weight of the products in the price list are only illustrative and approximate.
5. Lead times will be illustrative and approximate.
6. The misuse or the inappropriate use of the product to other purposes for those they were manufactured, will excuse TEJAS BORJA from any responsibility.
7. When Tejas Borja arranges the transportation of the goods, the goods will be loaded in the truck or container, and will be transported from our facilities to the site or the warehouse. The unloading and/or handling of the goods at the reception point will be the buyer's responsibility.
8. Warranties will only apply if the goods have been handled and installed according with manufacturer's instructions and current standard regulations.
9. Any claim, of any nature, should be reported within the following 15 days after reception of the goods.
10. The payment of the goods will be (cash down) in advance unless credit had been granted by the seller.
11. Not attending a payment, or any infringement in the payment conditions, or not attending the full payment of an invoice will result in the sum to the debt of the costs and/or interests caused by the mentioned infringement.
12. This price list is in lieu of any other prior price list.
13. The buyer, at the time of placing and signing the order, accepts all terms and sales conditions included in this price list. A copy of the order document, signed by the buyer, must be received at TEJAS BORJA in order to consider the purchase order valid.
14. Price in this price list are valid unless transcription or typing error.
15. TEJAS BORJA reserves the right to change, without prior notice, dimensions, characteristics, weight and units per pallet.

VERY IMPORTANT

1. Goods must be supervised and inspected at the time of reception.
2. No returns of goods or merchandise will be accepted without the written authorization of Tejas Borja. Depreciation of the value of the goods and transport costs will be buyer's liability.

NOTE: For invoices issued in EUROS, we will proceed with the cents under the EURO law.



ASK FOR THE
EXCLUSIVE PRICE LIST

Borja **JET**

to our export manager



Innovative world
EXCLUSIVE



TEJAS BORJA, S.A.U.

Ctra. Lliria a Pedralba, Km. 3
46160 Lliria, Valencia, SPAIN
T.+34 96 279 80 16
F. +34 96 278 25 63
info@tejasborja.com

tejasborja.com