

— ROOF ACCESSORIES FOR —
VENTILATED ROOFS




2026

pricelist
λPROOF
Roofing Components

WATHERPROOF AND BREATHING

Thermal insulation plays an important role in the hydrothermal behavior of the cover. Through these breathable membrane, water vapour is diffused to the outside while preventing the penetration of water inside, in the event of any failure in the protection coverage.



FIXATION

In ventilated roofs, the tiles are installed on a network of wood or metallic battens. The fixation of the tiles and the accessoires, is carried out using hooks or clips.



EAVE LINES VENTILATION

Eaves line must allow air to enter and, in turn, be protected against the entry of birds, insects, rodents or similar. To do this, it is necessary to place gratings and combs that, allow the passage of air, allowing microventilation.




RIDGE LINES VENTILATION

Dry fixing the ridge line allows microventilation at high level to work in tandem with eaves level ventilation to create a natural passage of air to remove condensation build up behind the tiles. Metal fixing clips create a firm hold on the ridge tiles for extreme weather.



BUILDING SYSTEMS

Panel systems to meet the requirements of ventilation, thermal insulation, watertightness and durability of tile roofs.



FLASHINGS


In the case of chimneys, ventilation ducts or skylights, vertical encounters must be impervious and prevent water filtration. For this, connection systems and metallic counterflashing are used which, thanks to their adaptability to the curvature of the tiles, ensure the tightness of the unique encounters.



Roof accessories for ventilated roofs

BUILDING SYSTEMS

Description	Ref.	Covering m ² /panel	Minimum order	EX-works price €/u.	EX-works price €/m ²
λSAT					
PANEL - PITCH 370 AND 395 MM* / 14.57" AND 15.55"					
Thickness 60 mm		0,91 m ² (útil 0,88 m ²)	13 ud	22.26	24.47
Thickness 100 mm		0,91 m ² (útil 0,88 m ²)	9 ud	30.07	33.04
Thickness 140 mm		0,91 m ² (útil 0,88 m ²)	7 ud	39.90	43.82



Check compatibility with the roof tile models.
Check availability and delivery time according to thickness and strip pitches.
140 mm thickness λSAT panels are manufactured on request, with a minimum quantity of 28 units.

Description	Material	Dimensions	Minimum order	EX-works price €/lm
COMPLEMENTS				
U Metal batten 40 x 15 / 1.57 x 0.59"	Galvaniz.	2 m 2,5 - 2,7 ml/m ² panel	20 ml (10 uds/paq)	1.63



FIXATION λTHERM - λSAT

Description	Min. order* pcs./box	EX-works price
TORNILLOS		
Wood fixation screw 6 x 110mm (0.24" x 4.46" / THERM 60MM)	100 units	17.93 €/100 u
Wood fixation screw 6 x 140mm (0.24" x 5.51" / THERM 100MM - SAT 60MM)	50 units	36.69 €/100 u
Wood fixation screw 6 x 160mm (0.24" x 6.30" / THERM 120MM - SAT 100MM)	50 units	41.15 €/100 u
Wood fixation screw 6 x 200mm (0.24" x 7.87" / THERM 160MM - SAT 140MM)	50 units	49.34 €/100 u
Metal self-supporting screw 6 x 115mm (0.24" x 4.53" / SAT 60MM)	250 units	39.17 €/100 u
Panel self-supporting screw 5.5/6.3 x 130 mm V-16 (0.22"/0.25" x 5.12" / THERM 80MM - SAT 60MM)	50 units	51.13 €/100 u
Panel self-supporting screw 5.5/6.3 x 150 mm V-16 (0.22"/0.25" x 5.90" / THERM 80MM - SAT 60MM)	50 units	55.55 €/100 u
Screw with plug SDF 8 x 100mm (0.32" x 3.94" / THERM 60MM)	100 units	55.45 €/100 u
Screw with plug SDF 8 x 120mm (0.32" x 4.73" / THERM 80MM - SAT 60MM)	100 units	59.80 €/100 u
Screw with plug SDF 8 x 140mm (0.32" x 5.51" / THERM 100MM - SAT 60MM)	100 units	64.23 €/100 ud
Screw with plug SDF 8 x 160mm (0.32" x 6.30" / THERM 120MM - SAT 100MM)	100 units	81.44 €/100 u
Screw with plug SDF 8 x 180mm (0.32" x 7.09" / THERM 140MM - SAT 100MM)	100 units	91.01 €/100 u
Screw with plug SDF 8 x 200mm (0.32" x 7.87" / THERM 160MM - SAT 140MM)	100 units	105.96 €/100 u



Description	Ref.	Covering m ² /panel	EX-works price €/u.	EX-works price €/m ²
λTHERM				
PANEL - PITCH 370 MM* / 14.57"				
Thinckness 60 mm		1.46	88.55	60.65
Thinckness 80 mm		1.46	104.06	71.27
Thinckness 100 mm		1.46	119.31	81.72
Thinckness 120 mm		1.46	133.28	91.29
Thinckness 140 mm		1.46	151.22	103.59
Thinckness 160 mm		1.46	167.64	114.82



PANEL - PITCH 395 MM * / 15.55"				
Thinckness 60 mm		1.56	94.61	60.65
Thinckness 80 mm		1.56	111.16	71.27
Thinckness 100 mm		1.56	127.50	81.72
Thinckness 120 mm		1.56	142.42	91.29
Thinckness 140 mm		1.56	161.59	103.59
Thinckness 160 mm		1.56	179.13	114.82










Check compatibility with the roof tile models.
Check availability and delivery time depending on thickness and strip pitches.
100 mm and over thickness λTHERM panels are manufactured on request, with a minimum quantity of 30 units.

Description	Dimensions	Min. order* pcs./box	EX-works price
COMPLEMENTS			
Metal steel batten auxiliar metálico	3.94 m	1 u. (3.5 Kg/u.)	6.57 €/lm
Treated wood batten 60 x 50 mm / 2.36 x 1.97"	2.5 m	22,5 lm (20.7 Kg/box)	3.96 €/lm
Treated wood batten 80 x 50 mm / 3.15 x 1.97"	2.5 m	15 lm (16.8 Kg/box)	5.28 €/lm
Butyl tape 100 mm / 3.94"	0.1 x 10 m	60 lm (4 Kg/box)	1.51 €/lm
Adhesive Sealant - Brown (300 lm - gun application)	300 lm	12 uds (792 u./pallet)	5.20€/u.
Glue and filler foam (750 lm - gun application)	750 lm	12 uds (792 u./pallet)	13.70 €/u.










Roof accessories for ventilated roofs








FLASHING

	Description	Colour	Dimensions	Min. order* pcs./box	EX-works price
NEW 	Multi-Use Premium 300 mm (waterproofing flashing)	Red Black Brown	0.3 x 5 m 11.8" x 197"	5 lm (1 roll) (5,50 Kg/box)	15.00 €/lm
NEW 	Multi-Use Premium 450 mm (waterproofing flashing)	Red Black Brown	0.45 x 5 m 17.7" x 197"	5 ml (1 roll) (6,75 Kg/box)	21.86 €/lm
	Multi-Use Aluminium 300mm (waterproofing flashing)	Red Black Brown	0.3 x 5 m 11.8" x 197"	5 lm (1 roll) (5.50 Kg/box)	9.28 €/lm
	Multi-Use Aluminium 450 mm (waterproofing flashing)	Red Black Brown	0.45 x 5 m 17.7" x 197"	5 lm (1 roll) (8.35 Kg/box)	12.20 €/lm
	Counter Flashing Profile	Red/Black Brown	0.07 x 1.5 m 2.8" x 59"	15 lm (10 units) (5 Kg/box)	4.95 €/lm
	Roll Aluminium Valley Tape	Red/ Brown	0.6 x 10 m 23.6" x 394"	20 lm (2 rolls) (6.75 Kg/box)	12.30 €/lm
NEW 	Plate Aluminium Valley Tape	Black	0.5 x 2 m 19.7" x 78.7"	10 u./box	12.25 €/lm





BATTENS

	Treated Wooden Batten 40 x 30		0.4 x 0.3 x 2.5 m 15.7" x 11.8" x 98.4"	30 ml (12 u./pack)	1.42 €/lm
	Treated Wooden Batten 50 x 50		0.5 x 0.5 x 2.5 m 19.7" x 19.7" x 98.4"	22,5 ml (9 u./pack)	2.40 €/lm
	Metallic Batten 20 x 20		0.2 x 0.2 x 2.5 m 7.9" x 7.9" x 98.4"	25 lm (10 u./pack)	1.50 €/lm
	Metallic Batten 30 x 30		0.3 x 0.3 x 2.5 m 11.8" x 11.8" x 98.4"	15 lm (6 u./pack)	2.32 €/lm
	Metallic Batten 50 x 30		0.5 x 0.3 x 2.5 m 19.7" x 11.8" x 98.4"	25 lm (10 u./pack)	3.25 €/lm
	Ventilated Batten 30 x 20		0.3 x 0.2 x 2.5 m 11.8" x 7.9" x 98.4"	25 lm (10 u./pack)	2.67 €/lm
	Metallic Batten U 40 x 40		0.4 x 0.4 x 2.5 m 15.7" x 15.7" x 98.4"	25 lm (10 u./pack)	2.50 €/lm

WATERPROOF AND BREATHING

	Description	Dimensions	Min. order* pcs./box	EX-works price
NEW	 Waterproof and Breathing Membrane with Adhesive Tape 190 Premium	1.5 x 50 m 59" x 54.68 yd	75 m ² /roll (14.25 Kg/roll) (27 rolls/pallet)	2.07 €/m²
	Waterproof and Breathing Membrane 130 Premium	1.5 x 50 m 59" x 54.68 yd	75 m ² /roll (9.75 Kg/roll) (39 rolls/pallet)	1.18 €/m²
	Waterproof and Breathing Membrane 150 Premium	1.5 x 50 m 59" x 54.68 yd	75 m ² /roll (11.25 Kg/roll) (30/39 rolls/pallet)	1.31 €/m²
	Waterproof and Breathing Membrane 190 Premium	1.5 x 50 m 59" x 54.68 yd	75 m ² /roll (14.25 Kg/roll) (27 rolls/pallet)	1.74 €/m²
	Waterproof and Breathing Membrane 135 ECO	1.5 x 50 m 59" x 54.68 yd	75 m ² /roll (11.25 Kg/roll) (36 / 42 rolls/pallet)	0.90 €/m²
	Waterproof and Breathing Membrane 150 ECO	1.5 x 50 m 59" x 54.68 yd	75 m ² /roll (14.25 Kg/roll) (36 rolls/pallet)	1.01 €/m²
	Roofing Adhesive Tape 1 side 50 mm	0.05 x 30 m 1.97" x 32.80 yd	300 lm (2.50 Kg/box) (12 rolls/box)	0.68 €/lm
	Roofing Adhesive Tape 2 sides 50 mm	0.05 x 30 m 1.97" x 32.80 yd	900 lm (3.5 Kg/box) (18 rolls/box)	0.75 €/lm
	Nail Sealing Tape	0.05 x 30 m 1.97" x 32.80 yd	360 lm (2.60 Kg/box) (12 rolls/box)	0.51 €/lm

ROOF SHEETS

	Fiber Cement Sheet 234 Aged Reinforced (curved 50x21 and 45x20 or with battens)	0.98 x 30 m 38.6" x 65"	60 u./pallet (1400 Kg/pallet)	22.00 €/plate
	Corrugated Bitumen Sheet 235 (curved 50x21 and 45x20)	1.05 x 2 m 41.3" x 78.7"	150 u./pallet (750 Kg/pallet)	17.22 €/plate
	Corrugated Bitumen Sheet for Tiles with Battens (mixed and flats)	0.96 x 2 m 37.8" x 78.7"	150 u./pallet (730 Kg/pallet)	16.70 €/plate
	Auto-adhesive Butyl Band 300 (sheets sealing)	0.30 x 10 m 11.8" x 393.7"	20 lm/box (16 Kg/box)	4.65 €/lm

VENTILATION CONNECTION



**VMC MANGOUSTE
connection KIT 125 mm**

















Ø 125 mm





1 u.
(1 Kg/box)


48.62 €/u.

Roof accessories for ventilated roofs

FIXATION

	Description	Colour	Dimensions	Min. order* pcs./box	EX-works price
	PU Foam for roof tiles (applied with gun)		pot 750 ml	12 pots/box	6.00 €/u.
	Foam Applicator			1u.	25.57 €/u.
	Ridge Batten Adjustable Support 50 mm	Galvanized Steel	Width 50 mm	100 u. (8 Kg/box)	2.84 €/u.
	Ridge Batten Fixed Support 50 mm	Galvanized Steel	Width 50 mm	50 u. (6.4 Kg/box)	2.02 €/u.
	Ridge Tile Hook	Red Black Brown	-	50 u. (1 Kg/box)	0.65 €/u.
	Round Ridge Tile Hook	Red Black Brown	-	50 u. (1 Kg/box)	0.70 €/u.
	Pyramid Ridge Tile Hook	Red Black	-	50 u. (1 Kg/box)	0.65 €/u.
	Ridge clip	Red Black	-	100 u. (1 Kg/box) 50 u. (0,5 Kg/box)	0,51 €/ud.
	Universal Ridge Clip	Red Black	-	50 u. (1 Kg/box)	0.65 €/u.
	Metal hook/clip - TN, TV, TI (Batten 38x27mm / 30x40mm)	Inox.	-	250 u. (1 Kg/box)	0.47 €/u.
	Eave hook/clip for roof tiles with lace	Inox.	-	100 u. (1 Kg/box)	0.57 €/u.
	Metal clip clipped with a bumper (25x38 / 25x50mm // 0.98"x1.5" / 0.98"x1.97" battens)	Inox.	65 x 48 mm	500 u. (1 Kg/box)	0.41 €/u.
		Inox.	45 x 52 mm	250 u. (0.6 Kg/box)	
	Metal clip for Curved roof tile		40 x 18 - 40 x 15	1.000 u. (6.40 Kg/box)	0.09 €/u.
			50 x 21 - 45 x 20	1.000 u. (6.40 Kg/box)	0.12 €/u.
			50 x 21 - 45 x 20 - THERM 370MM	500 u. (3.2 Kg/box)	0.15 €/u.
			50 x 21	400 u. (3.00 Kg/box)	0.10 €/u.
	Eave metal clip for curved roof tile	Inox.	285 mm	200 u. (1 Kg/box)	0.72 €/u.
	Fixtin Clip for Interlocking tile	Galvaniz.	-	250 u. (5 Kg/box)	0.30 €/u.
	Straight Snow Stopper	Red Black	380 mm	100 u. (15 Kg/box)	3.30 €/u.




	Description	Dimensions	Min. order* pcs./box	EX-works price
	Fixing screw TILE - WOOD	4 x 50 mm	500 unites	5.39 €/100 u.
	Fixing screw for WOOD	6 x 70 mm	200 unites	16.17 €/100 u.
	Self drilling screw TILE - METAL	4.2 x 45 mm	500 unites	4.95 €/100 u.
	Self drilling screw with washer	5.5 x 22 mm	500 unites	8.80 €/100 u.
	Metal washe for screws 7 - 19		1000 unites	3.85 €/100 u.
	Hammer-fix screw for CONCRETE	6 x 37 mm	300 unites	10.45 €/100 u.
	Fixing screw for CONCRETE	6 x 60 mm	200 unites	12.87 €/100 u.
	Fixing screw for CONCRETE	6 x 80 mm	100 unites	21.34 €/100 u.



Waterproof and Breathing Membrane190 Premium

Roof accessories for ventilated roofs

EAVE LINES VENTILATION

	Description	Colour	Dimensions	Min. order* pcs./box	EX-works price
	Ventilation Comb 60 mm (Mixed roof tile)	Red Black	0.06 x 1 m 2.36" x 39.4"	100 lm (100 u.) (18 Kg/box)	1.06 €/u.
	Ventilation Comb 100 mm (Mixed roof tile)	Red Black Brown	0.1 x 1 m 3.94" x 39.4"	50 lm (50 u.) (4.5 Kg/box)	1.31 €/u.
	Batten + Ventilation Comb (batten 30mm, comb 60mm)	Red Black	0.05 x 1 m 1.97" x 39.4"	50 lm (50 u.) (4.5 Kg/box)	2.18 €/u.
	PVC Bird Stop Grate 80 mm	Red Black	0.08 x 5 m 3.15" x 196.9"	100 lm (20 u.) (5 Kg/box)	1.85 €/lm
	Aluminium Bird Stop Grate 100 mm	Red / Black	0.1 x 5 m 3.94" x 196.9"	100 lm (20 u.) (5 Kg/box)	3.52 €/lm
	Metalic eave membrane	Red Black	0.1 x 5 m 3.94" x 98.4"	50 lm (20 u.) (3 Kg/box)	13.09 €/u.

RIDGE LINES VENTILATION

	Aluminium Ridge Tape 300mm	CAMM01R CAMM01N CAMM01M	Red Black Brown	0.3 x 5 m 11.8" x 196.9"	20 lm (4 rolls) (5 Kg/box)	5.30 €/lm
	Aluminium Ridge Tape 400mm	CAMMF1R CAMMF1N CAMMF1M	Red Black Brown	0.4 x 5 m 15.7" x 196.9"	20 lm (4 rolls) (5.60 Kg/box)	6.92 €/lm
	Under Ridge Mixed Roll Tape 300mm	CAMM09R CAMM09N CAMM09M	Red Black Brown	0.3 x 5 m 11.8" x 196.9"	20 lm (4 rolls) (8 Kg/box)	4.86 €/lm
	Under Ridge Mixed Roll Tape 350mm	CAMMF9R CAMMF9N CAMMF9M	Red Black Brown	0.3 x 5 m 13.8" x 196.9"	20 lm (4 rolls) (5.20Kg/box)	6.47 €/lm
	Under Ridge Tape 380mm	CAM151R CAM151N	Red Black	0.3 x 5 m 15" x 393.7"	40 lm (4 rolls) (4 Kg/box)	7.20 €/lm
NEW 	Under Ridge Waterproof Tape 390mm		Beige Red Black Brown	0,39 x 5 m 15.4" x 196.9"	25 lm (5 rolls) (5 Kg/box)	7,20 €/lm



Red Batten + Ventilation Comb
SAT panel



THERM panel
Butyl tape 100 mm

DO YOU HAVE A PROJECT? WE HAVE THE SOLUTION.

We provides a free integral service of the necessary calculations for your project.
Contact us and we will manage the full budget for your roof.



APROOF

Roofing Components

proyectos@edilians.com

Effective 1 June 2026.

This catalogue, printed in June 2026, replaces the existing ones. The information contained herein is not binding and is subject to change at any time.

The company reserves the right to make changes to its products without previous notice. For more information, please contact your Sales Representative or our Customer Service.